•		VYXXV
•		29.0 (0
	KILL # 71-049	DCP
STREA	H Tye River (Pincy	ver) WSS/
BASIN		Investigate
CLIX	COUNTY Piney River	Tech. Anal.
		Advortise
ya ya ya ili a a a a a a a a a a a a a a a a a	ge hallman sign is a mean see seggen is a love of the second particle.	Board Action
merican Cyanamid, though now closed, has	s for so long grossly de	
and believe that its effects will probably	y be noted for years to	come. It would appear
hat heavy rains washed the acidic seding:	ment downstream to a poi	nt where there were
ish and that this caused the "kill" (no	dead fish were seen by	the writer as the
eport came in four days after the kill)).	_
		* · · · · ·
•		•
Programme and the second		•
		•
(200) 0 (237) 1 (27 0) 4		. • • • • • • • • • • • • • • • • • • •
RECOMMENDATIONS:	-	•
. THE IN	NVESTIGATION	
O REA ORTED LEST DIVERTION.	•	
r. Bill Turner reported young fish died		ins. Acid ponds from
	·	
		· · · · · · · · · · · · · · · · · · ·
Reported by: W.E. Turner	Date 8/31/71	Time 0815
Report received by: R. Pitts-	Date 8/31/71	<u> </u>
Investigated by: D.P. Chance	Date 8/31/71	<u> </u>
Investigated by:	Date	
Investigated by:	Date	
Final Report Edited by:		
CHAIN OF NOTIFICATION (list of names in	order of contact)	
(1) Pollution Abstement Division (same		(date) 8/31 (time) 0930
		こうしゅうしゅう しょうしょうしょう しゅうし


PLAINTIFF'S EXHIBIT

DATE FISH KILL OCCURRED (as determined by investigation) DATE FISH KILL ENDED 8/28/71

(2) Enforcement Division (name) R. Bowles

(3) (nama)_

(4) (name)



(date) 8/31

(date)

(date)

ACV ID HIM

STATE WATER CONTROLL BOARD CHARLES SOCIALIDENS

(time) 0930

(time)

(time)

sh Kill No. 71-049

eather Fol	ring Kill - Llowing Kill clear	
If rain -	include amount)	•
ITNESSES:	nameBill Turner	
	address Richmond	
	phone	
•	position	·- '
***	The second secon	•
••		
••		
••		

2.0 INVESTIGATORS DISCUSSION:

The writer traveled to the town of Piney River in an effort to determine whether or not the American Cyanamid Co. could be responsible for the kill (The Piney River flows into the Tye River). Due to the lateness of the fish kill report and the lack of information given the writer felt there was little chance of actually locating v dead fish or of proving a cause for their death.

The pH values above the American Cyanamid Co. ranged from 8.0 to 9.0, below the plant, t Rose's Mill, the pH was below 4.0 (off the Hach Kit scale) and the bottom was covered with a yellow sediment. The writer then talked with Mr. H.W. Whitehead of the American Cyanamid Co. who explained that this was a normal condition below the plant and that he doubted there were any fish in the Piney River of Tye River until the confluence with the James River.

The American Cyanamid Co. is no longer in operation and is in the process of closing down. However, it would appear that the residual effects of their operation will be evident for some time to come.

. 1	CULLIVA	DESCRIPTION:
Z . L	DIMITUM	. HESUKET LLUNG

1.	Piney	River	at f	Rt.	151	bridge	above	American	Cyanamid
----	-------	-------	------	-----	-----	--------	-------	----------	----------

2. Piney River at 674 bridge below American Cyanamid

3.

4.

5.

6.

7.

8.

.9.

10.


. 2	PICTURES	TAKEN:	(identify	pictures:	slides	(s)	or	prints	(p))
-----	----------	--------	-----------	-----------	--------	-----	----	--------	-----	---

Location:

l	6		
2. 2 pictures	7.		·
3.			
3		<u>' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' </u>	
· ·			

. 10.

3.0 MAP OF AREA: Include company layout, discharges in area, exact extent of kill, extent of visual stream degradation.



n Kill No. 71-049

4.0 VISUAL OBSERVATIONS:
.1 WATER:

station	D.C. mg/l	Hq	Temp.(°F)	Dead Fish ?	Color	Turbidity
<u> 36863011</u>	D101 11.27 4.	<u> </u>	2 3 3 5 5 V 2 7			•
1	7.0	9.0	78	-	-	clear
2	2.6	4.0-	76	-	yellow	clo udy
3		-				·
4						
5						•
6				•		
7						
8						
9						
1.0						

Station	Floating Solids	Surface Film	Flow	Tide Stage	Odor (def)	Other
. 1	none	none	med	_	none	
2	none	none	med		none	sediment)
. 3	·					
- 4		•				
.· 5				· ·		
6			-			
7	,					
8						
. 9						The management of the contract
·10		,				

Kill No. 71-049	
.ES: *	
1150; "	
cmal	bulging
paque	one eye missing
white: lens or center	both eyes missing
tiny spots in lens	if a needle is inserted in the eye socke
red spots in cornez	and the eye is pressed while fish head i
popeye	under water, gas bubbles or opaqu
other	fluid escapes.
* Indicate approximate number of fis general trends, not specific fish.	sh having these characteristics. Look for (few, many, all, none)
OTHER CONDITIONS OR SYMPTOMS NOTED:	· · · · · · · · · · · · · · · · · · ·
no dead fish seen by	investigator
	•
	•
	•
,	• •
	• • • • • • • • • • • • • • • • • • •
•	· · · · · · · · · · · · · · · · · · ·
	•
5.0 SAMPLES AND ANALYSES:	
•	
F A CURMICAL SAMPLES COLLECTED:	
F A CURMICAL SAMPLES COLLECTED:	y State Water Control Board)
1 CHEMICAL SAMPLES COLLECTED: (circle samples not collected by	The state of the s
1 CHEMICAL SAMPLES COLLECTED: (circle samples not collected by source (pollution)	polluted area
1 CHEMICAL SAMPLES COLLECTED: (circle samples not collected by source (pollution) source (oil)	polluted area
1 CHEMICAL SAMPLES COLLECTED: (circle samples not collected by source (pollution) source (oil) -1/2 gallon glass 2	polluted areaspill areaquart plastic
1 CHEMICAL SAMPLES COLLECTED: (circle samples not collected by source (pollution) source (oil) -1/2 gallon glass 2 gallon plastic	polluted area spill area quart plastic 2 quart glass
1 CHEMICAL SAMPLES COLLECTED: (circle samples not collected by source (pollution) source (oil) -1/2 gallon glass 2	polluted area spill area quart plastic 2 quart glass mud
1 CHEMICAL SAMPLES COLLECTED: (circle samples not collected by source (pollution) source (oil) -1/2 gallon glass 2 gallon plastic	polluted area spill area quart plastic 2 quart glass
1 CHEMICAL SAMPLES COLLECTED: (circle samples not collected by source (pollution) source (oil) -1/2 gallon glass 2 gallon plastic mercury bottles	polluted area spill area quart plastic 2 quart glass mud soil
1 CHEMICAL SAMPLES COLLECTED: (circle samples not collected by source (pollution) source (oil) -1/2 gallon glass 2 gallon plastic mercury bottles	polluted area spill area quart plastic 2 quart glass mud soil
1 CHEMICAL SAMPLES COLLECTED: (circle samples not collected by source (pollution) source (oil) -1/2 gallon glass 2 gallon plastic mercury bottles 5.2 BIOLOGICAL SAMPLES COLLECTED: *	polluted area spill area quart plastic 2 quart glass mud soil ov State Water Control Board)
1 CHEMICAL SAMPLES COLLECTED: (circle samples not collected by source (pollution) source (oil) -1/2 gallon glass 2 gallon plastic mercury bottles 5.2 BIOLOGICAL SAMPLES COLLECTED: *	polluted area spill area quart plastic 2 quart glass mud soil ov State Water Control Board)
1 CHEMICAL SAMPLES COLLECTED: (circle samples not collected by source (pollution) source (oil) -1/2 gallon glass 2- gallon plastic mercury bottles 5.2 BIOLOGICAL SAMPLES COLLECTED: * (circle samples not collected by Fish must be properly identified to	polluted area spill area quart plastic 2 quart glass mud soil by State Water Control Board) genus on lab sheet
1 CHEMICAL SAMPLES COLLECTED: (circle samples not collected by source (pollution) source (oil) -1/2 gallon glass 2- gallon plastic mercury bottles 5.2 BIOLOGICAL SAMPLES COLLECTED: * (circle samples not collected by Fish must be properly identified to	polluted area spill area quart plastic 2 quart glass mud soil by State Water Control Board) sequence on lab sheet benthic
1 CHEMICAL SAMPLES COLLECTED: (circle samples not collected by source (pollution) source (oil) -1/2 gallon glass 2 gallon plastic mercury bottles 5.2 BIOLOGICAL SAMPLES COLLECTED: * (circle samples not collected by Fish must be properly identified to	polluted area spill area quart plastic 2 quart glass mud soil y State Water Control Board) beganus on lab sheet benthic clam
1 CHEMICAL SAMPLES COLLECTED: (circle samples not collected by source (pollution) source (oil) -1/2 gallon glass 2 gallon plastic mercury bottles 5.2 BIOLOGICAL SAMPLES COLLECTED: * (circle samples not collected by Fish must be properly identified to fish oyster	polluted area spill area quart plastic 2 quart glass mud soil by State Water Control Board) genus on lab sheet benthic clam mussel
1 CHEMICAL SAMPLES COLLECTED: (circle samples not collected by source (pollution) source (oil) -1/2 gallon glass 2- gallon plastic mercury bottles 5.2 BIOLOGICAL SAMPLES COLLECTED: * (circle samples not collected by Fish must be properly identified to fish oyster crab	polluted area spill area quart plastic 2 quart glass mud soil y State Water Control Board) beganus on lab sheet benthic clam
1 CHEMICAL SAMPLES COLLECTED: (circle samples not collected by source (pollution) source (oil) -1/2 gallon glass 2 gallon plastic mercury bottles 5.2 BIOLOGICAL SAMPLES COLLECTED: * (circle samples not collected by Fish must be properly identified to fish oyster	polluted area spill area quart plastic 2 quart glass mud soil by State Water Control Board) genus on lab sheet benthic clam mussel
1 CHEMICAL SAMPLES COLLECTED: (circle samples not collected by source (pollution) source (oil) -1/2 gallon glass 2- gallon plastic mercury bottles 5.2 BIOLOGICAL SAMPLES COLLECTED: * (circle samples not collected by Fish must be properly identified to fish oyster crab	polluted area spill area quart plastic 2 quart glass mud soil by State Water Control Board) genus on lab sheet benthic clam mussel other

MEMICAL ANALYSIS check box for requested analysis

	check box for requested and	alysis	· · · · · · · · · · · · · · · · · · ·		
	ion	2	: .	1	
		8/31/71			
	ab Rumber	1730 10446			
	•	Pincy River	•	•	
	Parameter	at Rt. 674			
i	100 ₅ , mg/1	<u> </u>			
i	MPN / 100 ml	· · · · · · · · · · · · · · · · · · ·			
į	pH (laboratory	3.0			
Ì	Acidity (total) mg/l	165		•	•
1	Alkalinity (total), mg/I				
ļ	Phth Alkalinity, mg/l		•		
j	-Settleable Solids, mg/l_	•			
7	Total Solids - tot, mg/1	•			
	Vol, mg/l Fix, mg/l				
1	Susp. Solids- Tot, mg/1			•	
J	Vol. mg/l Fix, mg/l				•
1		- 1 			-
	chlorides, mg/l as Cl		:		
3	Nit, kjel, mg/l as N			· ·	-
- 100000 	ramonia, ng/l as N	, -		·	
] '	Nitrite, mg/l as N			••	
]	Nitrate, mg/l as N		·		
7	Hydrol. Phosphates, mg/l as P				
Ī	Ortho Phosphates, mg/l as P			<u> </u>	
]	Total Phosphates, mg/l as P	<u>.</u>	• •		
]	Chromium Tot, mg/l			·	: · · ·
].	Zinc, mg/l				
]	Lead, mg/l	•	<u> </u>	•	
]	Iron, mg/1	. 11			•:-
ר	Copper, mg/1				
].	Nanganese, mg/l		•	•	
]	Hexane Extractables, mg/1			• •	. • •
]	· Chemical Oxygen Demand, mg/1				
	by infrared, mg/l		•	• •	
]	Sulfates	182 mg/1			
]					•
]					100020
]		···			- • ∪ ₹! ₹!

'n	Kill	No.	71-049

60 TOXICITY OF ELEMENTS INVOLVED AS REPORTED IN LATEST LITERATURE:

EFERENCE: Ellis reports that the pH values of most inland waters containing fish range between 6.7 and 8.6, with extremes of 6.3 and 9.0. (McKee and Wolf, 1963)

REFERENCE: Cole states that fish are euryionic and can live in a wide pH range, with limits as broad as 4.7 to 8.7. (McKee and Wolf, 1963)

REFERENCE: The Aquatic Life Advisory Committee of the Ohio River Valley Water Sanitation Commission concluded that direct lethal effects of pH are not produced within a range of 5.0 to 9.5, but from the standpoint of productivity it is best to maintain the pH in the range of about 6.5 to 8.2. (Mckee and Wolf, 1963)

REFERENCE:

A pH of 5.5 as the lower limit for general fish protection. (McKee and Wolf, 1963)

Many additional references are available to prove the adverse effects of low pH. REFERENCE:

MARKS: In U.S. waters that support good game fish, 5 percent of the waters contain less than 11 mg./l. of sulfates, 50 percent less than 32 mg./l., and 95 percent less than 90 mg./l.

7.0 BENTHIC, ALGAL EXAMINATION (CURSORY):

Station	Substrate	Aquatic	Algae	Benthic		ance %		How compare
• •	•	plants	•	animals	Tol	Fac	Sensit	with control
1	rocks		-	numerous		<u> </u>		
2	rocks			nomexistent			,	
3								•
4		•						
5								· · · · · · · · · · · · · · · · · · ·
6				•				
7 -					·			
					•			
. 9								
								00021

` _1	sh Kill No. <u>71-049</u>	entropy of the same of the sam	180 (FITTES) - 120 (1755)	_ · · · · · · · · · · · · · · · · · · ·	·		·
	O ROUGH FIGURES FO			•		•	•
8.	l Lake, pond or ri	ver; total count of ev	very fish: <u>r</u>	no count,	kill old, no	o dead fis	b_secn
		•	OR			•	•
8.	2 100 yard segmen	t/half mile arez coun	t; lake or i	river:	· · · · · · · · · · · · · · · · · · ·		 .
	Segment	species, No., size	species N	lo., sive	species. No	0., <u>size</u>	•
	(1st. fish seen) 1st. 100 yds.	•		-			•
	2nd 100 yds.			, -			
	3rd 100 yds.	•		;			
	4th 100 yds.						
	5th 100 yds.	•					
	6th 100 yds.			•			
	7th 100 yds.			-	*		=
· .	8th 100 yds.			.•			•
•	9th 100 yds.						•
• •	(last fish seen) 10th 100 yds.	•			•		•
•		-{continue on last	page if nec	cessary)			
То	tal distance of ki	.11 in stream/pond mil		unknow	n	·	
•		vill not calculate tot		f fish kil	led.		• • •
	O COST:	:		•	•		•
		on: Technical Service	s Division.	Individua		60.58	*:
-	or or investigation	Enforcement: Other:		Pollution	Abatement: Other:		
Co	st of marine fish:	ish (Commission of Gar	me and Inla	nd Fisheri			•
To	her cost (explain) tal cost to State tal cost includes		vestigation	and repor	rting.		·
)	pies: Director Te Pollution A	chnical Services Divi	sion, Asst. forcement D	Director	Technical S ogy File, Co	Jervices Di Ommission	iv., (2)
Re	Game and Ir	lland Fisheries, Inves d distribution made:	tigator.		•.		
En	closures:	· A Company of the Co			 .	10002	2

sh Kill No. 71-049

MISC. NOTES:

Mr. Whitehead was most cooperative and very informative. He explained the American Cyanamid Co. had long ago killed all fish below the plant as far down as the James River. He also said that their operation had been inspected on numerous occasions by Water Control Board personnel and that their people were aware of the plant's effect on the river.

Lab results confirm the low pH value recorded in the field. High sulphur concentrations in the water at Station 2 and on the bottom would indicate the possibility of a continuing acid problem despite the fact that the American Cyanamid Co. has closed.

		expenses incur fish kill inve			nia State	Water Control	Board	
Number	of personnel	involved in i	nvestig	ations:		1 + la	L-	
		field, laborato	•					
Total w	vage expense	based on Apurl	y rate	for all p	articipant	(5	- 30.00	•
Totalr	number of mil	les driven by S	tate ca	r:		263	+ 1.54 led	مسسند
Total r	number of mil	les driven by p	rivate	car:			•	
Total n	nileage exper	nse for use of	Sťate c	ar (8¢/mi]e)		21.04	
Total n	niîeage e xper	nse for use of	private	car (9¢/	mile)			
Total e	expense for t	travel by train	,;plape	or bus:		, <u></u>		
Boat Us	se:	·	<u> </u>		, <u></u>		•	
	Type of	Check Boat	1	No. days			•	
	Boets	or boats used		used	Expense		,	•
• ,	Canor		56,25	}		4	•	
	Flatbortom Glassmaster	<u> </u>	\$6.25 \$15.00		· <u> </u>			
	MFG Carosel	 	\$31.65			-	•	
7	Boat Rentals	<u> </u>	1371.07			1	ř	
Total	number of nig	Soat use: phts spent in f	•	•		•		
Total r	number of mea	als for all par	ticipan	its:	•	· · /		
Total e	expense for m	neals:		******			2.00	. :
Miscell	laneous Items	: (!temize bel		ot listed	3)	•	-	, • •
•		tems Quan	χιζγ	Valve				•
	106				J			
		ls				•		
		vie Film			_	•		••
•	ទិដ្ឋា	ll camera	1		ļ		•,	٠.
	- -	1 (31)				-		
	J 							
								
				· · · · · · · · · · · · · · · · · · ·			•	
11 e	expense for a	miscellaneous i	tems:					
	• · · · = ·					EVECUCES	60.58	
•	, =		·_ ··-···		TOTAL	EXPENSES	2.1	
				SIGNE	RY De		drum	
		•				_	100024	



COMMONWEALTH of VIRGINIA.

STATE WATER CONTROL BOARD 2111 Hamilton Street

September 27, 1977

BOARD MEMBERS Warren L. Braun Chairman

Col. J. Leo Bourassa Vice-Chairman

George M. Cornell Roy B. Martin, Jr. Millard B. Rice, Jr. Kenneth B. Rollins R. Alton Wright

SPECIAL DELIVERY

CERTIFIED MAIL
RETURN RECEIPT REQUESTED

Mr. Henry A. Williams Mr. Ronald A. Penque United States Titanium Corporation 305 East 37 Street Paterson, New Jersey 07504 RECEIVED

Gentlemen:

R. V. Davis

Executive Secretary

Post Office Box 11143 Richmond, Virginia 23230 (804)786-1411

> VALLEY REGIONAL OFFICE

Enclosed is the fish kill investigation report which was referenced in Mr. David E. Evans' letter of September 16, 1977. The Board requested U.S. Titanium to pay, by October 15, 1977, for the cost of the fish kill that resulted from the July discharges at the Piney River plant.

Under Section 62.1-44.15(11) of the Code of Virginia (1950), as amended, the State Water Control Board is authorized to recover the cost of staff investigation and the replacement value of the fish killed. The cost of the fish as determined by the Commission of Game and Inland Fisheries was \$7,047.03. The cost of the staff investigation was \$2,193.42. The total cost to the State of Virginia was \$9,240.70. Should U. S. Titanium fail to pay for the fish kill, the Board will proceed with court action to collect such costs.

The Board's staff is currently reviewing the proposed agreement, between Penque-Williams, Inc. and Cosmin Corporation, in which Penque-Williams will sell and deliver copperas to Cosmin's Baltimore plant site. The term of this agreement is for five years instead of the reported 1,000 days or four years as stated by U. S. Titanium at the Board's September 9, 1977 Special Order Hearing. The staff requests that U.S. Titanium explain the additional year's time found in the Penque-Williams, Cosmin agreement.



Mr. Henry A. Williams Mr. Ronald A. Penque U.S. Titanium Corp. Sept. 27, 1977 page 2

The staff is willing to work with U.S. Titanium in any way possible to resolve the pollution problems at its Piney River plant site. If you require any assistance, please do not hesitate to contact our staff.

Very truly yours,

Jim E. Hensley

Specialist

Bureau of Enforcement

dd
cc: David E. Evans, Asst. Attorney General
Valley Regional Office, SWCB
Bureau of Applied Technology, SWCB
Division of Ecological Studies, SWCB
Bureau of Enforcement - Fish Kills

FISH KILL REPORT

FISH KILL # 78-038

STREAM Piney River/Tye River
BASIN James
EXXXY/COUNTY Nelson/Amherst

It ilis report

SUMMARY:

In August of 1977, 8940 fish were killed valued at \$ 4,762.14. Many different species were involved in the kill including chubs, minnows, smallmouth bass, sunfish, suckers and catfish. The sampling results show U.S. Titanium as the pollution source causing an extremely low pH downstream of their discharge pipe. Total cost to State of Virginia - \$5122.88.

ORIGINAL (Red)

THE INVESTIGATION

1.0 REPORTED INFORMATION:

Fish were dead_and dying on the Tye River and the water appeared cloudy and had a "sour taste". Members of C.L.E.A.N. reported discharges from U.S. Titanium the preceeding weeks and at 5:30pm on August 19, 1977.

Reported by: Bruce Leider	Date	8-19-77	Time
Report received by: Mike Shelor	Date	8-19 -7 7	
Investigated by:C. L. Auckennan	Date	_8-20-77	
Investigated by: T. Blankenship	Date	8-20-77	
Investigated by: Ron Gregory		8-20-77	
Final Report Edited by: B. Gail Todd			•
CHAIN OF NOTIFICATION (list of names i	n order of	contact)	
CHAIN OF MOTIFICATION (TISE OF Names I	n order or	contact)	
(1) Enforcement Division		(date)	(time)
(2) Regional Representive		(date)	(time)
(3) Game Warden (CGIF)		(date)	(time)
(4) (name)		(date)	(time)
(5) (name)		(date)	(time)
			7.0
DATE FISH KHIL OCCURRED (as determined		igation) 8	-19-//
DATE FISH KILL ENDED unknown		<u> </u>	,

Fish	K411	No.	78-036	<u> </u>	 <u> </u>	<u> </u>	;;	4

Weather Dur Weather Fol	Weather Previous to Kill Weather During Kill Weather Following Kill (If rain - include amount)							
WITNESSES:	name_Bruce_Leider address_Rt, I. Box_385. Arrington, Va. 22922 phone(804) 263-4509 position							

2.0 INVESTIGATORS DISCUSSION:

R. Gregory and other DES personnel met with C. Auckerman, T. Blankenship, and B. Leider on August 20 to investigate the fish kill. They visited the U.S. Titanium plant site where a discharge was observed. Next a fish count was made from the U.S. Titanium discharge to a point on the Tye River downstream of the community of Tye River. Water samples that had been collected by a C.L.E.A.N. member were given to T. Blankenship on August 20 who then gave them to R. Gregory. Fish samples were also collected and given to D. Paylor who examined them on August 19. (see attached pathology report).

1 U.S. 7	Titanium plant, 100 yds above discharge pipe	ORIGINAL (Red)
		•
	Titanium plant, sample taken from discharge pip	
3. V.S. 1	Titanium plant, 100 yds below discharge pipe	
4. Tye Ri	iver at Rt. 29 bridge	
5. Tye Ri	iver at 10 ft hole 2 miles below Tye River Post Offic	ie
6.		
7.		
8.		•
9.		
		•
2.2 PICTURES	TAKEN: (identify pictures: slides (s) or prints (p))
2.2 PICTURES)
2.2 PICTURES Location:	TAKEN: (identify pictures: slides (s) or prints (p)	•
2.2 PICTURES Location:	TAKEN: (identify pictures: slides (s) or prints (p) No pictures available	
2.2 PICTURES Location: 1 2	TAKEN: (identify pictures: slides (s) or prints (p) No pictures available 6.	
2.2 PICTURES Location: 1 2 3	TAKEN: (identify pictures: slides (s) or prints (p) No pictures available	
2.2 PICTURES Location: 1 2 3	TAKEN: (identify pictures: slides (s) or prints (p) No pictures available 6. 7. 8. 9.	
2.2 PICTURES Location: 1 2 3	TAKEN: (identify pictures: slides (s) or prints (p) No pictures available	

15, 78-038 10,0030 (Red)

Fish Kill No. 78-038 EYES: *		INAL
1.172; 4	· (n	ed)
normal	bulging	
opaque		
white: lens or center	both eyes missing	
tiny spots in lens	if a needle is inserted in the eve socke	r.
red spots in cornea	if a needle is inserted in the eye socke and the eye is pressed while fish head i	S
popeye	under water, gas bubbles or opaqu	e .
other	under water, gas bubbles or opaqu fluid escapes.	
general trends, not specific fish.	having these characteristics. Look for (few, many, all, none)	
OTHER CONDITIONS OR SYMPTOMS NOTED:		
5.0 SAME ES AND ANALYSES:		
5.1 CHEM CAL SAMPLES COLLECTED:		
(cir le samples not collected by S	tate Water Control Board)	
source (ollution) X	nolluted area	
source (11)	spill area	
source (il) 1/2 gall n glass	quart plastic	
callon plastic	quart plastic quart glass 3	
mercury bottles	- mud	
moreary over 150 - 1 - 15 - 15 - 15 - 15 - 15 - 15 -	soil	
	two quart glass 2	•
5.2 BIOLOGICAL SAMPLES COLLECTED: *		
(circle samples not collected by S	tate Water Control Roard)	
Fish must be properly identified to ge		
. zo. muot of property Adentification to ge	And	
fish 3 (SMB, chub, longear, sunfish)	benthic	
oyster	clam	• •
crab	mussel	

^{*} Specify whole fish, edible ment or organs to be analized

5.3 CHEMICAL ANALYSIS chell box for requested analysis

cherk box for requested and	lysis			(neu)
Station Date	8-19-77 2230 018124	2 8-19-77 2245 018125	3 8-19-77 2300 018126	4 8-19-77 2000 018127
Parameter - ···				
BOD ₅ , mg/1				
MSN / 100 ml	·····			
pH (laborat. v	5.1	2.5	2.5	6.4
Acidity (to: 1) mg/1	18			
Alkalinity (otal), mg/1		22,100	13,800	
Phth Alkalin ty, mg/1				
Settleable S lids, mg/l				
Total Solids - tot, mg/l Vol, mg/l Fix, mg/l		-		,
Susp. Solids- Tot, mg/l Vol. mg/l Fix, mg/l				
Chlorides, mg/l as Cl				
Tot Nit, kjel, mg/l as N				
Armonia, mg/l as N				
Nitrite, rog/l as N				
Nitrate, mg/l as N				
hydral. Phospheres, mg/l as f				
Ortho Thesphates, mg/l as P				
Total Phosphates, mg/l as P	·			
Chromium Tott, Tott				
Zinc, 78/1				
lead, mg/l				
Iron, mg/l	1.7	1,100	7.0	0.3
Copper, mg/1				
Manganese, mg/1				
Hexane Extractables, mg/1				
Chemical Coygon Demand, mg/1				
Oils by Instared, mg/1				
Hardness	23	600	90	40 -
Sulphate	37	7600	700	19
	<u> </u>			
				100033

5.3 Chillian AVMASIS

check bery for requested medy is

check by for requests	dimenty to		(nou)
Station"	5		/·
Date	8-19-77 - 2000		
Time Lab Number	018128		
aramatar m	•		
ου ₅ , ε _λ /1			
53 / 100 ml			
•	6.3		
• •	8		
	6		
tageleable folion, sp/1	i		
Total Salid tot, og/1			
vel, ng/l = 11s, ng/l =			
Susp. Solids- Tot, bg/1			
Vol. mg/1 Fix, mg/1			
Chlorider, on this Cl			
on the Physical as 3			
or 61, 252, 122, 122 Granta, 1977 no 1			-
	•		
Sitrate, mp/1 as 3 Bylo 1. The plates, ma/ly	as I		
ř		-	
Arthy The protesting/1 as			
Southern Berg State of my 11 and Control State March 2018			
· · · · · · · · · · · · · · · · · · ·			
7466, re/1 <u>11</u> ,			
1			
1000 to 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			
Mark to a	ł		
aryan en, 1971	i i		
Contract to the state of the st			
and all the second contracts	41		
	5 VALUE 10 10 10 10 10 10 10 10 10 10 10 10 10		
lardness			
	20		
n n w			10000
n and a second s	- Carrier Transfer and Agency		100034
	Military and American Control of the		THE REPORT OF THE PROPERTY SERVICES
	and the second s	and the same of th	

60 TOXICITY OF ELEMENTS INVOLVED AS REPORTED IN LATEST LITERATURE:

REFERENCE: Mount, Donald. 1973. Chronic Effect of Low pH on fathead Minnow Survival, Growth, and Reproduction. "Most lotal pH values from laboratory data reported in the literature are below 4.0".

REFERENCE: McKee & Wolf. 1963. "A pH of 5.5 as the lower limit for general fish protection".

REFERENCE: McKee & Wolf. 1963. "Cole states that fish are euryonic and can live in a wide pH range, with limits as broad as 4.7 to 8.7".

REFERENCE: The Environmental Protection Agency in Quality Criteria for Water, 1976, sets the criteria for freshwater aquatic life at 6.5-9.0. "Outside of this range, fish suffer adverse physiological effects increasing in severity as the degree of deviation increases until lethal levels are reached." (p.341)

REMARKS: The extremely low pH values found at the discharge pipe and 100 yds. below U.S. Titanium at the time of the sampling would be immediately toxic to fish. It is evident that such values caused the fish kill in the Piney-Tye River.

7.0 EINTHIC, ALGAL EXAMINATION (CURSORY):

ation	Substrate	Aquatic.	Algae	Ben thic	Tolera			ilow compare
		plants		animals	Tal	Fac	Sensit	with contro
					·,·.,	ļ		
2								
3						ļ		
4						<u> </u>		
5		,						
6								
7	 						<u> </u>	
ц						ļ	<u> </u>	
3		***************************************				ļ		
<u> </u>								1 00 035-

F	i	તંટ	,	11	No.	78-038
---	---	-----	----------	----	-----	--------

ORIGINAL (Red)

8.0 ROUGH FIGURES F	OR FISH COUNT:		
8.1 Lake, pond or r	iver; total count of	every fish:	and the same of th
	OR		•
8.2 100 yard segmen	t/half mile area coun	t; lake or river: 8,94	0
Total distance	of kill in stream/pon	d miles/acres:	
Segment .	Species, No. size	Species, No., size	Species, No., Size
(lst. fish seen) lst. 100 yds.	see fish c	oct sheet	
2nd. 100 yds.			
3rd. 100 yds.			
4th. 100 yds.			
Sth. 100 yds.			
6th. 100 yds.			
7th. 100 yds.			
8th. 100 yds.			
9th. 100 vds.			
	200		

Fish Kill No. <u>78-038</u>			ORIGINAL (Red)
9.0 COST:			, , , , , , , , , , , , , , , , , , ,
•	Bureau of Surveillance a sheets: 315.49 Other:	Enforcement	
Cost of marine fish:	(Commission of Game and Lab cost - 20.25, administ Virginia: 5122.88		2.14
	Regional Office, Enforce Game and Inland Fisheries	· · · · · · · · · · · · · · · · · ·	le
Report completed and di	stribution made:	(signed)	(1-1-)
Enclosures:	om de july e des la fatte de dependencia medica e está está de está de está de está de está de está de está de dels designados como 1971 de deconómico de está designado e en el 1972 e está designado e en el 1972 e está de		(date)

MISC. NOTES:

TLE:	ORIGINAL (Red)
resent Wage carnings per hour:	<u></u>
otal man-hours in field, laboratory, and report preparations:	1 - 1
Ital wage expense based on hourly rate: ####################################	1 /:
tal number of miles driven by State or Agency car personally country country contails country to the country c	, /
ocal number of miles driven by private car personally:	
cal mileage expense for use of State car (9c per mile):	
cal mileage expense for use of Agency car (10; per mile):	# 12
otal mileage expense for use of Private car (12¢ per mile):	
yes of boat used by you personally:	- · ·

tes for boats while unavailable for other use: ...

_	Daily Cost	Operating Cost Hour	Ā		
- · · · · · - · · · · · · · · · · ·	31.00 31.00	\$ 3.00 4.00 6.50 7.50 8.60 8.50			•
-Craft 24' Inhoard	37.00	9.00	ي د د د د که د		
Dem of days boat was used:				/	
Der of hours boat was in ope	eration:				
Aul expense for boat use:				7.	·
il number of nights spent i	ı field:				
::l expense_for lodging:_			. <u></u>		· .
ป กนกมีอากอภิวณอนไร: 🧦 🤠 📜				/	
The grosse for mealizable for	The second secon	The second state of the se		#	ratumet que
. Itels (ica. রালড় talls) (ita. of ার চন্ত্র)					-
ি এনে কাল্য ক্রিক বিভিন্ন স্কল্পন্তিত			•		

INDIVIDUAL'S EXPENSE FISH KILL INVESTIGATION

FISH KILL NO	٠.
NAME: David K. Paylor	,
TITLE: P.C. Specialist A	
Present wage earnings per hour: 5.77	
Total man hours in field, laboratory and report preparation: 24	,
Total wage expense based on hourly rate	8.48
Total number of miles driven by state car personally: 265	
Total mileage expense for use of state agency, pool car (-15 per mile):	9.75
Total number of miles driven by private car personally:	
Total mileage expense for use of private cur.(per mile):	
Total expense for travel by train, plane or bus.	
Type of boat used by you personally:	
Rate for boat use: Daily Cost Hourly operating cost	
Canon and Flatbottom (narrow) \$ 6.25 \$ 3.00	
Wide Flatbottom 8.50 4.00 Glassmaster 17' Outboard 15.00 6.50	,
Glassmaster 17' Outboard 15.00 6.50 Glassmaster 19' Outboard 25.00 7.50	
Glassmaster 19' Inboard 31.00 8.50	
Cardusei 31.00 8,50	
Fish/Ski, T-Craft 37.00 9.00	•
Number of days hoat was used: Number of hours boat was used:	
Trumper of Hours hour was asca.	
Total expense for boat use:	
Total number of nights spent in field:	
Total expense for lodging:	
Total number of meals: 2	
Total expense of meals:	7.85
Miscl. items (ice, film, tolls, etc.) Itemize below:	
(No. of items) (Total value)	
·	
Total expense for Miscl. items:	
Total expense for Wiscl, Items:	
TOTAL EXPENSES	80.38
$\Lambda \sim \Lambda \simeq \Lambda \simeq \Lambda$	_
I flective date:	
Signature Waves 11 104-00	। इ
Just 22 1977	
Date	-

LABORATORY COSTS

Fish Kill No. 78-038

PARAMETER .	no. of analyses	cost per anglysis	total cost		PARAMETER	no. of analyses	cost per enalysis	total cost
Coliform, Total /100 ml	<u> </u>				Artenic			
Coliform, Fecal /100 ml					Cadmium			
pH (Laboratory)	5	1.00	5.00		Calcium			
Alkalinity/Acidity	5				Chromium			
Total Solids, Total					Соррег			
Volatile				X	lron	5	.55	2.7
Fixed	1				Lead			
Suspended Solids, Total					Magnesium			
Volatile_				1_	Manganese			
Fixed				1_	Mercury			
Dissolved Solids					Zinc			
Chloride				1_				
[lardness	5	1.00	5.00	1_				
Sitrogen, Total Kjeldahl			. — <u>— — — — — — — — — — — — — — — — — —</u>					
Phosphorus, Total				1				
Phosphorus, Ortho								
Ammonia ing/l as N	<u> </u>			1_	Turbidity			
Sitrite mg/L as N					Pesticides			
Nitrate mg/L as N	<u>'</u>			_	Settleable Solids			
Sulphate	5	1.50	7.50	1	Conductivity			
Uexane Extractables -	<u> </u>			<u> </u>			<u> </u>	
BODs	<u> </u>			\bot			 	
COD				1				
	_]						1	

Effective date August 1977 Grand Total \$ 20

Approved by (Authorized Signature)

₹244 Pine	y River/Tye	River
TINOOO\YIY_	Nelson/Amhe:	<u>rst</u>

Shaet	No.	1	of	2
-------	-----	---	----	---

REPLACEMENT COST OF FISH

ORIGINAL (Red)

Fish Kill No. 78-038

Species & Common Name	Size (Inches)	Number	Individual Value	Total Value
Cyprinidae (chubs &	all	3705		.//
& minnows)				
Percidae (darter)	all	158	. / /	• , , • ,
Micropterus dolomieui		246		/ /
(smallmouth bass)	3	1681		
	4	1487		
	5	625	<u> </u>	
	6	132	71	
	7	35		
	10	9		
Lepomis (sunfish)	<u> </u>	18	. , ,	
	2	114		
7	3	79		
the same of the sa	4	79	,	
in the second se	5	70		,
and the second s	6	18		
e del al vers de deserve l'electe	7	9		
Catostomidae (sucker)	1-3	176		
. was a special control of	4-6	114		
Carpiodes (carp sucker)	5	18	,	

CUE	•	
SUB Grand Total	8773	\$4,744.

Signed: 11/1/1/ find.

(Chief, Fish Division, CGIF)

Date: June 2, 1980

REPLACEMENT COST OF FISH

Fish Kill No. 78-038

ORIGINAL (Red)

Species & Common Name	Size (Inches)	Number	Individual Value	Total Value
Noturus (madtom)	?	158		100 3
Ictalurus (catfish)	2	9	.7.3	
			,	•
			•	
)		
<u> </u>				
		•		
	<u></u>			

C	,	,	ļ	٠	+	_	4.	_	ז
	1	1	٤	`	Ţ	\mathbf{r}	7*	٦.	4

17.65

Grand Total

8940

\$4,762.14

Signed:

(Chief, Fish Division, CGIF)

Date: Juno 2, 1980

PATHOLOGY REPORT

OHISINAL (Ked)

	Name David K. Paylor	
	Species smallmouth bass Date Received Size 2" = Date Examined 8/19/77	<u>-</u>
	Sex Examined moribund dead x Preservative frozen Sampled moribund dead	
1	External	: # 156 c
	Sides (hemorrhaging, necrosis, parasites, bacteria, etc.):	
	Fins (hemorrhaging, necrosis, parasites, bacteria, fraying, etc.):	
	Gills: A. General appearance & color: normal postmortum appearance	
	B. Microscopic (hemorrhaging, hyperplasia, aneurysms, bacteria, parasites): some foreign material between lamellae	
	Other abnormalities: The state of the state	
ΙI	Internal	
	General appearance of viscera (hemorrhaging, edema, parasites, etc.):	-
	normal Intestinal tract (full, empty; bloody, mucous, parasites, etc.):	
	normal Organs (hemorrhaging, color, bacteria, parasites, etc.): normal	
	Liver: Spleen:	
	Kidney: Pyloric caeca:	
	Kidney: Swim Bladder:	
	Gall Bladder: Other:	
I 1	Hematology, Histology, Bacteriology, Parasitology attach sheets	
ĮV	Summary and Conclusions:	
	Postmertum changes and decay were advanced, possibly due to the small size of the fish. Some foreign material was found between the lamella on microscopic examination lt was much less abundant than the two larger fish examined (longear and chub). $\frac{9}{22}$	n.
	9/22/77 100043	

PATHOLOGY REPORT

	Name David K. Paylor	Fish Kill # _78-038		
	Species longear sunfish/chub	ate Received		
	Size5"/7"	ate Examined 8/19/77		
	Sex Preservative <u>frozen</u> Sa	xamined moribund dead x ampled moribund dead		
714	I External	dead		
	Sides (hemorrhaging, necrosis, parasites, bacte normal	eria, etc.):		
	Fins (hemorrhaging, necrosis, parasites, bacter normal	ria, fraying, etc.):		
	Gills: A. General appearance & color: Complete Outer gill arch completely engulfed. B. Microscopic (hemorrhaging, hyperplas			
	Foreign substance between lamellae.	ord, anedrysms, pacteria, parasites):		
	Other abnormalities:			
1	Internal			
	General appearance of viscera (hemorrhaging, ed	dema, parasites, etc.):		
	No rma l			
Intestinal tract (full, empty, bloody, mucous, parasites, etc.): Normal				
Organs (hemorrhaying, color, bacteria, parasites, etc.): Normal				
	Liver:	-Spleen:		
	Kidney: E uma gafus usekasta satu	Pyloric caeca:		
		Swim Bladder:		
	Gall Bladder:	Other:		
	Hematology, Histology, Bacteriology, Parasitolo	gy attach sheets		
	Summary and Conclusions:			
	The onl, pathologic condition observed was the colored raterial on the gills (see slides). The have be retained) but was in sufficient quantiplockas alone. Other factors may also have been	is was unidentified (the frozen gills ity to have caused death by physical		
		9/22/77 100044		

MEMORANDUM

State Water Control Board

ORIGINAL (Red)

2111 North Hamilton Street

P. O. Box 11143.

Richmond, VA, 232:

SUBJECT: Piney River - Tye River Fish Kill, FK 78-038

TO:

VRO File

FROM:

C. L. Auckerman Clar

DATE:

24 August 1977

COPIES:

DES



On 19 August 1977 at 9:00 P.M. the writer received a call from M. H. Shelor (Prep Duty Officer) reporting a fish kill on the Tye River. The writer then contacted Bruce Leider (Rt. 1, Box 385, Arrington 22922, Phone 804-263-4509) who reported that he had observed dead and dying fish on the Tye River at the Route 29 bridge and at a point two miles downstream. Mr. Leider was in the area at 1:00 P.M. that afternoon when the water appeared clear and no dead fish were seen. When he noticed dead fish at 8:00 P.M. the water appeared somewhat cloudy and had a "sour taste". Samples of water and distressed fish were collected by Mr. Leider.

It was also reported by Mr. Leider that members of C.L.E.A.N. had noted discharges of 5-10 gpm at the U.S. Titanium plant site on several occasions during the two weeks preceding the kill. A discharge of about 5 gpm was observed at the site on 19 August at 5:30 P.M. Samples of that discharge as well as from Piney River above and below the discharge were collected by C.L.E.A.N. after the kill was discovered. The source of discharge was not an overflow from the catch basin, but from a leak at the pumphouse and runoff not entering the catch basin.

After discussing the above with D. K. Paylor of DES, it was deemed that no further investigation would be necessary until the following morning. On the morning of 20 August the writer and T. Blankenship met with investigators from DES and with Bruce Leider. R. A. Gregory assumed responsibility for the investigation. The U. S. Titanium plant site was visited where a discharge was observed. A fish count was made from the U. S. Titanium discharge to a point on Tye River downstream of the community of Tye River.

CLA/jw

MEMORANDUM

State Water Control Board

ORIGINAL (Red)

file-

2111 North Hamilton Street

P. O. Box 11143

Rici mond, VA. 232.

SUBJECT:

Piney River Survey - SS 2-11-76

TO:

File

FROM:

R. F. Tesh R 4 Tark

DATE:

15 August 1975

COPIES:

M. A. Bellanca - BSFS

R. Bradley Chewning

R. L. Hill

A. H. Paessler

J. A. Preston

This memorandum constitutes the final report for SS 2-11-76. The memorandum initiating the study is attached.

The reach of Piney River in question is referenced in the 305(b) Report as receiving large amounts of acidic ferrous sulfate leachate from the former American Cyanamid Company site. Progress has been made during the recent past to eliminate the leachate. Presently, all leachate is being pumped to a holding pond such that no known leachate enters Piney River. This survey was requested to ascertain if Piney River is presently receiving any acid wastes from the mine tailings site.

The following table lists the stations depicted on the attached map which were sampled during this survey.

Station No.	Stream	Station Location		
1	Piney River	. Above all past mining activity		
2	Piney River	Route 151 Bridge		
3	Piney River	Route 674 Bridge at Roses Mill		
4	Tye River	Route 56-158 Bridge		
5 ·	- Tye River	Route 29 Bridge		
6	Tye River	Above confluence with Jones Creek		
7	Tÿe River	Route 654 Bridge		
8	Tye River	Route 626 Bridge		

Continued Page 2...

The survey was performed by C. L. Auckerman on 14 July 1975. Due to high water during this survey, it was repeated on 11 August 1975. The results of both surveys are listed in the following table:

Station No.	July 14 pH	Survey Flow	August 11 <u>pH</u>	Survey Flow
1	•		7.1	
2 ,	5.8	155 cfs	8.0	74 cfs
3	6.0		6.8	-
4	6.7	597 cfs	7.3	175 cfs
5	6.5		7.0	
6	6.5		7.0	
. 7	6.5		7.0	
8	6.5	•	7.1	

The survey results do not show an acid leachate addition to the Piney River as it flows past the former mining sites. During the surveys, the flows were much higher than drought flows; however, this fact is minimized since pH is a logarithmic function whereas dilution is a linear function. In addition, little if any leachate would be expected during drought conditions. It is felt that, if a problem exists, the survey would have detected a pH change. Flow data for the gaging stations follow:

Station	2	10 year, 7 day drought July 14, 1975 August 11, 19 Water Year 1973	•	- 2030	cfs cfs cfs cfs
Station	4	10 year, 7 day drought July 14, 1975 August 11, 19 Water Year 1973		- 7 - 597 - 175	cfs cfs cfs cfs cfs

A Hach color comparator was used in the survey pH determinations.

By request of DAT, samples were taken at all stations on the 11 August 1975 survey for total hardness, sulfate and calcium analyses. These results will not be available until mid-September and are not included in this report since this report must be completed prior to the 21-22 August 1975 Board meeting. The conclusions are to be used in response to the 305(b) reference of acidic leachate discharge to the Piney River and which will be included in a report to the Board.

RFT:jw

ORIGINAL (Red)

State Water Control Board

2111 North Hamilton Street P. O. Box 11143

Richmond, VA.

SUBJECT: Piney River Survey - Special Studies 2 - // 76

TO:

C. L. Auckerman

FROM:

R. F. Tesh

DATE:

8 July 1975

COPIES:

J. A. Preston - DAT

C. A. Shepherd- Charlottesville

A. L. Willett - BSFS

VRO File

The purpose of this survey is to determine the extent of the effect to the receiving stream of the alleged mine tailing pond leachate from the S. Vance Wilkins property (formerly known as American Cyanamid at Piney River). The leachate is reported to have been stopped and the survey is requested to substantiate the report.

The survey should consist of pH measurements and metals samples at the following stations: In addition, flow measurements are to be taken at the gaging stations located at 2) and 4) below.

Piney River - above all past mining activity (RI-778 t-lane)

Piney River - Rt. 151 Bridge

3) Piney River - Rt. 674 bridge at Roses Mill

Tye River - Rt. 56-158 Bridge

Tye River - Rt. 29 Bridge TYE 13.75

Tye River - above confluence with Jones Creek (adjacent to Rt. 622) 6)

Tye River - Rt. 654 Bridge 7)

Tye River - Rt. 626 Bridge 746 0.30

The above stations, gaging stations excepted, are suggested and the sampling points may be picked in the field.


Station location on topo maps are to be forwarded to DCLS and attached to the appropriate lab sheet.

The pH and flow measurements are to be sent to me upon your completion of the field work.

Coordination with the Surface-Water Investigations Office will be necessary to obtain the flow readings.

Coordination with BSFS will be necessary regarding the shipment of samples since this survey has not been scheduled with DCLS.

The writer assumes responsibility for writing the final report.



SCALE IN MILES

Virginia State Water Control Board (Red) P.O. Box 11143, Richmond, Va. 23230 one quart jar CD ADP FIELD AND LABORATORY DATA LATITUDE MON FK 85 PC BM PS BIO D.E.S.-R. Gregor LONGITUDE BM, OR BIO NO. Collected by: <u>SLEA.W.</u> Piney River Name of Stream STREAM RIVER MILE Station Description REGION TIDE FLOW CES WEATHER TEMP. DISSOLVED OXYGEN DO% SAT FIELD pH STATE CODE **PARAMETER VALUE** VALUE PARAMETER CODE =058020 Arsenic Coliform, Total /100 ml 078 055Cadmium Coliform, Fecal /100 ml 5. 052 050 Calcium pH (Laboratory) 18 040 022 Widity Alkalinity Chromium 045 024 Copper Total Solids, Total 1. 2 025 044 Volatile Iron 043 026 Fixed Lead 246 027 Suspended Solids, Total Magnesium 096 028 Voiatrie Manganese 080 029 Fixed Mercury 041 067 Zinc Dissolved Solids Total 680 Chloride 4 032 Hardness 035 Nitrogen, Total Kieldahl 065 Phosphorus, Total Phosphorus, Ortho 064 036 049 Ammonia mg/l as N Turbidity Nitrite mg/L as N 037 121, 122 Pesticides Settleable Solids 038 023 Nitrate mg/L as N 37 Conductivity 107 034 Sulphate 0.18 Hexane Extractables BODs 019 COD 051 D SEP 19 1977 100050 Date released from Lab:

ORIGINAL

· · · · · · · · · · · · · · · · · · ·	Virginia State Water Control	Board A	
	P.O. Box 11143, Richmond, Va	• •	ORIGINAL
			(Red) La CD ADE
two quart Jars	FIELD AND LABORATORY D	DATA 12	LG CD ADI
MON FK &S PC BM PS BIO GW	LATITUDE	7. –	,
		ID 6.4	000
		- Collect for: D.E.S	K. Trego
FK, SS, PC, PS, BM, OR BIO NO.	LONGITUDE	C15	MIT
78-038		Collected by: C. L.L.	HW, In C.
		Name of Stream	inex R
BASIN STREAM RIVER M	(ICE		
		Station Description 4	S. Titaniam
LABORATORY NUMBER DEPTH	SECTION REGION	nlent con	abtella
		12 14K/1 / 23/2	7/1/2 12/00
		Frandisch	1949 PIPE
MONTH DAY YEAR TIME	SOURCE		
0811177 224	5		<u> </u>
TIDE % FLB FLOW CFS	WEATHER TEMP, DE		8 0
			DCLS
		A SECTION OF THE SECT	(1)
DISSOLVED OXYGEN DO% SAT	FIELD pH		ENV.
· = ***********************************		· ·	SCI 22
			۱.

PARAMETER	STATE CODE	VALUE	PARAMETER	STATE CODE	VALUE
Coliform, Total /100 ml	020		Arsenic	058	
Coliform, Fecal /100 ml	055		Cadmium	078	
pH (Laboratory)	050	-2.5	Calcium	052	
Alkalinity	022	22,100	Chromium	040	
Total Solids, Total	024		Соррет	045	
Volatile	025		Iron Lead Control Cont	044	1,100
Fixed	026		Lead CT	043	
Suspended Solids, Total	027		Magnesium (49 SE)	246	
Volatile	028		Manganese St. 7 F. C. F. W. F.	096	
Fixed	029		Mercury Strain	080	
Dissolved Solids Total	067		Zinc FS	041	
Chloride	033		Zinc FS D		
Hardness	032	600			
Nitrogen, Total Kjeldahl	035				
Phosphorus, Total	065	<u> </u>			
Phosphorus, Ortho	064				
Ammonia ing/J as N	036		Turbidity	0-19	
Nitrite mg/L as N	037		Pesticides	121, 122	
Nitrate mg/L as N	. 038	7	Settleable Solids	023	
Sulphate	107	7600	Conductivity	034	
Hexane Extractables	048				
BODs	019				
COD	051				

SEP 19 1977

Date released from Lab:

100051

Virginia State Water Control Board P.O. Box 11143, Richmond, Va. 23230

1		(F	í
#	- <-	•	
70	_		

ORIGINAL (Red)

Twoquantians	F	IELD AND LAI	BORATORY DA	TA 43	, , <u>, , , , , , , , , , , , , , , , , </u>	G CD ADP
MON FK SS PC BM PS BIO GW		LATITUDI	i	· · · · · · · · · · · · · · · · · · ·	L.	
				Collect for: DE	STRG	regory
FK, SS, PC, PS, BM, OR BIO NO.		- LONGITUE)E	Collected by: <u>C.4-</u>	EAN, In	ر م
VIDIAIODIO	L _			···	0	
BASIN STREAM RIV	ER MILE	<u> </u>		Name of Stream	iney /s.	
]		Station Description	6.5. Ti	tanium
LABORATORY NUMBER DE	тн	SECTION F	EGION	D/Lat Sa	mole +	aker
				750	, ,	J 1 1
MONTH DAY YEAR				100 yas.	below a	15chay
081977 2	3 2 2	Sour	CE	PIDE		
TIDE %FLB FLC	DW CFS	- <u> </u>				•
		WEATHER	EMP. OF	<u>.</u> -	مر ٥	
			ييب السلبا		— A	
DISSOLVED OXYGEN DO%	SAT	FIELD PH			VA. DCLS	
					2	
			······································	·	CD3	
	50 cm;			·	<u> </u>	···
PARAMETER	STATE CODE	VALUE	PAR	RAMETER	^ተ ሮ0 <u>0</u> ያን	VALUE
Coliform, Total /100 ml	020		Arsenic		2058 €	
Coliform, Fecal /100 mi	055		Cadmium		078	,
pH (Laboratory)	050	2.7	Calcium		052	
Alkalinity	022	13,800	Chromium		040	
Total Solids, Total	024		Copper		045	
Volstile	025		Iron		044	7.0
Fixed	026	/	Lcad		043	
Suspended Solids, Total	027		Magnesium/	181050515553	246	
Volatile	028		Manganove	# E	096	
Fixed	0.39	-	Mercur	6000 23	080	
Dissolved Solids Total	067	<u> </u>	Zinc		041	
Chloride	033	1		"CITED 3		<u> </u>
Hardness	032	90	1	S TS TOWN		
Nitrogen, Total Kjeldahl	035			954821.70°		
Phosphorus, Total	065	 				
Phosphorus, Ortho	064	 				
Ammonia ing/l as N	036	 	Turbidity		049	
Nitrite mg/Las N	037	-	Pesticides	11.24	121, 122	
Nitrate mg/L as N	038	700	Settleable So Conductivity		023	
Sulphaic	107	700	Conductivity	<u> </u>	034	
Hexane Extractables	018	 				
BODs	Q19 Q51			11.75		
(00)	me					
	<u></u>			<u> </u>	1	
·	CED - 0		-73			0.050

Virginia State Water Control Board ORIGINAL P.O. Box 11143, Richmond, Va. 23230 onequant jar (Red) CD ADE FIELD AND LABORATORY DATA LATITUDE MON FK BS PC BM PS Collect for: D. E. S. - R. Grey LONGITUDE Collected by: <u>CLE, H.W.</u> Name of Stream BASIN STREAM RIVER Station Description_ bridge SECTION REGION FLOW CFS TEMP. OF WEATHER DISSOLVED DXYGEN DO% SAT FIELD pH CODE-STATE VALUE VALUE PARAMETER PARAMETER CODE 020 058 Arsenie Coliform, Total /100 ml 078 055 Colfform, Fecal /100 ml Cadmium 052 050 Calcium pH (Laboratory) 040 022 Alkalinity Chromium 024 045 Total Solids, Total Copper 041 025 Volatile Iron 013 Fixed 026 Lead 246 027 Suspended Solids, Total Magnesium 028 096 Manganese Volatile 080 029Fixed Mercury 041 067 Zinc ` Dissolved Solids Total 033 Chloride 40 032 Hardness 035 Nitrogen, Total Kieldahl 065 Phosphorus, Total 061 Phosphorus, Ortho 036 049 Ammonia ing/l as N Turbidity 037 121, 122 Nitrite mg/L as N Pesticides . Settleable Solids 038 023 Nitrate mg/L as N 19 Conductivity 107 Sulphate 034. 048 Hexane Extractables 019 BODs COD

SEP 19 1977

Date released from Lab:

100053

Virginia State Water Control Board P.O. Box 11143, Richmond, Va. 23230

ORIGINAL (Red)

Orequest jer		·		AATORY DATA #5	روت	G CD ADP
MON FIX BS PC BM PS BIO GV	v	LATITUE	E		L	
				Collect for: D. E.S	-RG	10074
FK, SS, PC, PS, BM, OR BIO NO.		LONGITU	DΈ	010	NN/ T	
77-038			L	Collected by: C.L.E	17 1 1	-
BASIN STREAM	RIVER MILE			Name of Stream Ty	<u> </u>	
				Station Description a	+ 10+	U.Y.
LABORATORY NUMBER	DEPTH	SECTION	REG	on hole 2mi	. balo	47
						-
MONTH DAY YEAR	TIME	SOU	RCE	Tyek pos	51 017	100
0811777 2	000					
YIDE % FLB	FLOW CFS y	VEATHER	TEM	p. 0F	/A. [•
				-	<u>- ∑</u> -	
DISSOLVED OXYGEN D) SAT	FIELD pH	<u> </u>) }	
		1 1	\Box		Ш.	
	<u> </u>					
					SC 22	
PARAMETER	STATE	VALUE		PARAMETER	CODE	VALUE
	020	1717013	Tī		058	
Coliform, Total /100 ml	055		1-1	Arsenic Cadmium	078	
Colfform, Feesl /100 ml	050	6.3	1-1	Calcium	052	
pH (Laboratory) Alkalinity	022	8	\dagger	Chromium	040	
Total Solids, Total	024		1	Copper	045	
Volatile	025		X	10202	044	0.6
Fixed	026		1-1	Lead Single Sing	043	
Suspended Solids, Total	027		1	Magnesium 2	246	
Volatile	028			Manganese C. Ar.	096	
Fixed	029	· ·		Mercury & OSTY	080	
Dissolved Solids Total	067	· 	1-1	Zinc G SF S 3'	041	
Chloride	033			\$35 pt 21 4000		
Hardness	- 032	58				
Nitrogen, Total Kieldahl	035					
Phosphorus, Total	065					
Phosphorus, Ortho	06.1					
Ammonia ing/l as N	036			Turbidity	049	
Nitrite mg/L as N	037			Posticides	121, 122	
Nitrate mg/L as N	038			Settleable Solids	023	
Sulphate	107	20	$oxed{oxed}$	Conductivity	034	
Hexane Extractables	048		. _			
BODs	019		1_1			
COD	051		\perp			
	Time mis apt					
The state of the s						
	3EP 19	1377		DPT	7 10	0054

ORIGINAL (Red)

SUMMARY: Following a thunderstorm on the night of 10-11 July 1977 a lagoon on the property of U.S. Titanium Co. overflowed its berm, spilling acidic wastes into the Piney River. As a result, 73,056 fish were killed in the Piney River and in the Tye River below its confluence with the Piney. At least thirteen species of fish were represented in the kill count which extended over 11.5 river miles. The lagoon that failed was part of a no-discharge system intended to prevent run-off from copperas (FeSO4) piles on U.S. Titanium property from reaching the Piney River. U.S. Titanium holds a no-discharge certificate, which was apparently violated by flows from the plant which occurred on 11 and 12 July 1977. Field and laboratory chemical tests conducted in connection with the fish kill investigation indicated that these discharges caused the state water quality standard for pH to be violated. Replacement cost of fish was \$7,047.03. Cost of investigation was \$2193.42. Total cost to State of Virginia was \$9,240.70.

CONCLUSIONS: Acid wastes spilled from a lagoon on U.S. Titanium property in Nelson Co. adjacent to the Piney River lowered the pH in the receiving stream, causing a major fish kill in the Piney-Tye River system below the plant.

THE INVESTIGATION

1.0 REPORTED INFORMATION:

DATE FISH KILL ENDED 11 July 1977

A kill was in progress in the Tye River, which began on the morning of 11 July 1977. The river was cloudy and reddish at the Rt. 739 bridge.

Reported by: Game Warden G. Brantley / Date 11 July	<u> 1977 Time 1345</u>
Report received by: Larry Simmons Date 11 July	1977
Investigated by: L. Simmons, R. Bodkin Date 11 July	1977
Investigated by: There were 10 SWCB Date	•
	<u>lly 1977 (see Section 2.0)</u>
Final Report Edited by: R: Gregory	<u> 137. 10</u> 00 00001011 2.07
100 of Capacitation of the	•
CHAIN OF NOTIFICATION (list of names in order of contact)	
other of Rolling (1150 of Hames III office of Contact,	•
All Purchase Till Williams I Hamalan	71 70 Taller 7-1
(1) Enforcement Division J. Hensley	(date) 12 July (time)
(2) Regional Representaive L. Simmons, R. Tesh (VRO)	(date) July (time) 1345
(3) Game Warden (CGIF) Gary Brantley	(date) 11 July (time)
(4) (name) Nelson Co. Administrator's office	(date) 12 July (time) 0940
(5) (name) R. Puckett office of Commerce & Resources	(datc) 12 July (time) 1120



SFD 28 1977

Weather Previous to Kill thunderstorms

Weather During Kill partly cloudy, thunderstorms

Weather Following Kill same (see weather data in Section 2.0)

(If rain - include amount)

WITNESSES: name Gary Brantley Woody Greenberg address Box 250D, Faber, Va. phone 804-263-4012 804-263-4873 22938 position game warden Public Projects Tech., Nelson Co Ron Woods Other Area Residents: William Smith Earl Bryant (804-263-5547) John S. Carter (804-9462316) 804-263-4242 Nelson Co. Deputy Sheriffs William D. Wright (804-263-4628)

2.0 INVESTIGATORS DISCUSSION:

On the morning of 11 July 1977, Game Warden Gary Brantley received notification that a fish kill was in progress on the Tye River in the vicinity of the Rt. 739 bridge (Station 7) near the town of Tye River. The kill was reported by Mr. William D. Wright, who noted that the river was colored red at the point when he first arrived on the scene around 0630 hours. The color had dispersed by 1100 hours.

Warden Brantley, accompanied by Nelson Co. Deputy Sheriff William Smith arrived at the Rt. 739 bridge around 1200 hours. They collected two water samples and samples of dying fish at this point, and notified the State Water Control Board's Valley Regional Office at approximately 1345 hours through the Nelson Co. Sheriff's Dept. Game Warden Brantley, now accompanied by Deputy Sheriff Ron Woods, continued to trace the kill upstream, arriving at U.S. Titanium's property near the town of Piney River at 1500 hours, where they discovered a pipe (Station 3) discharging to the Piney River. A sample of the discharge was collected. This sample and the samples collected earlier were taken to the Nelson Co. Sheriff's Dept. and refrigerated.

State Water Control Board investigators Roderick Bodkin and Larry Simmons arrived at the Rt. 739 bridge (Station 7) at 1600 hours and found many dead and dying fish. Several fish in distress were collected. Field tests were performed, and the pH was found to be 6.2 (comparator method was used on all field pH tests during this investigation). A backwash area under the bridge was discovered (Station 8) where the field pH was 5.2. The majority of the fish were dead by this time, but the behaviour of a few dying fish was noted. Many were listless, lying on their sides in pool areas with feeble opercular movements. Some were drifting with no apparent control in flowing waters. These fish died almost instantly upon being handled. Significantly, a few fish in slightly better shape were observed. These were attempting to bury their heads in the stream bottom and/or rubbing their bodies against the rocky substrate, indicating that they were being (or had been) exposed to an irritating substance.

Simmons and Bodkin traced the kill upstream, stopping first at the Rt. 56-158 bridge over the Tye River above its confluence with the Piney. Several large schools of live minnows were observed and no dead fish were found. Stopping next at the Rt. 674 bridge over the Piney River at Roses Mill (Station 6) they found hundreds of dead minnows, and no live fish were seen. Field tests were performed and the pH of the stream at this point was 6.2. The investigators proceeded to the abandoned American Cyanamid plant (property owned by U.S. Titanium subsequent to March 1976) at the

ORIGINAL (Red)

town of Piney River. Although the investigators did not enter the plant property at this time, they did observe live, healthy, fish and found no dead fish at the Rt. 151 bridge (Station 1) above the plant.

To determine the downstream extent of the kill, the investigators followed the Tye River via Rt. 662 eastward from the Town of Tye River, and checked further downstream at the Rt. 654 bridge. From these observations, they concluded that the kill ended just upstream of the Rt. 654 bridge (at lower extent of kill on map).

The investigators met Game Warden Brantley and Deputy Sheriff Woods at the Nelson Co. Sheriff's Dept. at 1915 hours. Brantley and Woods informed the SWCB team of the discharge they had found at U.S. Titanium and turned over the fish and samples they had collected. The water samples were returned to the Bridgewater Office by the investigators and delivered to the Dept. of Consolidated Laboratory Services (DCLS) by James Preston of VRO. The fish samples were transported from VRO to DES by David Chance of DES.

These samples proved very crucial to the investigation. Mr. Bodkin measured a pH of 4.2 on one of the two duplicate water samples collected by Warden Brantley at the Rt. 739 bridge (Station 6). The pH of both of these samples as measured by DCLS was 4.8. The pH of the discharge sample (Station 3) as measured with the field test kit was 4.7; the laboratory pH of the Game Warden's discharge sample was 2.5. [In a later discussion it will be shown that these pH values are sufficiently acidic to kill fish on short-term exposure].

The moribund fish collected on the first day of the investigation were also refrigerated and shipped to Richmond on ice, where they were frozen and stored for a short time before undergoing pathological examination. The largest fish collected and examined, a 14 inch sucker, exhibited gill damage that could be attributed to exposure to an acidic or a caustic substance, and a brownish coating was found on the gill tissue which would have restricted respiration. Although the gills of the smaller fish had deteriorated too much to allow meaningful pathological examination, these gills were also coated with the brownish mucus (see pathology reports for details).

Because of the length and magnitude of the kill, and because VRO personnel were involved in the simultaneous investigation of another large kill, assistance from the central office was requested on the evening of the 11th. Arrangements were made for a rendezvous of VRO and Richmond personnel at the Nelson Co. Sheriffs' office on the morning of 12 July. The following personnel from Richmond were involved in the second day of the investigation: Ron Gregory, John Roland, Mark Stedfeld and Dennis Testerman. Assisting from VRO were Chuck Auckerman and Tom Mizell. Mizell, accompanied by Warden Brantley, conducted an extensive investigation of the U.S. Titanium property, while the rest of the SWCB staff began the fish count.

The U.S. Titanium Co. holds a no-discharge certificate. The main problem at U.S. Titanium is acidic runoff from several acres of copperas waste piles (chemical name, ferrous sulfate; formula FeSO4) left by American Cyanamid which ceased operations at the site in 1971. The copperas wastes were a byproduct of their titanium ore refinement process. To control the copperas runoff problem, a two-lagoon system has been installed. The design of the system is thus (see figure 1): the smaller lower lagoon acts as a catchbasin for the runoff for the copperas piles; runoff collected in this lagoon is pumped uphill to a larger lagoon which serves as an evaporation pond. The two lagoons operating in concert are intended to prevent acid runoff from reaching the Piney River adjacent to the plant.

Tom Mizell's inspection on 12 July clearly showed that the system had failed. The lower lagoon was observed overflowing its berm in two locations and acid wastes were reaching the Piney River via ditches across the U.S. Titanium property.

Cause for this failure appeared to stem from sporadic maintenance of the facility, which allowed sections of the berm to deteriorate, and the accumulation of silt in the lower lagoon which reduced its runoff holding capacity. The fact that the pump must be manually-operated, and is not automatically triggered by a rise in lagoon level may have contributed to the overflow. There is also a possibility that the lower lagoon had not been pumped out recently, which would have reduced its holding capacity in the event of a storm. Mizell also found that the pumps leaked acid wastes, which found their way via ditches to the Piney. In addition, an erosion ditch was found that would allow some of the runoff from the copperas piles to circumvent the lower lagoon and go directly to the Piney.

After completing this inspection and taking several slides, Mizell rejoined the rest of the SWCB staff conducting the fish kill count.

The first dead fish were found by J.V. Roland a few yards below the discharge pipe at U.S. Titanium. Following SWCB's Standard fish kill counting procedure, the first hundred yard count was made here; fifteen additional hundred-yard counts were made at 0.5 mile intervals over a distance of 7.5 stream miles on the 12th. Approaching darkness forced a halt to the counting procedure on the 12th, so another team, consisting of Ron Gregory and Terry Scalabrin from Richmond, and Larry Carpenter from VRO, continued the count on the 13th. An additional eight 100-yard segments were counted on the 13th., for a total of 24 segments covering 11.5 stream miles. [The count in segment 24 indicated that more dead fish were to be found below this point, but for several reasons the count was not extended into a third day.]

The count-estimate gave a projected total of 73,056 fish, representing at least 13 species, for the area counted. About 92% of the total were non-game fish, mainly minnows (*Cyprinidae*). The remaining 8% were game fish, the majority of which were young smallmouth bass.

Additional field tests and observations were made by the fish kill counting team on the 12th. and 13th. On the 12th., John Roland found that the field pH in the Piney River just above the U.S. Titanium discharge pipe (station 2) was 6.5; the pH in the pool below this pipe (station 4) was lower than the 4.0 lower range of the field test kit; the field pH in the plume of the discharge (station 5) was 4.2. A sample of the discharge (station 3) was collected by R. Gregory on the 12th. and analyzed by DCLS for metals and sulfates. Trace amounts of chromium (0.10 mg/l) copper (0.40 mg/l) and zinc (0.20 mg/l) were found in this sample, along with 1,500 mg/l iron and 5,000 mg/l sulfates. The sulfate content of the effluent sample collected on the previous day by Game Warden Brantley was 5,600 mg/l.

The discharge at U.S. Titanium was observed on 11 July 1977 by Warden Brantley and Deputy Sheriff Woods, and on the 12th. by all members of the SWCB investigation team as well as Warden Brantley. The discharge was observed to have stopped when the SWCB fish counting team visited the site on the 13th. Responding to a request from VRO for additional samples upstream of the discharge, Ron Gregory collected a sample at the Rt. 151 bridge (Station 1) and at Station 2, just above the U.S. Titanium discharge. The field pH of the two samples was 8.7 and 6.3 respectively, while the laboratory pH values were 7.5 and 5.9. This drop in pH between the two stations above the U.S. Titanium discharge precipitated a search for an additional acid waste source between these two stations, and one was subsequently discovered. The source (located by Ted Jett of VRO) was an old tailings pond adjacent to the

<u>Date</u>		Flow, cfs
7/9/77		i i jū
7/10/77		⁻ 14
7/11/77	·	23
7/12/77		20
7/13/77	**· <u>~</u>	25

The sharp rise in flow between the 10th. and 11th. indicates the magnitude of the thunderstorm activity in the Piney River watershed during the night that the kill began.

2.0 INVESTIGATORS DISCUSSION:

Piney River, which was filled with a grey material (unlike the red-orange copperas). An erosion ditch drained run-off from this pond to the Piney River, and water found in pools along this ditch was quite acid, but clear, unlike the dark red acid water runoff from the copperas piles.

SWCB Water Quality Standard Violations

This section of the Piney River lies in Section 11 of the Upper James Basin and falls in the major water class III A. The lower pH standard for this classification is 6.0; any pH values lower than this may constitute stream standard violations. That the pH of the discharge from the U.S. Titanium property on 11 and 12 July 1977 was well below 6.0 is evident from both the field and laboratory tests reported earlier. The sample collected by Game Warden Brantley on 11 July 1977 at the Rt. 737 bridge (Station 7), which is 12 km below the discharge, indicated that the stream pH on this date was below the minimum pH standard. John Roland's measurement of a pH of 4.2 in the Piney River just below the discharge, in the plume after some mixing, indicated that the discharge may have violated stream pH standards on 12 July also.

Weather and Flow Data

According to local residents there were locally heavy thundershowers during the night hours of 10-11 July 1977. One area resident estimated this rainfall at 3/4 of an inch. NOAA at Byrd Field in Richmond referred our request for precipitation data to the National Climate Center in Ashville, N.C. We were informed that while there was at least one, and possibly more, weather stations in Nelson County, data from these stations for the time period in question would not be available until after September 20. We were provided with the following data from the nearest "first order" weather station in Lynchburg, Va., which is approximately 22 miles to the south of the kill area:

<u>Date</u>		Precip	oitation	(inches
7/9/77		-	0 ~ -	
7/10/.77		*=	0.01	
7/11/77			0.18	
7/12/77	•		0.03	··- ··

A heavy thundershower passed through the area on the afternoon of the 12th. while the count and investigation was underway. It is interesting to note that a rain gauge operated by Deputy Sheriff Wood near Piney River measured 0.6 inches of rain from this event, while the Lynchburg station recorded only 0.03 inches on the 12th.

The flow data for a gauging station located on the Piney River is reflective of local weather events. The following flow data for the gauging station located on the Piney River at the Rt. 151 bridge upstream of the U.S. Titanium property was obtained from Jack Easton, Engineer in charge, SWCB Surface Water Investigation, Charlottesville, Va.:

ว า	COLUTAI	DESCRIPTION:
2.1	NI MININ	

- 1. Piney R., rt. 151 bridge, upstream of U.S. Titanium property.
- 2. Piney R., U.S. Titanium property, 3 meters upstream of discharge pipe.
- 3. U.S. Titanium discharge.
- 4. Pool below U.S. Titanium discharge pipe.
- 5. Piney R., U.S.-Titanium property, 5 meters below discharge pipe in discharge plume.
- 6. Piney River, at rt. 674 bridge, Rose Mill, approx. 2.4 km. below U.S. Titanium discharge pipe.
- 7. Tye R., rt. 739 bridge, Tye River post office, approx. 12 km. below U.S. Titanium discharge pipe.
- 8. Tye R., backwater pool beneath rt. 737 bridge.

9.

10.

	77.000.00	tan comment	بالمحتصصين والمراجع المناز ومنتجا المساسوني		197 %			
2.2	PICTURES	TAKEN:	(identify pictures:	slides (s)	or	prints (p	((2
						A		

	6	
	6.	26 / 10a - 1 4 / 200 - 1 /
	7	
		<u> Caralida e esta a 1920, de esta en el entre el</u>
		and the same of th

^{*} See attached <u>list</u>. All <u>slides</u> were taken by Tom Mizell, V.R.O. on 12 July 1977. His map following the list shows the locations where some of the slides were taken.

2.2 Pictures Taken


Slide No.	Description
. 1 "	Pool below discharge pipe at U.S. Titanium. Note red color. (Station 4).
2	Discharge pipe at U. S. Titanium (Station 3) and pool below pipe (Station 4).
3	Flow from pool below below discharge pipe at U.S. Titanium entering Piney River. Note reddish plume.
4	Ditch beside railroad track carrying flow to pipe from lower lagoon. Note old tailings pond to right of picture.
5	Same as 4.
6	Ditch running downhill from lower lagoon, looking up from bottom of hill.
7	Pool on south side of track containing acid water. Pool is connected via a pipe running under track to ditch on north side.
8	Ditch carrying leakage from pump house, at bottom of hill.
9	Ditch carrying leakage from pumphouse. Looking uphill toward pumphouse.
10	Same as 9.
11	Pipe just below lower lagoon. Note red water and foam in ditch.
12 🔩 🗀	Lower wastewater holding pond.
13	Emergency spillway of Tower wastewater holding pond. Pond is to the right. Note red water in ditch to left of berm. White material is lime applied after investigation was underway.
14	Similar view to 13.
15	Similar view to 13 and 14.
16	Another view of berm. Lagoon is to the left. Note shovel and fresh dirt on berm in center of picture, and red water in ditch to right of berm. Flow in this ditch moves toward the viewer and through the pipe shown in slide 11, then downhill towards the river.
17	View of lower wastewater holding pond, with copperas pile in left background.

2.2 Pictures taken (continued).

Slide No.	Description
18	Similar view to slide 16.
19	Similar view to slides 16 and 18.
20	Ditch beside berm of lower wastewater holding pond, showing red water.
21	Similar view to slides 16, 18, and 19.
22	Close-up view of fresh dirt on low portion of lower wastewater holding pond berm, near shovel shown in slides 16, 18, and 19.
23	Looking downhill along ditch beside lower lagoon berm. Pipe shown in slide ll is just visible in left background.
24	Red water in ditch beside lower lagoon.
25	View similar to slide 24.
26	Looking across lower lagoon, from base of copperas piles. Emergency spillway is in upper right corner.
27	Similar view to slide 26.
28.	Pumphouse, showing leakage from pumps inside.
29	Pump for pumping water from lower wastewater holding lagoon to upper wastewater holding lagoon. Note leakage on floor of pumphouse.
30 +	Similar view to slide 29.
31	Workman adding dirt to low portion of berm of lower wastewater holding lagoon.
32	Upper wastewater holding lagoon, or evaporation pond. Note low level of water.
33	-Similar view to slide 32.
34	Another view of upper wastewater holding pond.
35	Outfall of pumping system into upper lagoon.
	Same as slide 35.
37	Pipeline carrying water from lower to upper lagoon, and erosion ditches.


2.2 Pictures taken (continued).


Slide No.	<u>Description</u>
38	Dead fish in Tye River downstream of Rt. 29 bridge.
39	Copperas piles.
40	Pollen lines on dead trees in lower lagoon show that pumping during the day of 12 July 1977 had lowered lagoon level a few inches.



3.0 MAP OF AREA: Include company layout, discharges in area, exact extent of kill, extent of visual stream degradation.

SEE MAPS ATTACHED





4.0 VISUAL OBSERVATIONS:

4.1 WATER:		.e			<u>, +++-: </u>	y an arma we are a real and a second
Station	D.O. mg/1	pii	Temp.(°F)	Dead Fish ?	Color	Turbidity
1		8.7		none	clear greenish	slightly turbid
2		6.3 6.5		none	11	slightly turbid
3		4.7		NA	red	moderately turbic
4		K4. 0		NA	dark red	moderately turbic
5		4.2		several minnows	reddish	slightly turbid
6	7.9	6.2		many fish	clear	slightly turbid
	7.9	6.2	·	many fish	n	slightly turbid
8	7.9	5.2		many fish	ţţ	slightly turbid
9						
70					-	

						
Station	Floating Solids	Surface Film	Flow	Tide Stage	Odor (def)	Other
1		none	*	NA	none	
2		·	· .	11	li .	<u>-</u>
3 - 1		BAA		11	11	
. 4	-	-		11	11	
5				11	11	
6	_	-		11	II.	
7				п	П	
8	=	_		Ħ	11	_
9						
10						

^{*}See Weather and Flow Data Section in 2.0 Investigators Discussion.

100070

Kill	No.	78 ~	011

1.	ኅ	17.3		1 .
4	• 4	г	SI	1 :

GENERAL APPEARANCE:	
nervous, scary	spiraling
sinking to bottom	flashing
gasping at surface	
unusual color	able to avoid capture few
frantic	floating listlessly some
slugish most	swimming upside down
2.08.20.	other attempting to bury head in bottom -
	few
ARRANGEMENT IN WATER:	•
•	
normal distribution all	schooling -
moving into other water sources = -	near surface
floating towards outlet	crowding water inlet
attempting to leave water	other
BODY SURFACE: *	
<u> </u>	
normal all light & dark patches blea	chedbloated
bluish film: in patches or all over	ana kana ana ana ana ana ana ana ana ana
grayish-white: in patches or tufts	Control of the Contro
deep open lesions with pus and blood	· ·
swollen areas as furuncles	The state of the s
body splitting open along midline muscous on skin	the second secon
, , , , , , , , , , , , , , , , , , , 	
other 7 min T	
FINS: *	
normal all	twisted
swollen	eroded
necrotic	spots present: white
	black
frayed bluish white	blood-shot
parasite present	_ other:
10 36.7	page A set of the set
CAUDAL PEDUNCLE: *	
slightly swollen	bluish-white
very swollen	fungus-like tufts
	-other
inflamed	Handa Barata Barata Barata Barata Barat
11)	
GILLS: *	
gill color: bright red red X pink	white
gill cover widely expanded	
swollen	<u> </u>
covered with mucus, food and dirt particles m	ost
- The state of the	
other gills covered with brown deposit, some	gills were "frayed". See pathology reports.
	
* Indicate approximate number of fish having	
general trends, not specific fish (few, man	y, all, none).

Fish Kill No. 10-011	. —
EYES: *	(Red)
normal all opaque	bulging one eye missing both eyes missing if a needle is inserted in the eye socket and the eye is pressed while fish head is under water, gas bubbles or opaque fluid escapes.
* Indicate approximate number of fish general trends, not specific fish.	having these characteristics. Look for (few, many, all, none)
OTHER CONDITIONS OR SYMPTOMS NOTED:	
See	e Pathology Reports
5.0 SAMPLES AND ANALYSES: 5.1 CHEMICAL SAMPLES COLLECTED: (circle samples not collected by S	tate Water Control Board)
source (pollution) 2 source (oil) 1/2 gallon glass gallon plastic	
5.2 BIOLOGICAL SAMPLES COLLECTED: * (circle samples not collected by S Fish must be properly identified to ge	tate Water Control Board) nus on lab sheet
oyster	benthic clam mussel other

^{*} Specify whole fish, edible meat or organs to be analized

Segment	Species,	No.	<u> </u>	Specie	rs, No.	sizo	Sneedes	No.	Size
23rd:100 yds.	minnows	34	alT	รั.เกิ. ชัวร	s 3	4	Sunfish		5
	suckers s.m. bass	10	0-3 2	sunfish	2	3			
24th. 100 yds.	minnows	25 84	a 11	s.m. bas	s 4	4	madtonis		
sunfish $(1-2^n)$, $(4-3^n)$	suckers s.m. bass	1 44	74		<u> </u>	5	eel "	—	
		31	3	• • • • • • • • • • • • • • • • • • • •		10-			

Sample Fish Calculation:

Length of kill - 11.5 mi. = 20,240 yds.

Number 100 yd segments - 24 x 100 = 2400 yds.

Expansion factor -
$$\frac{20240}{2400} = 8.433$$

Total number of suckers in 0 to 3 inch length category for all 24 segments combined - 105

886 - Estimated number of suckers in 0 to 3 inch category for entire kill area.

9.0 COST:

Cost of investigation:	sheets: \$2169.42	Enforcement	₽
Cost of freshwater fish	Other: lab \$24.25		
Cost of freshwater fish	(Commission of Game and	Inland Fisheries):	\$7,047.03
Cost of marine fish:	ing service and the service of the s	The second section of the second section of the second section	
Other cost (explain): _			•
Total cost to State of	Virginia: \$9,240.70		
	,		•
Copies: Director BSFS,	Regional Office, Enforc		- -
COMMITS STOR OF	Jame and Institute I south a	s, investigator, inc	0 1110
Report completed and dis	stribution made:	•	
,		(signed)	(date)
Enclosures:			

MISC. NOTES:

History of Past Problems - Monitoring Data and Fish Kills


The SWCB has pH data for water quality monitoring stations on the Piney River and Tye River over the past 4 to 7 years. (See the attached map and table for station locations and summary of the data). Note that nearly half (19 of 41) of the pH readings taken at station B, the first station below the Piney River discharge, were below the minimum pH standard for this class of waters. However, the majority (15) of these low readings occurred in 1973 and 1974. The last pH standard violation on record for this station occurred on 3-24-76, the only violation to occur at that station that year. The other two stations (C and D) downstream on the Tye River followed a similar pattern. The last recorded violation at Station C, occurred on 8-29-75, and at station D on 10-24-72.

The Board has received reports of, and made investigations of, four fish kills on the Piney and Tye Rivers in the 1970's prior to 78-011. The first report, 71-049 was received in August 1971, and although no fish were found, the stream pH was less than 4.0. No additional reports were received until late summer 1976, when 3 reports were received within a six week period (77-013, 77-036 and 77-056). Only 20 to 30 badly decomposed fish were found during the first investigation on 14 July 1976. No dead fish were found during the investigation of 77-036 two weeks later. No fish were found during the investigation of 77-056 on 2 September 1976, but a break in the berm of the lower lagoon was discovered and the leak was reaching the stream, turning it red below the discharge and lowering its pH to 4.5.

The above discussion makes it apparent that pH conditions in the river had improved in the last two or three years compared to the early 70's. Biological recovery was taking place and fish were moving back into the area, when a series of minor spills and/or kills occurred between late July and early September 1976. No further problems occurred until the July 11, 1977 fish kill.

MISC. NOTES (continued):

That the river was just undergoing biological recovery and repopulation was underscored by the size <u>distribution</u> of the smallmouth bass count. Of the 5,547 total, 96% were four inches or less in length.



Summary of pH Data for Monitoring Stations on the Piney and Tye Rivers, Va.

Station No.	River Mile	Data From/To	Ĺocation	No. of pH Readings	Under 6 No. %	56	Over 8.5 No.	36
, A .	PNY 8.15	3/25/70 - 7/1/77:	Piney R., Rt. 778 bridge at Nelson-Amherst Co. line, Approx. 3 mf. above U.S. Titanium discharge.	77 n	2 2.6	2.6	2	2.6
മ	PNY 3.06	4/5/73 -	Piney R., Rt. 674 bridge at Rose Mill. approx. 3 ml. below U.S. Titanium discharge.	. 	. 19 4	46%	o .:	
ن .	TYE 13,75	4/6/73 -	Tye R., Rt. 296 bridge, approx. 6.5 m1. below U.S. Titanium	14	. R	%21	. ' 6 '	⊙⊺:
 م	TYE 0.30	3/25/70 - 6/21/77	Tye River, Rt. 626 bridge, Nelson Co. just above confluence with James R., approx. 20 mi. below U.S. Titanium.	77	16 2	- 23	· 6	·
					. "	<u>.</u> .	,	

MEMORANDUM

State Water Control Board

2111 North Hamilton Street

...P. O. Box 11143

Richmond, VA. 23230

SUBJECT: Tye River Fish Kill

TO:

-Ron Gregory

FROM:

Rod Bodkin (NG

DATE:

28 July 1977

COPIES:

VRO File

Tedd Jett

On Monday 11 July 1977, Larry Simmons and the writer responded to a PReP call from the Nelson County Sheriff's Department regarding a fish kill on the Tye River. According to the report many dead fish of all species had been seen at the Route 739 bridge near the community of Tye River. We arrived at the Route 739 bridge at approximately 4:00 p.m. and were able to observe many dead and dying fish. The majority of the dead fish consisted of smallmouth bass approximately 3 - 4" in length; however, many other species were seen including suckers, catfish, bluegills, and various minnows. The pH and dissolved oxygen concentrations were measured at this time and found to be 6.2 and 7.9 mg/l respectively, and a distressed smallmouth bass was collected. There was a small backwash area just under the bridge where a large number of fish had collected and where some were still in distress. Approximately four distressed smallmouth bass were collected from this area. pH and dissolved oxygen concentrations were also measured here and found to be and 7.9 mg/l respectively.

We then proceeded toward the community of Piney River in order to confirm the source of the kill. The Tye River was observed at the Route 158 bridge which is above the confluence of the Tye and Piney Rivers. We saw several large schools of minnows and no dead fish were noted. Our next observation was at the Route 674 bridge over the Piney River near the community of Roses Mill. We saw hundreds of dead minnows littering the stream banks and we were not able to observe any live fish in this area. pH and dissolved oxygen concentrations were measured here and found to be 6.2 and 7.9 mg/l respectively.

Upon arrival at the abandoned American Cyanimid Plant an attempt was made to look at some of the old tailing ponds; however, not being familiar with the site we were unable to do so. Contact was made with a man at the plant site who apparently worked for Higgins Engineering but no relevant information was obtained. An observation of the Piney River was made at the Route 151 bridge near the community of Piney River. Abundant fish life was observed and no dead or dying fish were seen.

In order to ascertain the area of kill involved we returned to the community of Tye River and drove downstream looking at the river at every accessible point for dead fish. We did not see any dead fish at the Route 654 bridge and we therefore assumed that the kill ended just above this point.

Tye River Fish Kill 28 July 1977
Page 2

At 7:15 p.m. we met with Deputy Sheriff Woods and Game Warden Gany Brantley. They had both seen a discharge from a tailing pond at the old American Cyanimid site at approximately 3:00 p.m. and they had collected and refrigerated a sample of the effluent. They had also collected and refrigerated two water samples taken from the Route 739 bridge on the Tye River. We then returned to Bridgewater with the samples and arrangements were made to have them submitted to Consolidated Laboratories in Richmond.

jes

ORIGINAL (Red)

State Water Control Board

2111 North Hamilton Street

P. O. Box 11143

Richmond, VA. 23230

SUBJECT: Tye River Fish Kill - Follow Up Memo

TO:

Ron Gregory

FROM:

Rod Bodkin (W)

DATE:

2 September 1977

COPIES:

VRO File

Tedd Jett

This memo is a follow up to the one previously written on the subject fish kill on 28 July 1977. As mentioned in the previous memo Larry Simmons and the writer observed many fish in distress upon arrival at the Route 739 bridge. All of the distressed fish were smallmouth bass approximately 3 - 4 inches in length.

The first distressed bass was observed from the bridge swimming lethargically at the top of the river and drifting aimlessly with the current. We then went down to the shore line about 60 yards downstream of the bridge and we were able to see the distressed bass drifting toward the shore line. The bass was then observed rubbing itself vigorously on small rocks on the bottom of the river. It exhibited this behavior at two different times while we were watching it. The fish was then collected and put on ice.

We saw many distressed smallmouth bass in the backwash area under the Route 739 bridge as mentioned in paragraph one of the previous memo. Most the dying fish were lying on or near the bottom and were gasping. Four dying smallmouth bass were collected from this area and only one made an attempt to get away when we were trying to collect it.

ies

5.3 CHEMICAL ANALYSIS check box for requested analysis

Station	1	···-		
Date	7-13-77	7-13-77	<u> </u>	
Time	1240	1230		
Lab Number	13787	13786		
Parameter -				
BOD ₅ , mg/1		<u> </u>		
MPN / 100 m1				<u> </u>
pH (laboratory	7.5	5,9		
Acidity (total) mg/l	10	3		•
Alkalinity (total), mg/l	,		•	
Phth Alkalinity, mg/1		·		
Settleable Solids, mg/l				
Total Solids - tot, mg/l	·	/5-		
Vol, mg/l Fix, mg/l				
Susp. Solids- Tot, mg/1			·	1
Vol, mg/l Fix, mg/l				
Chlorides, mg/l as Cl				
Tot Nit, kjel, mg/l as N				
Ammonia, mg/l as N		2.2		
Nitrite, mg/l as N	,			
Nitrate, mg/1 as N			· ·	
Hydrol. Phosphates, mg/l as P				
Ortho Phosphates, mg/l as P				
Total Phosphates, mg/l as P				
Chromium Tot, mg/l				
Zinc, mg/1				
Lead, mg/l				,
Iron, mg/1				
Copper, mg/1				
Manganese, mg/l				
Hexane Extractables, mg/1				
Chemical Oxygen Demand, mg/l				
Oils by Infrared, mg/1				
	•			
		••		
10				,
				100030
				


-		n	7	7
Station		7-11-77		1 7-11-77
Time	2100	1530		1200
Lab Number		<u> </u>	L-//	<u>L-76</u>
Parameter	bottle			
BOD 5 t mg/1				
NPW / 100 m1		-	·	
pH (laboratory	•	2.5	4.8	4.8
Acidity (total) mg/l				
Alkalinity (rotal), mg/1	. <u> </u>			
Phth Alkalinity, mg/l				
Settleable Solids, mg/I				
Total Solids - tot, mg/l	· · · · · · · · · · · · · · · · · · ·		<u> </u>	
Fix, mg/1				
Susp. Solids- Tot, mg/1			<u>'</u>	
Vol, mg/l Fix, mg/l				
Chiorides, mg/l as. Cl				
Tot Nit, kjel, mg/l as N				
Ammonia, mg/l as N				
Nitrite, mg/l as N				
Nitrate, mg/l as N				
hydrol. Phosphates, mg/l as P				
Ortho Phosphates, mg/l as P				
Total Phosphates, mg/l as P				
Chromium Tot, mg/l	0.10			
Zinc, mg/l	0.20			<u> </u>
Lead, mg/l	0.1-			
Iron, mg/l	1,500	,		
	0.40			
Mangruese, mg/I				
llexane Extractables, mg/l				
Chemical Oxygen Demand, mg/1				
Oils by Infrared, mg/1				
Sulfate	5,000	5,600	48	38
TOC		11	4	4
Conductivity		4400		110
(micro-mnos/cm)				
Harris and the same of the sam			1	00081
Market Control				
	Station Date Time Lab Number Parameter BOD, mg/1 MPR / 100 ml pH (laboratory Acidity (total) mg/1 Alkalimity (total), mg/1 Phth Alkalimity, mg/1 Settleable Solids, mg/1 Total Solids - tot, mg/1 Vol, mg/1 Fix, mg/1 Susp. Solids- Tot, mg/1 Vol, mg/1 Fix, mg/1 Chlorides, mg/1 as Cl Tot Nit, kjel, mg/1 as N Atmenia, mg/1 as N Nitrite, mg/1 as N Nitrite, mg/1 as N Nitrate, mg/1 as N Chromium Tot, mg/1 Zinc, mg/1 Lead, mg/1 Lead, mg/1 Iron, mg/1 Copper, mg/1 Manguese, mg/1 Manguese, mg/1 Chemical Oxygen Demand, mg/1 Chemical Oxygen Demand, mg/1 Sulfate TOC	Date Time Lab Number Parameter	Station 3 7-12-77 7-11-77 Time 2100 1530 1530 1-78 metals Lab Number Lab	Station 3


Figures 3 A and 3 B. Field and Laboratory Data. The following two maps contain a summary of all field and laboratory chemical data. All chemical data other than pH is given in mg/l.

LEGEND:

① — · · · · · · · · · · · · · · · · · ·	Station number
7-13-77	Month-day-year
1240 RG	-Military time (NR = Not Recorded)
F pH = field pH	-Initials of person collecting sample and/or performing field tests:
L pH = laboratory pH	
DO = dissolved oxygen	RG = Ronald A. Gregory JR = John V. Roland GR = Camy Rwantloy
Cr = chromium	GB = Gary Brantley RB = Roderick V. Bodkin
Cu = copper	
Fe = iron	en e
Pb = lead	· · · · · · · · · · · · · · · · · · ·
Zn ==zinc	<u> </u>
SO ₄ = sulfates	en e
< = "less than"	
*	

Station location





Fish Kill No.	78-011	 		.•	ORIGINAL
60 TOXICITY	OF ELEMENTS INVOLVED	AS REPORTED IN	LATEST LITE		(Red)
REFERENCE: S	ee Attached Report				•
	·	,			•
REFERENCE:	• -				
REFERENCE:	• 		, 		
REPERENCE.			-		
REFERENCE:					
REFERENCE:	-		-		
			·		
REMARKS:	en e	e i sve jedena	 ;:		
		,1			
7.0 BENTHIC,	ALGAL EXAMINATION (CU	RSORY):			

Station	Substrate	te Aquatic Algae Bent	Benthic	Tolerance %			How compare	
		plants		animals	Tol	Fac	Sensit	with control
1								
2								
3								
4								
5								
6								
7								,
8						- 		
9								<u> </u>
	•							

- 6.0 Toxicity of Elements Involved as Reported in the Latest Literature:
- A. Chemistry of Copperas

Copperas is ferrous sulfate, FeSO₄·7H₂O. In the presence of oxygen and water, ferrous sulfate is oxidized to form sulfuric acid and other by-products as shown below:

- (1) 12 FeSO₄ + 3 O₂ + 6 H₂O \rightarrow 4 Fe₂(SO₄)₃ + Fe(OH)₃+ copperas oxygen water ferric ferric sulfate hydroxide
- (2) $Fe_2(SO_4)_3 + 6 H_2O \rightarrow Fe(OH)_3 + 3 H_2SO_4$ ferric water ferric sulfuric sulfate hydroxide acid

(Herricks and Cairns, n.d.; Yeasted and Shane, 1976)

The sulfuric acid produced was responsible for the low pH of the runoff from the copperas piles. Our laboratory results showed that high concentrations of iron and sulfate, Fe⁺²and S94⁻², were also present in solution in the runoff water, due to dissociation of the water-soluble reactants and products.

B. Effects of Low pH on Fish.

Acceptable pH levels for fish are determined in part by such accompanying conditions as temperature, dissolved oxygen, and the type and amount of other ions present (McKee and Wolf, 1963.) Acceptable values cited in the literature vary considerably, not only from one species of fish to another, but also from investigator to investigator.

Generally, pH levels must be below 5.0 to be lethal, with mortalities progressively increasing below this level (Doudoroff and Katz, 1953). Behavioral and physiological signs of stress begin to appear in the range pH 5.8 to pH 5.0 (Falk and Dunson, 1977). The range pH 5.0 to pH 4.0 is the lower lethal limit for most fish studied, while no references could be found for survival below pH 3.3.

Most of the pH-lethality literature deals with brook trout; typical survival times for that species are as follows:

Survival time for trout pН 4.2 up to 88% survival for 5 days (Dively et. al., 1977) 3.5_ 32 hours (average) (Falk and Dunson, 1977) 3 days (max.) (2 days ("extremely tolerant" fish) 3.5 (Robinson et.al., 1976) 3.25 l day (avg.) (Robinson et.al., 1976) 11.2 hours (min, after acclim.) (Falk and Dunson, 1977) 3.15 28.3 hours (max, after acclim.)

For other species, the following table provides general information (McKee and Wolf, 1963):

pН

- 4.6 lower limit for perch
- 4.3 killed carp in 5 days
- 4.0 lower limit for bluegill in HCl
- 3.6 96-Hr. TL_m for bluegill
- 3.3 trout survived without adverse effects (time unspecified)

When exposed to acidic conditions, fish will exhibit excessive mucous secretion, enlargement of the mucous cells of the gills, nares, and integument, and most importantly; gross disarrangement of the cells of gill lamellae (Daye and Garside, 1976).

From our field investigation we know that the pH in the receiving stream was lowered to at least 4.8 at station 7 which was over seven miles below the plant. Furthermore, this sample was apparently collected several hours after the spill had occurred; the red coloration noted by Mr. Wright at 0630 had dispersed before Warden Brantley collected his sample at 1200. If the stream contained enough effluent to be discolored at one time, it can be assumed that the pH was much lower than 4.8, approaching the pH of 2.5 of the discharge at U.S. Titanium.

In view of the literature cited above, it is highly possible that low pH alone caused the kill. At least one of the fish collected moribound from the kill area exhibited the gill tissue damage, and all of the fish exhibited the excess mucus production, referred to in the literature. Some fish were also observed rubbing and scraping themselves on the substrate. However, there is evidence that other toxicities were involved.

C. Toxidity of Iron, Ferric Hydroxide and Ferrous Sulfate.

The exact mechanism of iron toxicity is not resolved, but the EPA's criteria for iron in order to protect fresh water aquatic life is 1.0 mg/l. Some fish will live in higher concentrations, but death of pike and trout is recorded at 1-2 mg/l. Brandt (1948), cited in the EPA Criteria, found that carp died at a concentration of 0.9 mg/l iron when the pH was 5.5, indicating that the toxicity of iron is greatly increased at low pH levels.

It is believed that the major toxic mechanism of iron is that of the ferric hydroxide formed by the dissociated iron in combination with hydroxyl ions in the water. This compound is a precipitate which ranges in color from yellow to red-brown, and was probably, in suspension, the cause of the color of the ponds and of the river mentioned in this report. Iron oxide, a red solid, can sometimes form from dissolved iron. Death of fish is caused by obstruction and corrosion of the gills as these compounds, especially the hydroxide, are deposited from precipitated floc,or directly precipitate upon the gill tissues. Involved in this can be reaction of the hydroxide with the alkaline mucus of the gills (Douderoff and Katz, 1953; Echavez, 1954; McKee and Wolfe, 1963, Quality Criteria for Water, 1976).

ORIGINAL (Red)

Experiments testing directly the toxicity of ferrous sulfate are cited by Doudoroff and Katz (1953). Carpenter (1927) stated that minnows survived 144 minutes (about 2 1/2 hours) in 0.1 N ferrous sulfate (about 7600 mg/1). Clark and Adams (1912) stated that a concentration of 1.28 ppm Fe in a solution of ferrous sulfate killed "certain fish" within 24 hours. Ellis (1937) and Sanborn (1945) reported that 1,000 ppm FeSO4 in hard water and pH 6.4 was fatal to goldfish in 2 to 10 hours, that 100 ppm in tap water was fatal to black bass and bluegill sunfish in 2.5 to 7 days, but not to goldfish in that period of time, and that 50 ppm and pH 6.6 did not kill bass, bluegill or goldfish in seven days. Belding (1927) found that 133 ppm was the lowest concentration that killed brook trout within 24 hours.

The concentration of iron from the discharge was measured from a sample taken 7-12-77 and found to be 1500 mg/l (ppm). If this were assumed to represent dissociated ferrous sulfate, the concentration of $FeSO_4$ would be about 4,350 mg/l.

It is obvious from the literature that salts of iron, including ferrous sulfate, can be directly toxic to fish, expecially at low pH levels. That high levels of iron occurred in the Piney and Tye can be inferred from the high levels found in the discharge and the reddish discoloration of the receiving streams far below the discharge. In addition, several of the fish collected for pathological examination had the dark brown coating of precipitated iron on their gills, which undoubtedly restricted respiration and may have suffocated them.

Conclusion: The kill was caused by low pH copperas runoff either via the injurious effects of low pH alone, or low pH acting in concert with iron, whose toxicity is enhanced by low pH. Futhermore there was evidence of iron precipitation on gill surfaces which would have hindered respiration and may have led to suffocation.

REFERENCE: Daye, P.G., and E.T. Garside. 1976. Histopatholic changes in Surficial Tissues of Brook Trout, <u>Savelinus fontinalis</u> (Mitchill), Exposed to Acute and Chronic Levels of pH. Canadian Jour. of Zoology, Vol. 54, No. 12, pp. 2140-2155.

REFERENCE: Dively, J., J. Mudge, W. Neff, and A. Anthony. 1977. "Blood Po2, Pco2 and pH Changes in Brook Trout (Salvelinus fontinalis) Exposed to Sublethal Levels of Acidity," Comp. Biochem. Physiol., Vol. 57A, pp. 347-351.

REFERENCE: Doudoroff, P. and M. Katz. 1953. Critical Review of Literature on the Toxicity of Industrial Wastes and Their Components to Fish. II. The Metals, as Salts. Sewage and Industrial Wastes. 25:7.

REFERENCE: Doudoroff, P. and M. Katz. n.d. "A Summary of Literature on Toxicity of Alkalies, Acids, and Inorganic Gases to Fish."

REFERENCE: Echave, H.S. 1954. Studies of Tolerance of Fresh Water Fish to Strong Acids and Acid Mine Wastes. Master's Thesis in Sanitary Engineering, The Johns Hopkins University, 1954. <u>In:</u> C.E. Renn, H.H. Hobbs, Jr. and B.F.D. Runk. 1955. Biological Survey of the Piney River, Va. and Evaluation of Effects of Water-Borne Wastes. Report to American Cyanamide Co. (unpublished).

REFERENCE: Falk, D.L. and M.A. Duncan. 1977. Water Research. Vol. 11, pp. 13-15.

REFERENCE: Herricks, E.E., and John Cairns, Jr. n.d. Bulletin 66: Rehabilitation of Streams Receiving Acid Mine Drainage, Virginia Water Resources Research Center, Virginia Polytechnic Institute and State University (Blacksburg).

REFERENCE: McKee, J.E. and H.W. Wolf (eds.). 1963. Water Quality Criteria, Second Edition. California State Water Resources Control Board.

REFERENCE: Robinson, G., W. Duncan, and G. Mamolito. 1976. Differences in Low pH Tolerance Among Strains of Brook Trout (Savelinus fontinalis). Jour. Fish Bio. Vol. 8, No. 1, p. 5 ff.

REFERENCE: United States Environmental Protection Agency. 1976. Water Quality Criteria for Water. U.S. EPA, Washington, D.C. 20460

REFERENCE: Yeasted, J. and R. Shane. 1976. pH Profiles in a River System with Multiple Acid Loads. Jour. Water Pol. Cont. Fed., Vol. 48, No. 1, p. 91.

)		
	•	Oñ

8.0	ROUGH	FIGURES	FOR	FISH	COUNT:
-----	-------	---------	-----	------	--------

8.1	Lake,	pond	or	river;	total	count	of	every	fish:	·

OR

8.2 100 yard segment/half mile area count; lake or river: 73,056

Total distance of kill-in stream/pond miles/acres: 11.5 miles

Segment	Species, No.	size	Species,	No.,	· size	Species	. No.,	Size
(lst. fish seen)		ļ						
1st. 100 yds	minnows 97	all	suckers	3	9-10			
	suckers 3	0-3						
	1	4-6						
	1	7-8						
2nd. 100 yds.	minnows 36	a						
	suckers	0-3						 .
	" 1	4-6						
	s.m. bass 1	3			···			
3rd. 100 yds.	minnows 35	all						<u> </u>
	s.m. bass 1	3						
	madtoms 1	all						
4th. 100 yds.	minnows 134	ali.				· · · · · · · · · · · · · · · · · · ·		
	,*	,						
								
5th. 100 yds.	minnows 431	all					·	
	suckers 3	0-3						
	") <u> </u>	4-6						
	s.m. bass 2	- 3			T1:			-
6th. 100 yds.	minnows 319	all	sunfish	1	3			
	darters 1	a 1 1						
	suckers 2	0-3						
	s.m. bass 1	3						
7th. 100 yds.	minnows 354	all	madtoms	2	a			
,	suckers 1	4-6						
	11	9-10						
	s.m. bass 1	4						
8th. 100 yds.	minnows 367	all	madtoms		all		····	
	suckers 2		sunfish	1	3			
	" 1	11	"	1	4			
,	s.m. bass 2	3	"	i	7			
9th. 100 yds.	minnows 525		s.m. bass	- i	5	sunfish		6
	suckers 1	4-6		i	all			
	s.m. bass 6	3	sunfish	- `i -	3			,
	7	4	H	-i	4			

	j	•				-				
_	Segment	Species,	₹ No.,	Size	Špecies, 1	١ <u>٥.</u> ,	Size	Species,	No.,	size
-	10th. 100 yds.	minnows	239	a11	s.m. bass	9	2.	sunfish	1	4.
-	1	suckers	7	0-3		15	3	44		
-		=	<u>i</u> _	7-8	11	<u> </u>	<u> </u>			
-		13	 i	11	madtoms	4	aiī			
7	llth. 100 yds.	minnows	724	all	s.m. bass			madtoms	4	al
-	2.01.0	suckers	4	4-6		<u>-</u> -		eel	— j—-	- 22
_	• • • • • • • • • • • • • • • • • • •	11 .	<u></u>	7-8	11	<u>- ż</u>	<u>4</u>-			
•		ii"	j	11		Τ,	5			
7	12th. 100 yds.	minnows	649	all	s.m. bass	 2	3	rockbass	 i	
-	200 / 401	suckers	3	4-6	11		4	1000000		
~		30CVEL2	<u>-</u>	14	ļi —	<u>-</u> Ť	5		<u> </u>	
-		madtoms	9	all	sunfish		4	ļ <u></u> -		
-	l3th. 100 yds.	minnows	565	all	suckers		- 1	s.m. bass	6	
٠			4	0-3		17	- 11	11	-	
~		Suckers.		4-6	s.m. bass	io	<u>2</u> -	madtoms		<u>a</u>
~		11	 _		11	13	4	inad coms		—∺
-	14th. 100 yds.		3 010	7-8) a m bass	20	
	oms 5 all	minnows suckers	1.912	all 0-3	<u>suckers</u>	$-\frac{6}{4}$	9 72) s.m. bass	20 <u> </u>	
					<u>-</u>		14	i,	 -	
nt.	ish (2-2"), (7-3")) (2-7") suc	18_	4-6 7-8	s.m. bass	30	2	H		
	$\frac{4^{\circ}}{100}$, $\frac{(2-5^{\circ})}{100}$, $\frac{(2-6^{\circ})}{100}$		352			_ <u>2</u>		sunfish		
٤	15th. 100 yds.	<u>minnows</u>	354	all 0-3	<u>suckers</u>	<u>3</u> 6		Sumisi	-	
-	<u>rockbass] 5</u>	suckers			s.m. bass	<u> </u>	$\frac{2}{4}$			
_			<u> </u>	<u>4-6</u> 9-10		19			<u>-</u>	
_	suckers 1 15		3							
	16th. 100 yds.	minnows	86	all	suckers		9-10	s.m. bass	10	
		suckers	17	0-3		2		sunfish	2	
				4-6	s.m. bass	38		- 	 	
			2	7-8	··	33			ا 	
	17th.100 yds. ish (3-2"),(1-3")	minnows	145	all	suckers	5	9-10	s.m. bass	36	
nf	ish (3-2"),(1-3")	suckers	6	0-3						
	$(1-4^{\circ}), (1-7^{\circ})$		2	4-6	# 1 	اا	12	madtoms	2	ā
		1]]	7-8	s.m. bass	<u> </u>	2		·	
	18th. 100 yds.	minnows	165	all	suckers	3		s.m. bass	10	
		suckers	6	0-3	••• 	2	14	sunfish		
			6	9-10		A			I	
					s.m. bass	. 4				
	19th. 100 yds.	minnows	123	all	s.m. bass	3	,	sunfish	. 7	
		suckers	6	0-3	raman ya masanin tanan sa	l	5			
		s.m. bass	42	2	sunfish	ر م				-
	20+k		10	3 3 3	TO M TO BE CO	7				
	20th. 100 yds.	iiiInnows	38	all	s.m. bass	/ 		·		
		suckers		0-3	sunfish		5			
		II	2	2						
		s.m. bass	5	2						
	21st.100 yds.	niinnows	96	ali	s.m. bass	33		sunfish		
		suckers]	0-3	11	6	4	rockbass	1	
			1	12]		1	7			
		s.m. bass	6	2	madtoms		all			
	22nd. 100 vds.	· minnows	133	all	suckers	ï	11	s.m. bass	. 17	
	sunfish 2 7"	suckers	36	0-3		2	12		5	
						٠	<u></u>			
		}	j	7-8		j	10		1	

1 + 41

State Water Control Board

2111 North Hamilton Street

.P. O. Box 11143

Richmond, VA. 23230

SUBJECT:

Piney River - Tye River Fish Kill FY 78-011 (PC 78-028)

TO:

Ron Gregory

FROM:

Tom Mizell Tom Mizell

DATE:

25 July 1977

COPIES:

PREP Coordinator

T. H. Jett

BAT

ΒE



On 11 July 1977 the VRO received notification of a fish kill on the Tye River. Larry Simmons and Rod Bodkin investigated the river that date accompanied by Gary Brantley, Game Warden and Nelson County Deputy Sheriff Ron Wood. The kill was initially reported by Mr. William D. Wright (Phone 804-263-4628 of Arrington, Virginia on the morning of 11 July 1977.

On 12 July 1977 the writer and Chuck Auckerman met with the following persons to continue the investigation:

Gary Brantley, Game Warden (Phone 804-263-4012)
Ron Wood, Nelson County Deputy Sheriff (Phone 804-263-4242)
Woody Greenberg, Public Project Technician, Nelson County(Phone 804-263-4873)
Ron Gregory, DES
John Roland, BSFS
Mark Stedfeld, DES
Dennis Testerman, DES

Messrs. Brantley, Wood, Greenberg, and Mizell made an onsite investigation of U. S. Titanium's facilities at Piney River while the others began counting dead fish. Mr. Brantley and Mr. Wood noted that on 11 July 1977 they observed a discharge from U. S. Titanium's facilities to Piney River. This occurred subsequent to a Sunday night rainfall approximating 3/4" of rain. Mr. Brantley and Mr. Wood further noted that observations of the rivers on Sunday 10 July 1977 did not reflect any problems.

Prior to leaving the VRO the writer had contacted Brian Higgins of Higgins Engineering who operates the wastewater pumping system for U. S. Titanium. During the telephone conversation Mr. Higgins was made aware of a fish kill and advised of a possible malfunction of the waste holding facilities at U. S. Titanium facilities at Piney River (which consists of two holding ponds to recycle rainfall runoff from waste copperas piles).

ORIGINAL (Red)

When we arrived on site approximately 11:15 A.M. we viewed the metal culvert, adjacent to the railroad tracks, discharging to Piney River. This was reported by Mr. Brantley and Mr. Wood as discharging on 11 July 1977. Attachment 1 reflects our visual observations on 12 July 1977. We traced the flow from the above mentioned culvert, as it parallels the Virginia Blue Ridge Railroad tracks, for approximately 300 feet. The flow was observed to be red indicative of the wastewaters contained in the wastewater holding ponds. The lower pond was observed to be filled and overflowing at a low point in the southeastern corner of the surrounding berm. The overflow was mixing with the small stream which parallels a portion of the berm resulting in the red coloration. Woody Greenberg, also a free lance reporter, took movies of the flow into Piney River and from the lower pond.

Mr. Higgins had arrived at the site approximately the same time and cut the pumps on shortly before we viewed the lower pond. When questioned Mr. Higgins could not tell the writer when the pumps were last operated. The pumps are operated manually. Mr. Higgins had also placed a few shovels of dirt in the low point to eliminate the discharge from the lower pond. The writer advised Mr. Higgins to place some more dirt in the depression to attempt to assure the berm's integrity and provide additional holding capacity. Mr. Higgins was also requested to improve the berm at the southeastern corner to provide a few more inches holding capacity. He added more dirt in the depression but he was not receptive to modifying the corner as he explained it serves as an emergency spillway. His operational arrangements with U. S. Titanium apparently only involves operation of the pumping facilities associated with the wastewater holding ponds. The writer advised Mr. Higgins that the staff would contact U. S. Titanium to notify them of the need to improve the existing facilities.

In previous correspondences from the VRO the need for dredging the final pond has been addressed. Mr. Higgins stated that the pond was last dredged in April 1977.

The upper reservoir was next observed. Considerable storage capacity was available as the discharge pipes were approximately three feet above the water level. It appeared that the water level was approximately six feet below the high water level line.

At approximately 1:30 P.M. the writer contacted the VRO to report the findings of the investigation. It was anticipated that U. S. Titanium would be contacted and advised of the problem (i.e. the need to strengthen the berms and draw the level down in the lower reservoir to provide capacity for additional rainfall runoff from the copperas piles).

Gary Brantley and the writer returned to the site and viewed the lower pond at approximately 2:30 P.M. The level had lowered approximately two inches as reflected by a high water mark on dead trees in the pond. The pumps were operating and Mr. Higgins had apparently left the site. It was noted that a few sacks of dolomitic limestone had been placed in the stream just below the emergency spillway.

The writer then assisted with the fish count. While taking a count at the station just downstream of the Tye River Bridge (State Route 739) Mrs. William Wright introduced herself and described her husband's observation of the previous day i.e. while fishing Monday morning, 11 July 1977, at approximately 6:30 A.M. the stream appeared red. However, by 11:00 A.M. the condition had cleared up. The writer told Mrs. Wright that she would be advised of the staff's findings.

Piney River - Tye River FY 78-011 (PC 78-028)
25 July 1977
Page 3

ORIGINAL (Red)

A thunderstorm hit the area in the early evening and prior to leaving the area the writer and Deputy Sheriff Wood and the rest of the SWCB investigators made a final inspection of the U.S. Titanium facilities. The pumps were operating. It appeared that the level in the lower reservoir had risen approximately one inch reflecting the flow contribution due to the rainfall. Deputy Sheriff Wood reported that his rain gage near Piney River indicated 0.6 inch of rain due to the 12 July 1977 thunderstorm. Prior to leaving the site pH measurements of the final ponds contents were obtained by Ron Gregory.


Several slides of the wastewater facilities were taken throughout the day and attachment two reflects the vantage points from which the slides were taken.


Please refer to separate memorandum reflecting investigation of 11 July 1977.


Woody Greenberg requested that the staff keep Nelson County Board of Supervisors advised of our findings and action. Also since the fish kill Mr. Earl Bryant (263-5547) and John Scott Carter (946-2316)have asked that they also be advised of SWCB action concerning the matter.

CTM/jw

100094







PATHOLOGY REPORT

	Name <u>David K. Paylor</u>	· T. 曹 Oranger of the complete complete	چ س. اعس	Fish Kill # <u>78-011</u>
	Species <u>redhorse sucker</u>	which regarded to the transfer transfer to the constitution	Date_Received	7/11/77
	Size 14"		_Date Examined	9/2/77
	Sex Preservative frozen	ng kalamin ngapang nan agi d <u>a</u> n <u>S</u>	Examined moribund Sampled moribund	dead <u>x</u> x dead
I	External	i ⊈uu ii ii keen ii ii uu ii		• • • • • • • • • • • • • • • • • • • •
	Sides (hemorrhaging, necrosis normal	, parasites, ba	cteria, etc.):	
	Fins (hemorrhaging, necrosis, normal	parasites, bac	teria, fraying, et	c.):
filam	Gills: A. General appearance some cases only the f ents and B. Microscopic (hemor cous Large accumulation of	ilament remains rhaging, hyperp	. Yellow-brown fo lasia, aneurysms,	reign substance on bacteria, parasites):
•	Other abnormalities:		- ·· ·; ·	
		-		
II	Internal			•
	General appearance of viscera normal	(hemorrhaging,	edema, parasites,	etc.):
	Intestinal tract (full, empty	, bloody, mucou	s, parasites, etc.) :
	Organs (hemorrhaging, color,	bact ēria, paras	ites, etc.):	
	Liver:	الم المجدد عمل ال	Spleen:	•
	V-i drave		Pyloric o	caeca:
	Kidney:	· · · · · · · · · · · · · · · · · · ·	Swim Blad	lder:
	Gall Bladder:		Other:	
· III	Hematology, Histology, Bacter	iology, Parasit	ology attach s	heets
10	Summary and Conclusions: On destroyed. Two pathological 1. Extensive fraying a 2. Collection of yello foreign material was unidenti was some mucous production when the gill erosion was not due by a highly corrosive substant	problems found nd erosion. w brown foreigr fied but was er ich may have be to any infectio	in gills. material on filam nough to inhibit re en associated. ous agent. It coul	ments. espiration. There d have been caused A. Paylor
	:			100098

PATHOLOGY REPORT

	Name David K. Paylor	Fish Kill # <u>78-01</u>
	Species <u>smallmouth bass</u> Size <u>3-4"</u>	Date Received 7/11/77
	Sex Sex	Date Examined 9/2/77 Examined moribund dead x
	Preservative <u>frozen</u>	Sampled moribund x dead
ī	External	
•	z, out nat	
	Sides (hemorrhaging, necrosis, normal	parasites, bacteria, etc.):
٠	Fins (hemorrhaging, necrosis, p	parasites, bacteria, fraying, etc.):
	foreign material in the	& color: Mostly decayed but with yellow brown mucous.
•	B. Microscopic (hemorrh Yellow brown foreign ma	naging, hyperplasia, aneurysms, bacteria, parasites) aterial abundant
	Other abnormalities:	
	·	
I	Internal	
	General appearance of viscera ((hemorrhaging, ēdema, parasites, etc.):
	Intestinal tract (full, empty,	bloody, mucous, parasites, etc.):
	Organs (hemorrhaging, color, ba	cteria, parasites, etc.):
	Liver:	Spleen:
	• • • • • • •	Pyloric caeca:
	Kidney:	
		Swim Bladder:

The gills were mostly decayed, possibly because they are very small and require little time to decay. Not much could be concluded except for the abundance of the

yellow-brown foreign substance.

Daird K. Paylor

Sheet	No.	7
-------	-----	---

REPLACEMENT COST OF FISH

onistical (Red)

Fish Kill No. 78-011

Species & Common Name	Size (Inches)	Number	Individual Value	Total Value
Anguillidae freshwater				
eel family				,
Anguilla rostrata,	11	8	.035	38
American eel	24	25	57	14.35
Catostomidae sucker	0-3	886	.06	53.16
family, including:	4-6	329	. //	36.17
Catostomus commersoni,	7-8	110 "	.17	18.70
white sucker	9-10	295	.23	67.85
Hypentelium nigricans	11	51	.29	14.179
northern hog sucker	12	127	,34	43.18
	13	8	. 34	2.1/2
	14	101	.31	34.34
Centrarchidae Synfish		•	,	
<u>fa</u> mily <u>Amploplites rupestris</u>	3	8	.57	4.56
rock bass	4	8	,85	6.80
	5	8	1.14	9.12
, ,	6	_		
	7	17	1.99	33.13

Sub-	
Grand Total	\$339.77

Signed:

(Chief, Fish Division, CGIF)

Date:

September 1, 1977

REPLACEMENT COST OF FISH

ORIGINAL (Red)

Fish Kill No. 78-011

Species & Common Name	Size (Inches)	Number	Individual Value	Total Value
Lepomis sp. sunfishes	1	8	.//	. 68
including L. auritus	2	84	.17	14.28
redbreast sunfish	3	261	?3	60.03
	4	186	29	53.94
	5	67	do	26.80
	6	51	.68	34.68
·	7	51	1.14	58.14
Micropterus dolomieui	2	2311	.51	1,317.27
smallmouth bass	3	2218	. 85	1 885.30
	4	818 -	1.14	932.55
·	5	127	1.1.13	181.61
	6	25.	1.7/	4.2.75
	7	17	1.27	33.83
	8	8	2.35	18.24
	9	-		
	10	17	.2.25	48.45
• • •	11	8	3.13	35.04
Cyprinidae minnows	all sizes	64,456	.03	1, 933.68

baitfish including shiners, dace, chubs, stonerollers, and fallfish

र्जात्रीच Total	\$6,667.44

Signed:

Chief, Fish Division, CGIF)

Date: September 1, 1977

Sheet No.	3
-----------	---

REPLACEMENT COST OF FISH

ORIGINAL (Red)

Fish Kill No. 78-011

Species & Common Name	Size (Inches)	Number	Individual Value	Total Value
Percidae perch family	all sizes	8	. //	. 88
darters				
Ictaluridae catfish	all sizes	354	//	32.94
Noturus sp. madtoms				
probably N. insignis				
margined madtoms	,			
· · · · · · · · · · · · · · · · · · ·				
				İ

Sub-Total \$39.82

Grand Total 73,056 \$7,047.03

Signed:

Chief, Fish Division, CGIF)

Date: September 1, 1977

Form 36-75

100102

ORIGINAL (Red)

Itemized below are expenses incurred by the Virginia State Water Control Board during the subject fish kill investigation.

Number of personnel involved in investigation: 12	
Total man-hours in field and report preparation: 296,5	
Total man-hours in laboratory:	
Total wage expense based on hourly rate for all participants:	
Total wage expense for laboratory:	24.25
Total number of miles driven by State car: 1,102	,
Total mileage expense for use of state agency, pool car (.15 per mile)	165.30
Total number of miles driven by private car:	
Total mileage expense for use of private car (- cents/mile)	
Total expense for travel by train, plane or bus:	
Rates for boat use: Daily cost Hourly operating cost	
Canoe and Flatbottom (narrow) \$ 6.25 \$ 3.00 Wide Flatbottom 8.50 4.00 Glassmaster 17' Outboard 15.00 6.50 Glassmaster 19' Outboard 25.00 7.50 Glassmaster 19' Inboard 31.00 8.50 Carousel 31.00 8.50 Fish/Ski, T-Craft 37.00 9.00	
Number of days boat was used: 2 Number of hours boat was used: 7	23.50
Total expense for Boat use:	33.50
Total number of nights spent in field for all participants:	
Total expense for lodging:	
Total number of meals for all participants: 15	2150
"Iotal expense for meals:	34.59
Miscellaneous Items (ice, tolls, film, etc.) include item, quantity, and cost: 1CE, 0.82, FILM+PROC. 12.00 Total expenses for miscellaneous items:	12.82
Bioassay Costs	<u> </u>
Administrative costs	25,00
OTAL EXPENSES	2193.67
Signed by Ocoralell. The	egory
Effective date: Date 7 Sept. 77	1 00000044A ***
•	100103



Fish Kill No. 78-011

ORIGINAL (Red)

Parameter	No. of Analysis	Cost per Analysis	Total Cost
Arsenic - TO CONTROL TO THE		2.00	
BOD5 mg/l		4.25	
Cadmium		.50	····
Calcium		1.00	· · · · · · · · · · · · · · · · · · ·
Chemical Oxygen Demand, mg/l		5.75	
Chlorides Chromium total, mg/l		.60	
Chromium total, mg/l	1	. 50	0,50
Coliform, total		3.00	
Coliform, Fecal		1.50	
Conductivity		.75	
Copper		.50	0.50
Hardness ===================================		1.00	
Herbicides		No Charge	
Hexane Extractables mg/l	3.4	17.50	
Iron, mg/l		.50	0.50
Infrared, mg/l		50.00	
Lead mg/l	1	1.25	1,25
Manganese, mg/l		.50	
Mercury		1.50	
Nickel	-	.50	
*Nutrients		5.00	
pll, alkalinity	3	.90	2.70
Pesticides		No Charge	
Settleable Solids		1.00	
Suspended Solids		2.00	
Sulfa t e	4	1.20	4.80
Total Solids		2.00	
Turbidity		75	
Zinc, mg/l		.50	.50
Others:			
Total Organic Carbon	3	400	12.00
Conductivity		0.75	1.50
		<u> </u>	<u></u>
	I	1	

* Nutrients: Tot. Nit., Ammonia, Nitrate, Nitrite, Total Phosphates, Ortho Phosphates, Hydrol. Phosphates.

Grand Total

Approved by

Authorized Signature)

		(110-1)
. 1	STATION DESCRIPTION:	
	1. Piney R., rt. 151 bridge, upstream of U.S. Titanium property.	
	2. Piney R., U.S. Titanium property, 3 meters upstream of discharge pipe.	
•	(3.) U.S. Titanium discharge.	
	4. Pool below U.S. Titanium discharge pipe.	•
	5. Piney R., U.S. Titanium property, 5 meters below discharge pipe in disc	charge plume.
	6. Piney River, at rt. 674 bridge, Rose Mill, approx. 2.4 km. below U.S.	Titanium
	discharge pipe. 7. Tye R., rt. 739 bridge, Tye River post office, approx. 12 km. below U. discharge pipe.	.S. Titanium
	8. Tye R., backwater pool beneath rt. 737 bridge.	•
	9	
	10.	

2.2 PICTURES TAKEN: (identify pictures: slides (s) or prints (p))

Loc	ation:			<i>,</i> 4			•	•
1.			<u> </u>	<u></u>	6.	. , , , , , , , , , , , , , , , , , , ,	·	
2.					7	AND SECTION SE		<u>-</u>
3.					8.			<u> </u>
4.					9			<u>-</u>
5.		<u> </u>	<u> </u>		10,		· · · · · · · · · · · · · · · · · · ·	

^{*} See attached list. All slides were taken by Tom Mizell, V.R.O. on 12 July 1977. His map following the list shows the locations where some of the slides were taken.

we.	5.3 CHEMICAL ANALYSIS check box for requested at		-8a- ma	ORIGINAL (Res)	
•	Station Date Time Lab Number	3 7-12-77 	7-11-77 	7 7-11-77 1200 L-77	7 7-11-77 1200 L-76
	Parameter :: : : : :	!	,	*	
	100)5, mg/1				
	1857 / 300 ml				
X	pH (laboratory	•	2.5	4.8	4.8
	Acidlty (total) mg/1				•
	Alkalinity (total), mg/1				······································
	Phth Alkalinity, mg/l		.]		
	Settleable Solids, mg/l				
	Total Solids - tot, mg/l Vol, mg/l Fix, mg/l				
	Susp. Solids- Tot, mg/l Vol, mg/l Fix, mg/l			•	
	Chlorides, mg/l as Cl				,
	Tot Nit, kjel, mg/l as N				
	Atmonia, mg/R as N	·	7.		
$\widetilde{\Box}$	Nitrite, mg/l as N				
	Nitrate, mg/l as N				
	Hydrol. Phosphates, mg/1 as P	·			
	Ortho Phosphates, mg/l as P	•			
	Total Phosphates, mg/l as P_				
X	Chromium Tot, mg/l	0.10			
X	Zinc, mg/l	0.20			
$[\chi]$	Lead, mg/l	0.1-	<u> </u>		
X	lron, mg/l	1,500		·	
X.	Copper, mg/1	0.40			
	Manganese, mg/l				
	Hexane Extractables, mg/l	·			
	Chemical Oxygen Demand, mg/l				
	Oils by Infrared, mg/1	i			
	Sulfate	5,000	5,600	48	38
·-X	T.0C	 	11	4	4
	Conductivity (micro-mhos/cm)		4400		110
				100	100
l —¬					

STREAM Piney River/Tye River

MASIN James

(XXXXX/COUNTY Nelson Co./Amherst Co.

SUMMARY:

On August 25, 1979 eight SWCB staff members investigated a fish kill on the Piney and Tye Rivers (Nelson Co.). The cause of the kill was acidic runoff from the US Titanium Co. property. As a result 26,136 fish of several species were killed. Field and laboratory tests indicated that the state water quality standard for pH was violated. Replacement cost of fish was \$ 2,107.16. Cost of investigation was \$ 1,189.69. Total cost to the State of Virginia was \$ 3,296.85.

CONCLUSIONS:

Acid wastes from the property of US Titanium Co. lowered the pH in the receiving stream (Piney River) to lethal levels causing a fish kill in the Piney and Tye Rivers below the plant site.

THE INVESTIGATION

1.0 REPORTED INFORMATION:

Reported by: Mr. Pete Archbell	Date	8-24-79		Time	2050	
Report received by: PReP Central	Date	8-24-79				
Investigated by: L. Simmons, R. Bolgiano	Date	8-25-79				
Investigated by: Six BSFS staff members	Date	8-25-79				
Investigated by:	Date	·····				
Final Report Edited by: D. H. Treacy						
CHAIN OF NOTIFICATION (list of names in or	der of c	ontact)				
	· · · · · · · ·	onedec)			,.	
		•				
(1) Enforcement Division Jim Hensley		(date)		(time)	
(2) Regional Representative Simmons, Bolgi	ano		date)	8-24-79	(time)	2300
(3) Game Warden (CGIF) Bob Bonderant, Amir	nerst Co.	(date.)	8-24-79	(time)	1600
(4) (name) Dave Paylor, DES			date)		(time)	2320
(5) (name)		(date)		(time)	
		`		· · · · · · · · · · · · · · · · · · ·		
DATE FISH KILL OCCURRED (as determined by	investio	ation	8-24	4-79		
DATE FISH KILL ENDED 8-25-79						
THE PART NAME OF THE PARTY OF T		 .				

AUGUST 25, 1979

9050 P80-1631 FK80-013	VALLEY REGION: R. Bolgiano (VRO) and L. Simmons (VRO) enroute to
1100 P80-163 FK80-945	VALLEY REGION: R. Bolgiano (VRO) called requesting headquarters sistance for count
1245 P80-165 FKS0-043	VALLEY REGION: D. Paylor, R. Pitchford, D. Treacy, R. Gregory J. Robinson and L. Balderson en route to kill to aid in count.
1300 P80-163 FK80-043	VALLLY REGION: Gary Brantly, Lynchburg Yews, called and was advi- SWCB on scene.
10.00 P80-163 FE80-043	VALLEY REGION: Brad Elliot, Lynchburg, requested information on the was advised SWCB personnel were on scene.
2330 PS0-165 PK80-043	VALLEY REGION: D. Paylor (BES) reported that the count had been pleted.
ı	

AUGUST 26, 1979

VALLEY REGION: Mr. Childress, Nelson County, reported a fish kil ps0-163 the Tye River. He was advised SWCB personnel had investigated an FR80-045 conducted a fish count.

NO FURTHER ACTIVITY!

Weather Dur Weather Fol	vious to Kill_ ing Kill_ towing Kill include amount)	8-22-795" no rain thunderstorms	8-21-79 <u>4.4"</u> o	f rain (rain gauge in Montebello, Va
WITHESSES:	name address phone position			

2.0 INVESTIGATORS DISCUSSION:

See memos (Treacy and Bolgiano)

2.1 STATION DESCRIPTION:

- 1. Piney River, Rt. 151 bridge, upstream of US Titanium property.
- 2. Lower lagoon, US Titanium property.
- 3. Drainage ditch, below lower lagoon, US Titanium property.
- 4. Drainage outfall of US Titanium into ditch parallel to railroad tracks.
- 5. Above drainage outfall of US Titanium, US Titanium property.
- 6. Below drainage outfall, US Titanium property.
- 7. US Titanium discharge.
- 8. Piney River, 10 meters above US Titanium discharge
- 9. Piney River, 20 meters below US Titanium discharge
- 10. Piney River, downstream_from Rt. 674 bridge.

2 2	PICTURES	TAITEN	(identify	pictures:	slides	(8)	or.	prints	(n)	`
	F 7.13 C F .(13.13)	T. 1. 21 . 1	(Tricitie Tt)	111111111111111111111111111111111111111	a i Lucia	(.)	17.1	1 1 1 1 6 3	1111	,

Location:	See attached sheet	
1		6
2.		7.
3		8.
4.		9.
5.		19.


Slide No.	· · · · · · · · · · · · · · · · · ·	Description
1	-	Looking upstream from control station (Rt. 151 bridge on Piney River).
2		Looking downstream from control station (Rt. 151 bridge on Piney River).
3	*	Upper lagoon, US Titanium property.
4		Upper lagoon, US Titanium property.
5		Copperas piles, US Titanium property.
6		Lower lagoon, US Titanium property.
7		Lower lagoon, US Titanium property.
8 .		Pumphouse below lower lagoon.
9		Investigators sampling drainage ditch below pumphouse.
10		Same as 9.
. 11		Drainage ditch below pumphouse.
12		Drainage ditch below pumphouse (note red color).
13		Earthen berm of lower lagoon (indicating possible overflow).
14 -		Smoothed areas on earthen berm of lower lagoon (possible overflow).
15		Lower lagoon taken from behind earthen berm.
16	 -	Copperas piles.
17	·	Lower lagoon.
18	•	Pipe just below lower lagoon.
19		Small stream leading from lower lagoon drainage.
20	-	Drainage ditch receiving drainage from areas of copperas piles and leading to discharge areas.
21		Drainage areas moving toward Piney River.
22	,	Opposite side of RR tracks from drainage areas.
23		Mud on railroad tracks indicating recent overflow to other side of railroad tracks.
24		US Titanium discharge into Piney River.


Fish Kill No. 80-043


3.0 MAP OF AREA: Include company layout, discharges in area, exact extent of kill, extent of visual stream degradation.














Fish Kill no. 80-043

4.0 VISUAL OBSERVATIONS:

4.1 WATER:

Station Station	D.O. mg/1 p!!	Temp.(°F)	Dead Fish ?	Color	Turbidity
1	7.5	78	None (control)	Clear	
2	<4.0		(drainage N/A area)	Dark red	
3	<4.0		(1))	11	
4	<4.0		11 11	Reddish	
5	<4:0		и ,. и	11	
6	<4.0		11 11	11	
7	<4.0		11 11	(1	
8	6.0	80	None (discharg	ellear	
9.	<4.0		Few minnows	12	
10	4.6		None sighted	Brown	Opaque .

Station	Floating Solids	Surface Film	Flou	Tide Stage	Odor (def)	Other
]						
2						
3						
4	·					
5						
6		,			·	
7						
8				•		
9						↑
10						

Fish KIII No. 80-043	<u></u>
4.2 FISH:	
GENERAL APPEARANCE:	·
nervous, scary	spiraling
sinking to bottom	flashing
gasping at surface	rubbing against bottom
unusual color	
frantic	floating listlessly
slugish	swimming upside down
	other All dead
ARRANGEMENT IN WATER:	
normal distribution all	schooling .
moving into other water sources	
floating towards outlet	crowding water inlet
attempting to leave water	other
BODY SURFACE: *	
normal all light & dark patches blead	abod blocked
bluish film: in patches or all over	"lied bloated
grayish-white: in patches or tufts	
deep open lesions with pus and blood	
swellen areas as foruncles	
shallow red wheers: small or large	
body splitting open along midline	
mucous on elsin	· ·
muscous on skinother	
o cart	
FINS: *	
	the whole thread
	twisted
swollen	eroded
necrotic	_spots present: whiteblack
*	14h = 1
bluish white	DIOOG-SHOL
parasite present	other:
CAUDAL PEDUNCLE: *	
siightly swollen	Dinish-white
very swollen	iungus-like tults
slightly swollen very swollen necrotic	other
inflamed	
GILLS: *	
gill color: bright redred pink	white
cill cover widely expanded	W41 & G. G.
gill cover widely expandedswollen	
swollen covered with mucus, food and dirt particles	(,
. FOURTH Literal management formal and disease a condition	
covered with mucus, food and dirt particles	
patches: white brown gr. y	
patches: white brown gr. y other	

^{*} Indicate approximate number of fish having these characteristies. Look for general trends, not specific fish (few, many, all, none).

Fish KIII No. 80-043	enter de la companya del companya de la companya de la companya del companya de la companya del la companya de
EYES: *	
normal all	bulging
opaque	one, eye missing
witte: lens or center	both eyes missing
tiny spots in lens	if a needle is inserted in the eye socket
red spots in cornea .	and the eye is pressed while fish head is
popeye	under water, gas bubbles or opaque
other	fluid escapes.
* Indicate approximate number of fish general trends, not specific fish.	having these characteristics. Look for (few, many, all, none)
OTHER CONDITIONS OR SYMPTOMS NOTED:	
Partly eaten remains found on shore ar	nd exposed rocks.
	•
•	
	•
5.0 SAMPLES AND ANALYSES:	
	The second secon
5.1 CHEHICAL SAMPLES COLLECTED:	
(circle samples not collected by St	tate Water Control Board)
, ,, , , , , , , ,	
source (pollution) 2	polluted area
source (oil)	spill area quart plantie 4
1/2 galion glass gallon plastic 3	quart plantie 4
Edition Plantie	quart glass
mercury bottles	mud
	SOLL
5.2 BIOLOGICAL SAMPLES COLLECTED: *	•
(circle samples not collected by St	hate Water Control Roard)
Fish must be properly identified to ger	nus on lab sheet
fish	benthic
oyster	clam
crab	mussel
مين المراجع التي من المراجع ال	other.
Section 2 to the section of the sect	

^{*} Specify whole fish, edible meat or organs to be analized

CHURINAL.			
check box	for	Technologie q	andy de

	chest poy to, feducated at	,			
	Station	- <u></u>	2	1 3	1 7
	Date	8-25-79	8-25-79	8-25-79	8-25-79
	Time Lab Number	_L=169 ⁵⁵	<u>1730</u>	<u> 1725</u>	- <u>-1750</u>
	Parameter - ===================================				
	Bobs, mg/l	•	·		
	нгн / 100 ш1				<u> </u>
XX	pd (Jaboratory	5.0	2.2	2.1	2.9
	Acidity (total) mg/l	21	31050	18850	730
	Alkelinity (total), mg/1	7	Acid	Acid	Acid
	Philically distributed and the second	·			
	Settleable Solids, rg/l				
	Total Solids - let, op/1 Vel, tg/1 Fis. tg/1				
	Supp. Solids- Tet. 1:2/7 Vol. 107/1				
	Fix, mg/1				
	Chlorides, mg/l as Cl				
· ·	Tot Kit, Fjel, rg/l na H				
	American sign as Same		:		
	Mitrite, mg/l as N	· · · · · · · · · · · · · · · · · · ·			
	Mitrate, mg/l and T.	And drubushed the same of the same		-	
	Bydrol. Phosphaton, ng/l as F				ļ
	Ortho Phosphates, mg/1 as P	·		<u> </u>	
	Total Phosphates, ag/1 as P				
	Chromium Tet, mg/l				
	Rine, mg/l				
	fead, rg/l	·	<u> </u>	· · · · · · · · · · · · · · · · · · ·	
XX	1ron, rg/1		· · · · · · · · · · · · · · · · · · ·		<u></u>
	Copper, mg/I				
	Manginese, mi/1		1		****.
	Hemane Extractables, cg/1				
	Chemical Osygea Demand, pg/1				
	Oils by Infrared, mg/1				
اق	Sulfate	6	32,240	20,410	1580

		·		10)122
				* 0	ال الله الله الله الله الله الله الله ا
	t e	•	1	1	1

			. 3 =		
	Гол FIII Sa. 80-043				
	S. & CHEMPAN AND YOUR Check how for requested an	alÿsis	- [*] · · · · · · · · · · · · · · ·		
	Station Date Time Lab Number	8 8-25-79 1800 L-173	9 8-25-79 1805 L-174	10	
	Parameter		•	,	
	8005, 55/1				
	1913 / 190 tel				<u> </u>
X	pl (laboratory		5.1	4.6	<u> </u>
	. Acidity (tetal) mg/1	3	4	15	
	Alkalimity (total), mm/1	3	4	. 2	
	Philic Albert in Fry, was/1				
	"Settleable Solide, rg/l				-
	Total Solida - tot, op/1 Vol. wg/1		•		-
2 mass	Fig. ru/1				
با	Supp. Solids- Tot. Fo/1 Vol. rg/1 Fix. mg/1				
_					
	Chlorides, mg/l as Ci				
)[Tot Nit, kjel, 19/1 as N	· · · · · · · · · · · · · · · · · · ·			
۲. ا	Attenta, ug/1 au ii				
[]	Mitrite, radicas A				
	Witrate, mg/1 as W			, - ,	
	hydrol. Phosphates, mg/1 as t				
	Ortho Phosphates, vg/1 as P			,	
	Total Phosphates, og/L as P				
	Chronium Tot, mg/l		'		
	Zine, mg/)				
	lend, mg/l	1.5	2.9	:	
	The state of the s				
	Copper, mg/3				
	Many mere, mg/1				
[] [==3	Hemane Extractables, eg/1				
l1	Chesteal Ovygen Bemand, sp/1				
	Oils by Infrared, rg/l Sulphate	20	270	3 F	
) [V]	Surpriace	40	270 .	35	
				•	-
Ä					
				1	00123
					-
			<u> </u>		

Figh Edd No. 80-043

GO TOXICITY OF ELLMENTS INVOLVED AS REPORTED IN LATERT LITERATURE:

REFERENCE:

See attached report.

REMARKS: US Titanium holds a no discharge permit. The pH levels in the runoff (discharge) pipe indicate a violation of this permit. Also, these levels are well below the State Water Quality Standard for pH in state waters. It is believed that these extreme pH readings were the cause of FK 80-034. As documented in the literature pH values much below 5.0 can be acutely toxic to several species of fish. Several pH samples taken at various stations in the US Titanium drainage area and the Piney River indicated lowered pH values that would be lethal to fish on short term exposure. The pH readings taken several hundred yards above the US Titanium discharge pipe were recorded as 7.5 and 5.0 in the lab. This lowered to 6.0 several feet above the discharge. The discharge itself was recorded as <4.0 in the field and 2.9 in the lab. Below the discharge investigators also recorded <4.0 in the field, while lab pH values were 5.1 (see attached map).

In conversations with DCLS it was found that the age of the water samples (approx. 4 days) could significantly alter laboratory pH reading. It was recommended that the most reliable readings of pH would be those taken in the field. Thus, the field pH readings indicate a severe pH problem at the time of investigation.

7.0 BENTHIC, ALGAL EXAMINATION (CURSORY):

Station	Substrate	Aquatic	Aquatic Algae	Benthic	Tolera	ince %		How compair
		plants	_	aniwals	Tül'~-	Fac	Sensit	with contr
1								
_								
<u> </u>		<u> </u>	<u> </u>			1		
3	<u> </u>					-		
4								
_								
5								
66						<u> </u>		<u> </u>
7			'					
8	- 					† 		
9			ļ				- 	ļ
10.								

AR100124

Fish Kill No. 80-043

6.0 Toxicity of Elements Involved as Reported in the Latest Literature:

A. Chemistry

Copperas is ferrous sulfate, FeSO₄·7H₂O. In the presense of oxygen and water, ferrous sulfate is oxidized to form sulfuric acid and other by-products as shown below:

- (1) 12 FeSO₄ + 3 O₂ + 6 H₂O \Rightarrow 4 Fe₂(SO₄)₃ + Fe(OH)₃ copperas oxygen water ferric ferric sulfate hydroxide
- (2) $Fe_2(SO_4)_3 + 6 H_2O \rightarrow Fe(OH)_3 + 3H_2SO_4$ ferric water ferric sulfuric sulfate hydroxide acid

(Herricks and Cairns, n.d.; Yeasted and Shane, 1976)

The sulfuric acid produced was responsible for the low pH of the runoff from the copperas piles. Our laboratory results showed that high concentrations of iron and sulfate, Fe $^{+2}$ and SO $_4$ $^{-2}$, were also present in solution in the runoff water, due to dissociation of the water-soluble reactants and products.

B. Effects of Low pH on Fish.

Acceptable pH levels for fish are determined in part by such accompanying conditions as temperature, dissolved oxygen, and the type and amount of other ions present (McKee and Wolf, 1963). Acceptable values cited in the literature vary considerably, not only from one species of fish to another, but also from investigator to investigator.

Generally, pH levels must be below 5.0 to be lethal, with mortalities progressively increasing below this level (Doudoroff and Katz, 1953). Behavorial and physiological signs of stress begin to appear in the range pH 5.8 to pH 5.0 (Falk and Dunson, 1977). The range pH 5.0 to pH 4.0 is the lower lethal limit for most fish studied, while no references could be found for survival below pH 3.3.

Most of the pH-lethality literature deals with brook trout; typical survival times for that species are as follows:

9H Survival time for trout 4.2 up to 88% survival for 5 days (Dively et al., 1977) 3.5 32 hours (average) (Falk and Dunson, 1977) 3.5 3 days (max.) (Robinson et al., 1976) 3.25 2 days ("extremely tolerant" fish) 1 day (avg.) (Robinson et al., 1976) 3.15 11.2 hours (min, after acclim.)(Falk and Dunson, 1977) 28.3 hours (max, after acclim.)

Fish Kill No. <u>80-043</u>

For other species, the following table provides general information (McKee and Wolf, 1963):

<u>pH</u>

- 4.6 lower limit for perch
- 4.3 Killed carp in 5 days
- 4.0 lower limit for bluegill in HCl
- 3.6 96-hr. TL_m for bluegill
- 3.3 trout survived without adverse effects (time unspecified)

Fish Kill No. 80-043

REFERENCE: Daye, P. G., and E. T. Garside. 1976. Histopatholic changes in Surficial Tissues of Brook Trout, <u>Savelinus fontinalis</u> (Mitchill), Exposed to Acute and Chronic Levels of pH. Canadian Jour. of Zoology, Vol. 54, No. 12, pp. 2140-2155.

REFERENCE: Dively, J., J. Mudge, W. Neff, and A. Anthony. 1977. "Blood PC., PCD, and pH Changes in Brook Trout (Salvelinus fontinalis) Exposed to Sublethal Levels of Acidity," Comp. Biochem. Physiol., Vol. 57A, pp. 347-351.

REFERENCE: Doudoroff, P. and M. Katz. n.d. "A Summary of Literature on Toxicity of Alkalies, Acids, and Inorganic Gases to Fish."

REFERENCE: Echave, H.S. 1954. Studies of Tolerance of Fresh Water Fish to Strong Acids and Acid Mine Wastes. Master's Thesis in Sanitary Engineering, The John Hopkins University, 1954. In: C. E. Renn, H. H. Hobbs, Jr. and B. F. D. Runk. 1955. Biological Survey of the Piney River, Va. and Evaluation of Effects of Water-Borne Wastes. Report to American Cyanamide Co. (unpublished).

REFERENCE: Falk, D. L. and M. A. Duncan. 1977. Water Research. Vol. 11, pp. 13-15.

REFERENCE: Herricks, E. E. and John Cairns, Jr. n.d. Bulletin 66: Rehabilitation of Streams Receiving Acid Mine Drainage, Virginia Water Resources Research Center, Virginia Polytechnic Institute and State University (Blacksburg).

REFERENCE: McKee, J. E. and H. W. Wolf (eds.). 1963. Water Quality Criteria, Second Edition. California State Water Resources Control Board.

REFERENCE: Robinson, G., W. Duncan and G. Mamolitol 1976. Differences in Low pH Tolerance Among Strains of Brook Trout (Savelinus fontinalis). Jour. Fish Bio. Vol. 8, No.1, p. 5 ff.

REFERENCE: United States Environmental Protection Agency. 1976. Water Quality Criteria for Water. U.S. EPA, Washington, D. C. 20460.

REFERENCE: Yeasted, J. and R. Shane. 1976. pH Profiles in a River System with Multiple Acid Loads. Jour. Water Pol. Cont. Fed., Vol. 48, No. 1, p. 91.

	1.			No	80-0	4:
1		1. 1	1 4	Nist	OU-U	4.3

8.0	ROUGH FIGURES FOR FISH COUNT:
8.1	Lake, pond or river; total count of every fish:
	· OR
8.2	100 yard segment/half mile area count; lake or river:
	Total distance of kill in stream/wwww miles/nyryys: 12

Segment	Species,	No.	size	Species,	No., si	ле	Species.	No.,	Size
(1st. fish seen) 1st. 100 yds.	Minnows	6.	all						
2nd. 100 yass.	Sunfish	2 2	4 5 7						^
3rd. 100 yds.	Sucker None		16						
4th. 100 yds.	None								
5th, 100 yds.	None .								
6ch. 100 yds.	None								
7th. 100 yds.	Minnows Suckers	154 13 36	1-2_ 3-4	Suckers Sunfish	14 7 12 9- 3 1	12 -3	M Bass	13 4 3	1 <u>-4</u> 5-7 10
8th. 100 yds. SM Bass 4 2-3 SM Bass 4 6-7		24 449 46 22 11	5-8	Suckers Chubs	40 4	5 C 20 S -3 -5 -8	hannel Ca unfish "	t 6 2 3	1-3 - 2 5-6
9th, 100 yda.	Minnows Suckers	. 183 4 15	-all -3-5 -6=8- 9-12	- Suckers - SM_Bass - " - Chubs	10_15- 23 1	20 -C -5	hubs " arp sucke	7	_ 6-8_ _9-14_ _6-7

Fish Kill No. 80-043

Segment	Species,	No.,	Size	Species,	No.,	Size	Species	, No.,	size	-
10th, 100 yds.	Minnows	85	_a]]_	Suckers	18_	_10-15		2	5"	
	Darters	2_	<u>a]1</u>	Si1 Bass	5_	2-5]	Carp su	cker 1	<u>6"</u>	
	Suckers	9 _	2-6	<u> </u>	3_	<u>6-10!</u>				
	<u> </u>	10	<u>7-9</u>	Chubs	4	<u>2-4 i</u>				
11th. 100 yds.				<u> </u>						
	NOT COUNT	ED .						- 		-
			 -			 -				
12th. 100 yds.	Minnows	110	all	SM Bass	7	2-4	- Channe i	Catfis	h 1	5
	Suckers	2	5-8	Chub	- 5	3-51		·		
	11-	15	9-13	!		- 9 :				
	Sunfish	T	5n-	Carp sucke	r_2	5-7	·			
13th. 100 Jels.										
	<u> </u>			 						
ودائلة الأوساحة فدائلها ولا مصحباتها مسيروسه	-			! } 						-
14th. 100 yds.	1			<u> </u>						
Transfer The Thirt Address to the state of	·			 						
	<u> </u>					i				
	1					i				
15th. 100 yds.	<u> </u>									
	:			<u> </u>						
	·	**		1						
						•				

Calculated Total Length - 12 miles (21,120 yards) Expansion factor $\frac{21120 \text{ yards}}{1200 \text{ yds counted}} = 17.6$

Total number fish counted - 1,485

1485 X 17.6 = 26,136 fish killed

(See attached fish cost sheet)

Sample calculations:

Calculated total length of kill - 21,120 yards

Expansion factor $\frac{21,120 \text{ yards}}{1,200 \text{ yards}} = 17.6$

Darters counted = 2

2 X 17.6 = 35.2

35 Darters

:	sh	Κi	11	No.	8	0-043	

9.0 COST:

Cost of investigation: Bureau of Surveillance and Field Studies, Individual

sheets: 1145.54 Enforcement

Other:

Cost of freshwater (ish (Commission of Game and Inland Fisheries): \$ 2,107.16

grand of the contract of the c

Cost of marine fish:

Other cost (explain): Lab cost \$ 19.15; Administrative cost \$ 25.00

and the company of th

Total cost to State of Virginia: \$3,296.85

Copies: Director BSFS, Regional Office, Enforcement, DES File (orig.), Commission of Game and Inland Fisheries, Investigator, HATS File

Report completed and distribution made: (signed)

(aigned) (d:

Enclosures:

MISC. NOTES:

The Board has received reports of, and made investigations of, five fish kills on the Piney and Tye Rivers in the 1970's prior to 80-043. The first report, 71-049 was received in August 1971, and although no fish were found, the stream pH was less than 4.0. No additional reports were received until late summer 1976, when 3 reports were received within a six week period (77-013, 77-036 and 77-056). Only 20 to 30 hadly decomposed fish were found during the first investigation on July 14, 1976. No dead fish were found during the investigation of 77-056 two weeks later. No fish were found during the investigation of 77-056 on September 2, 1976, but a break in the berm of the lower lagoon was discovered and the leak was reaching the stream, turning it red below the discharge and lowering its pH to 4.5. On July 11, 1977 the staff investigated FK 78-011. pH levels in the stream were reported to be lethal to fish and a count of the area revealed 73,056 dead fish. US Titanium admitted fault in the kill and paid for these fish as well as cost of the investigation. This kill was remarkably similar to FK 80-043.

VIRGINIA STATE WATER CONTROL BOARD Lish Kill Investigation No. 80-043 Lotal Costs Summary

Itemized below are exp subject fish kill investig		the Virginia	State	Water Control	Board during the
Number of personnel in	wolved in investigati	ion: <u>8</u>			
lotal man-hours in fiel	d and report prepara	ition: 123.	5		
fotal man-hours in lab	oratory:	-			
Foral wage expense has	ed on hourly rate fe	or all partic	ipants:	* * * * * * * * * * *	986.92
Total wage expense for	laboratory: (lab.c	costs)			19.15
Lotal number of miles	driven by State car:	714		•	
l'otal mileage expense :	for use of State car j	(X25nts/mi	le)		102.30
Total number of miles	driven by private car	ı:			
Fotal mileage expense	tor use of private car	r (10 cents _i	mile)		
Total expense for trave	l hy train, plane or t	ous:			•
Rates for hoat use:	Daily cost	Hot	nty op	erating cost	
Canoe Hatbottom Large Hatbottom Glassmaster 17* Carousel, 1-Craff, Glassmaster 19*	- 6.25 - 6.25 - 10.00 - 15.00 - 31.65 - 31.65		2.00 2.50 3.50 5.00 6.50 6.50	(7.5, 9.8 hp.)	
Number of days boat v Number of hours boat			-		
Total expense for Boat	use:				• -
Total number of nights	spent in field for af	l participar	its:		
Fotal expense for fodgi	ing:				-
Fotal number of meals	for all participants:	14			
Total expense for meal	s:	n freum drata	• • • •	· • • • • • • • • • •	41.62
Miscellaneous Items (ic 2 rolls film & p Fotal expenses for misc	processing - to rellaneous items:	11 s 			14.70
Bioassay Costs			= : • • • • :	• • • • • • • • • •	
Administrative costs.					25.00
			ISTA	L EXPENSES	1189.69 Taiacy
	S	igned by	[/.U.s	(2272) r/-	1.xxaccf

Fish Kill No. 80-043

Species & Common Name	Size (Inches)	Number	Individual Value	Total Value
<u>Lepomis</u> - sunfish	2	53	.17	9.01
	3	35	. 2.3	8.05
	4	35	.29	10.15
	5	123	.40	42.90
	6	18	.68	12.24
	7	18	1.14	30.52
Channel Catfish				
Ictalurus punctatus	1	18	.02	.36
	2	35	.03	1.05
	3	53	.05	2.65
	Ĝ	18	.//	1.98
Carpiodes carpio				
Carpsucker	5	35	.05	1.75
-	6	35	.05	1.75
	7	35	.07	2.45
	9 .	35	.09	3.15
<u>- ' </u>				

Sub-	to	ta	1
------	----	----	---

\$118.01

Grand Total		
	•	
•	O Jan	1180

Signed: (Chief, Fish Division, CGIF)

Date: September 5, 1979

Fish Kill No. 80-043

	,	- -		
Species & Common Name	Size (Inches)	Number	Individual Value	Total Value
Percina - Darters		35	. //	3.85
)				
Catostomus commersoni -				
white sucker	1	35	.06	2.10
	2	246	.06	14.76
	3	1056	.06	63.36
·	4	370	.11	40.70
	5	334	. //	36.74
	6	405	.//	4455
	7	282	.17	47.94
	8	246	.17	41.82
	9	158	.23	36.34
	10	229	.23	52.67
•	11	70	.29	20.30
	12	106	.34	36.04
	13	35	.34	11.90
	14	18	.34	6.12
	15	158	.34	53.72
	16	18	.34	6.12
	18	18	1	1
, ··· .	20	70	.34 .34	23.80

Sub-total		\$548:95
Grand Total		

Signed:	
•.	(Chief, Fish Division, CGIF)
Date:	September 5, 1979

Sheet	No.	3
-------	-----	---

Fish Kill No. 80-043

Size Species & Common Name (Inches)		Number	Individual Value	Total Value	
Hypentelium nigricans -					
Northern Hogsucker	4	35	. //	3.85	
	5	123	-11	13.53	
	6	141	.//	15.51	
	7	158	.17	26.86	
	88	123	.17	20.91	
	9	123	.23	28.29	
	10	229	. 33	52.67	
	11	106	.29	30.74	
	12	106	.34	36.04	
	15	53	.34	18.02	
	2Ö	18	.34	6.12	
Cyprinidae					
minnows		17,371	.03	521.13	

	1	,
	Sub-total Grand Total	\$773.67
•	Signed:	(Chief, Fish Division, CGIF)
	Date:	September 5, 1979

Fish Kill No. 80-043

Species & Common Name	Size (Inches)	Number	Individual Value	Total Value
Micropterus dolomieui -	1	18	. 11	1.98
Smallmouth bass	2	229	.17	38.93
	3	176	.23	40.48
	4	88	.29	25.52
	5	70	.40	28.00
	6	70	.68	47.60
	7	70	1.14	79.80
	9	18	1.99	35.82
	10	70	2.85	199.50
	12	35	2.85	99.75
Semotilus - chub	2	88	.03	2.64
	3	176	.03	5.28
	4	475	.03	14.25
	5	581	.03	17.43
	6	317	.03	9.51
	7	158	.03	4.74
	8	370	. 03	11.10
	9	70 ·	.03	2.10
	12	35	,03	1.05
	14	35	.03	1.05

Su	b-	ŧ-	0	٠	a	7	

\$666.53

Grand Total	\$2,197.16

Signed:_

Chief, Fish Division, CGIF)

Date: September 5, 197

LABORATORY COSTS

Fish Kill No. 80-043

PARAMETER	no. of analyses	cost per analysis	total cost		PARAMETER	no ol	cost per analysis	tut a cost
Coliform, Total /100 ml					Arsenic .			
Coliform, Fecal /100 ml	1		•		Cadmium			
pli (Laboratory)	7	1-00	7.00		Calcium			
Alkalinity	7	1.00	7.00	\perp	Chromium			
Total Solids, Total	<u> </u>				Copper			
Volatile	1			X	Iron	3	.55	1.0
Fixed					Lead			
Suspended Solids, Total					Magnesium			
Volatile	•				Manganese			
Fixed				\perp	Mercury		.	
Dissolved Solids					Zinc			
Chloride	<u> </u>		-		<u> </u>			
-Hardness								
Nitrogen, Total Kieldahl				\perp				
Phosphorus, Total	<u> </u>							
Phosphorus, Ortho	<u> </u>				· · · · · · · · · · · · · · · · · · ·			<u> </u>
Ammonia mg/l as N	1				Turbidity			
Nitrite mg/L as N					Pesticides			
Nitrate mg/L as N	<u>. </u>				Settlezbie Solids			
Sulphate		1.50	10.50	_ _	Conductivity			
Hexane Extractables					· · · · · · · · · · · · · · · · · · ·			
BODs			·			_		
COD				1_		_		
			l					

	•			
Effective	date_	October	2,	1979

-Grand Total	<u> </u>
Approved by	(Authorized Signature)
•	(Authorized Signature)

TEISH KILL REPORT/NOTH ICATION Fish Kill Number 80-043 City/Com by Nel son Sneam ____ Piney River/Tye River ___ Date Payenting and 8/25/79 James bas depoint L. M. Simmons . R. W. Bolgiano Region VRO Reported by: Name Mr. Pete Archbell Addition to the second Phone (703) 277-8515 Reported to: Name Amherst County Game Warden Fish Killed (comma name) | Refer to DES Report Date Kill Crimed ر میں ہے۔ ان کا ایک میں میں میں میں میں میں ہوئے ہے ہوئے کا میں میں میں ایک کا میں میں ان کا میں میں اس میں می Mainter Killed - With the limber Exact Location of Rill Date 27 August 1979 Investigators from the Recommendations: Date Signature Fish Kill Distributed (Date) 100137

7 Copies DEG BSLS Dic., Lat., Region, COIF, HATS Life, Lote Call Cole Court

order purposes. It was pive that about a citaly increase

SPILLS AND FISH KILLS

DITERLISUCTION:

2 100

70 - 163 - . .80 - 013 VALLEY REGION:

R.V. DAVIS, A.H.PAESSIER, M.A. BHIJANCA, R.E. POWIES, D.F. JOHES, D.S. R. I.G. IAWSON, R.L. HILL, A.L. WILLETT, R.S. MCIVOR, J.P. CODFREY, T.M. FEI D.L. JOHNSON, P.J. MASON (DCLS), C. FITZ-WILLIAM (DCLS), C.W. WILEY (SDH REGIONAL OFFICES: MRO, PRO, SURO, TRO, WCRO, VRO, KILMARNOCK.

CUMULATIVE DATA . . DATE:

August 27, 1979

		1,70	·•		
REPORTING PERIOD	OIL. SPILES		IS CIPMICAL PILLS	.	FISH KE
,	NO. CALS.	N O.	GALS.	NO.	COUNT I
August 21 and 20		<u></u>	· · · .	I	-
August	28 12,720	-	-	17	17.0
TOTAL CY 1979	249 - 74,912	15	2,770	99	45.1
DATE:	AUGUST 24, 1979	PROP IOG			
30 160	Southwest Region: Charle forwarded a compliant fro an unnamed tributary to J	m Mrs Dye., Ta	zewell, of sa	andust e	enterin:
1330 180-161	Southwest Region: Alice Bill Osborne, Washington to Robert Mabe. The sour runoff from a hog lost ow	County, of a c	ontaminated :	spring 1	cloneir
1653 P80 - 162	West Central Region: Joh Waste Water Plant, report Quiesser to investigate.	n Dike, Plant ed a <u>sewage di</u>	Supervisor-u scharge at th	pper Smi ie plant	ith Riv
2030 980-1637 FE80-043	WEST CENTRAL REGION: Petkill in Amherst County.	e Archbell, Am N. Obenshain t	herst County o investigate	, report	ced a C
2500 PS0+165 FK50+045	VALLEY REGION: N. Obensh in the Valley Region. Fi Elvers below U.S. Titania	a <u>in (ECRO)</u> rep sh are reporte m. L. Simmous	orted that the dead in the to investig	he f <u>i</u> sh e Ty e aï nte.	kill wa
7370 . 180-165 pts0-045	VALLEY REGION: Pavo Pavi headquarters response.	or, DES, notif	ied of Kill:	and poss	sibility

R. Bolgiano (VFO) advised of lill.

ARIO0138 100138

Virginia State Water Control Board P.O. Box 11143, Richmond, Va. 23230

LD AND LABORATORY DA	TA LO CD
LATITUDE	<u> </u>
	Collect for: DE 5
LONGITUDE	
	Collected by: Trevey
	0 0
· .	Name of Stream
	Station Description above US Tib
-	d 21 10-1 0.1
ECTION REGION	at Rt 151 Bridge
SOURCE	
SATUSO TEMO OS	WE GELWISIN
078	
FIELD OH	AUG 2 7 1979
6750	DIV. CCN. LAS. SERV.
	ENVIRONMENTAL LAB
	LD AND LABORATORY DA

PARAMETER	STATE CODE	. VALUE	PARAMETER	STATE CODE	VAI
Coliform, Total /100 ml	020	·	Amenic	058	
Coliform, Fecal /100 ml	055		Cadmium	078	
pH (Laboratory)	050	5.0	Calcium	052	
Alkalinity Acidita	022	7/31	Chromium	040	
Total Solids, Total	024		Copper	045	
Volstile *	025		Iron	044	
Fixed	026		Lead	043	
Suspended Solids, Total	027		Magnesium	246	
Volatile	028		Manganese	096	
Fixed	029		Mercury	030	
Dissolved Solids Total	067		Zinc	041	
Chloride	083	·			
Hardness	032				
Nitrogen, Total Kieldahl	035	11			<u> </u>
Phosphorus, Total	065				
Phosphorus, Ortho	064				<u> - </u>
Ammonia ing/l as N	036		Turbidity	049	
Nitrite mg/L as N	037		Pesticides	121, 122	
Nitrate mg/L as N	038		Settleable Solids	023	
Sulphate	10.7	6	Conductivity	034	
Hexane Extractables	048				
BODs	019				,
COD	051				

AUG 2 9 1979

Date released from Lab:

Chemiet: D. P. T. J.

_ - 1 +

Virginia State Water Control Board P.O. Box 11143, Richmond, Va. 23230

•	P.O. Bex 11143, Richmon	nd, Va. 23230	
WON FX BS PC BW PS BI	FIELD AND LABORATO	DRY DATA	(a) co .
FK, SS, PC, PS, BM, OR BIO NO.	LONGITUDE	Collect for: DES	· · · · · · · · · · · · · · · · · · ·
80-043 BASIN STREAM	RIVER MILE	. Collected by: Tre Name of Stream P	0
			in gully
LABORATORY NUMBER	DEPTH SECTION REGION	Tetanium	huse & (7.5
082519	7725 SOURCE] of less t	liam 40
TIDE % FLB	FLOW CFS WEATHER TEMP, CF] MEGEIL	
DISSOLVED OXYGEN	DO% SAT FIELD DH	AUG 27 19 DIV. CC. L. L.A. I ENVIRONMENT	. SERV.
PARAMETER	STATE VALUE	PARAMETER	STATE VALU

PARAMETER	STATE CODE	VALUE	PARAMETER	STATE CODE	VALU
Coliform, Total /100 mi	020 ~		Arsenic	058	
Coliform, Fecal /100 ml	055		Cadmium	078	
pH (Laboratory)	050	3.1	Calcium	052	
Alkalinity / Acidity	022	Acid/18150	Chromium	040	
Total Solida, Total	024	1	Copper	045	
Volatile	025		Iron	044	
Fixed	026		Lead	043	
Suspended Solids. Total	027		Magnesium	246	
Volatile	028		Manganese	096	
Fixed	029		Mercury	080	
Dissolved Solids Total	067		Zine	041	
Chloride	033				
Hardness	032				
Nitrogen, Total Kieldahl	035				
Phosphorus, Totsi	065				
Photphorus, Ortho	064				-
Ammonia me/l as N	036		Turbidity	049	
Nitrite mg/L as N	037		Pesticides	121, 122	
Nitrate me/L as N	038		Settleable Solids	023	
Sulphate	107	20,410	Conductivity	034	
Hexane Extractables	048				
BODs	019		·		
COD	051				
					1

Date released from Lab: AUG 2 9'19/9

Chemist S. D. Pett St

- Virginia State Water Control Board P.O. Box 11143, Richmond, Va. 23230

	O. DOX 11149, MEMBORE, 4 s.	. 43430
1 gt cube	FIELD AND LABORATORY DA	ATA CO
JON FK 89 PC BM PS BIO GW	LATITUDE	<u> </u>
		Collect for: DES
FK, SS, PC, PS, BM, OR BIO NO.	LONGITUDE	\mathcal{T}_{\cdots}
(V) - 10 (V)		Collected by: Treacy
BASIN STREAM RIVER MILL	E	Name of Stream Piner River
		Station Description U.S. Titu i vie
LABORATORY NUMBER DEFTH	SECTION REGION	1
		lawer agoon
		- pH less than 40
MONTH DAY YEAR TIME	SOURCE	
1018 25 79 273		* · · · · · · · · · · · · · · · · · · ·
TIDE NELS FLOWCES		COMPANDAMENTS.
TIDE %FLB FLOW CFS	WEATHER TEMP. OF	WEGELV FILL
DISSOLVED OXYGEN DOS SAT	FIELD OH	(1) (1)
		AUG 27 1979
		ON CO CEDY
		DIV. CU SERV. ENVIRONMENTAL LAD

PARAMETER	STATE CODE	. VALUE	PARAMETER	CODE	VAL
Coliform, Total /100 ml	020		Arsenic	058	
Coliform, Fecal /100 ml	055		Cadmium	078	
pH (Laboratory)	050	2.2	Calcium	052	
Alkalinity Acid ta	022	A=4 /31050	Cl-comium	040	
Total Solids, Total	024		Copper	. 045	
Volatile	025		Iron	044	
Fixed	026		Load	043	
Suspended Solids, Total	027		Magnesium	246	
Volatile	028		Manganese	096	
Fixed	029		Mercury	080	
Dissolved Solids Total	067		Zine	041	
Chloride	083				
Hardness	032				
Nitrogen, Total Kieldahl	035				
Phosphorus, Total	065				
Phosphorus, Ortho	064				•••
Ammonia 10g/l as N	036		Turbidity	049	}
Nitrite mg/L as N	037		Pesticides	121, 122	
Nitrate mg/L as N	038		Settleable Solids	023	
Sulphate	107	32 240	Conductivity	034	
Hexane Extractables	048				
BODs	019				
COD	051				
Date released from Lab: AUG 2 9	1979	Chemist:	S. P. P.Z	100	114

Virginia State Water Control Board P.O. Box 11143, Richmond, Va. 23230

. 1		
I gollon and	FIELD AND LABORATORY D	ATA LO CD
MON FK SS PC BM PS BIO GW	LATITUDE	<u> </u>
N N N N N N N N N N N N N N N N N N N		Collect for: DES
FK, 55, PC, PS, BM, OR 810 NO.	LONGITUDE	
8/2 2/2		Collected by: Treocy
BASIN STREAM RIVER MILL	<u></u>	Name of Stream Pivey River
BASIN STREAM RIVER MILL		Station Description 19.5 Thurs
LABORATORY NUMBER DEPTH	######################################	A: 1
Committee of the commit	SECTION REGION	descharge from france
		over into Pine River
MONTH DAY YEAR TIME	SOURCE	
082579 1750	2	
TIDE % FLB FLOW CFS	WEATHER TEMP. OF	MECENTALE
	<u> </u>	16 Page 10 (5 11)
DISSOLVED OXYGEN DOW SAT	FIELD pH	Allo o e
		AUG 27 1979
		DIV. CON. LAS. SERV.
•		ENVIRONMENTAL LAR

PARAMETER	STATE CODE	VALUE		PARAMETER	CODE	VAI
Coliform, Total /100 ml	020 "			Arsenie	058	
Colform, Fecal /100 ml	055			Cadmium	078	
pH (Laboratory)	050	2.9		Calcium	052	
Alkalinity / Acid: tu	022	Acid/730		Chromium	040	
Total Solids, Total	024			Copper	045	
Yol-tile .	025		W	Iron	044	
Fixed	026		1,0	Lead	043	
Suspended Solids, Total	027			Magnesium	246	
Volatile	028			Minganese	096	
Fixed	029			Mercury	080	
Dissolved Solids Total	067			Zine	041	
Chloride	083					
Hardness	032					
Nitrogen, Total Kieldahi	035					
Phosphorus, Total	065	Ĺ				
Phosphorus, Ortho	064					••
Animonia mg/l as N	036			Turbidity	049	
Nitrite mg/L as N	037			Pesticides	121, 122	
Nitrate me/L as N	638	•		Settleable Solids	023	
Sulphate	107	1580		Conductivity	034	
Hexane Extractables	048	1				
BODs	019	<u> </u>		·		
COD	051					
			1			
		1				14

Virginia State Water Control Board -P.O. Rox 11143, Richmond, Va. 23230

	tion, or the relational .	
1 gallon eule	FIELD AND LABORATORY	DATA LO CO
MON FK BS PC BM PS BIO GW	LATITUDE	
X X		Collect for: DES
FK, SS, PC, PS, BM, OR BIO NO.	LONGITUDE	The same
(2)		Collected by: Treacy
8101-1011 31	<u> </u>	0 0
BASIN STREAM R	N .CO	Name of Stream Tilly Kive
bysiu siyeyw X	TVER MILE	A) //
1 1 1 1 1 1 1 1 1		Station Description Alabora U.S.
		Octobra Description 7/30/00
LABORATORY NUMBER	EPTH SECTION REGION	Titanium duchas.
		THE COUNTY
		dit # N
MONTH DAY YEAR	TIME SOURCE	JIGHT F
018 52 1/19 [8 00	
TIDE %FLB FI		MITCHINGS
TIDE %FLB FI	LOW CFS WEATHER TEMP. OF	WE COUNTY IN
tend tendend tendend	makeshed had badeshed	<u> </u>
DISSOLVED DXYGEN DO	SAT FICLD DH	AUG 2 7 1979
		DIV. CON. LAD. SERV.
•	•	ENVIRONMENTAL LAB

PARAMETER	STATE CODE	VALUE	PARAMETER	CODE	VALU
Coliform, Total /100 ml	020		Arsenic	058	
, Colform, Fecal /100 ml	035		Cadminm	078	
pli (Laboratory)	050		Calcium	052	
Alkalimity / Acid; tu	022	3/3	Clicomium	040	
Total Solids, Total	024		Copper	045	
Volatile	025	1	Iron	044	
Fixed	026		Lead	043	
Suspended Solids, Total	027		Magnesium	246	
Volatile	028		Manganese	096	
Fixed	029	<u> </u>	Mercury	080	
Bissolved Solids Total	067		Zine	041	
Chloride	083				
l'iardiness .	032				
Nitrogen, Total Kicklahl	035				·
Phosphorus, Total	065				·
Phosphorus, Ortho	064		<u> </u>		
Ammonia prg/l as N	036	·	Turbidity	049	1
Nitrite mg/L as N	037		Pesticides	121, 122	·
Nitrate me/L as N	038		Settleable Solids	023	·
Sulphate	107	20	Conductivity	034	<u> </u>
Hexane Extractables	048	<u> </u>			<u> </u>
BOD:	019				
COD	051	1			
					\
					1

Date released from Lab: AUG 2 9 1979

Chemist:

P. Pzzis

Virginia State Water Control Board P.O. Box 11143, Richmond, Va. 23230

I gallon whe	FIELD AND LABORATORY D	ATA ATA
WON FK 85 PC BM PS BIO GW	LATITUDE	
		Collect for: DES
FK, SS, PC, PS, BM, OR BIO NO.	LONGITUDE	Collected by: Treesey
BASIN STREAM RIVER	MILE	Name of Stream TWOLK.
		Station DescriptionB
LABORATORY NUMBER DEPTH	SECTION REGION	downstram of U.S.
		Titanium duchoros
082579 18 0	5 SOURCE	
TIDE %FLB FLOW CF	S WEATHER TEMP. OF	DECEINED.
DISSOLVED OXYGEN DON SAT	FIELD pH	AUG 2 7 1979
·	•	DIV. CU.L. LAS. SERV. Environmental Lab

Coliform, Total /190 ml O20	055 050		1	Arsenic	058	
Discover 050	~ .	1 1				
Discoved Solids Total Discoved Solids Total Discoved Solids Total Discoved Solids Total Discoved Solids Discoved Solid		~ .		Cadmium	078	
Alkalinity Aculity O22	022	5.1		Calcium	052	
Volatile		4/4		Chromium	040	,
Fixed O26	024		A	Copper	045	
Suspended Solids Total O27	025			Iron	044	
Volatile	026		11	Lead	043	
Fixed 029 Mercury 080	027			Magnesium	246	
Dissolved Solids Total O67 Zine O41 Chloride O33	028			Manganese	096	
Chloride	029			Mercury	080	
Chloride	067			7ine	041	
Hardness 032	033					
Phosphorus, Total 065	032					·
Phosphorus, Total 065	035		.Ш			
Phosphorus, Ortho 06-1 Ammonia ung/l as N 036 Turbidity 049 Nitrite mg/L as N 037 Perticides 121, 122 Nitrate mg/L as N 038 Settleable Solids 023 Sulphate 107 270 Conductivity 034 Hexane Extractables 048 019 019	065	`				
Nitrite mg/L as N 037 Pesticides 121, 122 Nitrate mg/L as N 038 Settleable Solids 023 Sulphate 107 270 Conductivity 034 Hexane Extractables 048 BODs 019	06-1	<u> </u>				
Nitrate me/L as N 038 Settleable Solids 023 Sulphate 107 270 Conductivity 034 Hexane Extractables 048 BODs 019	036			Turbidity	049	
Sulphate 107 270 Conductivity 034 Ilexane Extractables 048	037			Perticides	121, 122	
Hexane Extractables 048 BODs 019	038			Settleable Solids	023	
BODs 019	107	270		Conductivity	034	
BODs 019	048					1
COD 053	019			·		
	051					
		025 026 027 028 029 067 033 032 035 065 064 036 037 038 107 048 019	025 026 027 028 029 067 033 032 035 065 064 036 037 038 107 048 019	025 026 027 028 029 067 033 032 035 065 064 036 037 038 107 048 019	025	1

hate refeased from Lab: AUG 2 9 1979

Chemist: S. P. R.

Virginia State Water Control Board P.O. Box 11143, Richmond, Va. 23230

: Λ Λ	1.0.1	DOX III 70, IEB	Cibilosta, v 8.	23230		
1 st ale	F	IELD AND LAB	ORATORY DA	ATA	1	<u> </u>
MON FIX 25 PC BM PS BIO GW		LATITUDE			Ĺ	
N I				Collect for: DFS		
FK, SS, PC, PS, BM, OR BIO NO.		LONGITUDE		Collect for:		
				Collected by: Tres	cu	
12101-101713	L			V -	76	
BASIN STREAM RIVE	R MILE			Name of Stream	y K.	
				Station Description (ice. R.	
LABORATORY NUMBER DEPT	н	SECTION RE	GION	1	00	
				a words and	140m	
MONTH DAY YEAR T			 	Rt 674 B	ridge	·
08 25 79 19	80	sound				
TIDE % FLB FLOW	/ CFS	WEATHER TE	MP. ⁰ F	1207051516F	25	
				MISPORTA	는 [[]] -	1
		لـا لـا				
DISSOLVED OXYGEN DO% SA	4T	FIELD pH		Allo o e		
		_		AUG 2 7 197	' 9	
				DIV. CU	SERV.	
	7 h		"	ENVIRONMENTA	L LAB	
PARAMETER	STATE CODE	VALUE	PAR	AMETER	CODE	VALL
Coliform, Total /100 ml	020		Arsenic		058	
Coliform, Fecal /100 ml	055		Cadmium		078	
pii (Laboratory)	050	4.6	Calcium		052	
Alkalinity Acidity	022	2/15	Chromium		040	
Total Solids, Total	024		Copper		045	<u> </u>
Volatile	025		Iron		044	
Fixed	026		Lead		043	ļ
Suspended Solids, Total	027		Magnesium	·	246	
Volatile	028		Manganese		096	
Fixed	029		Mercury	·	080	<u> </u>
Dissolved Solids Total	067	<u> </u>	Zine		041	<u> </u>
Chloride	033	 			<u> </u>	
Hardness	032			•		
Nitrogen, Total Kieldahl	035	<u> </u>				
Phosphorus, Total	065	 	 			
Phosphorus Ortho	064				 	ļ ·
Ammonia mg/l as N	036		Turbidity		049	
Nitrite mg/L as N	037	 	<u>Pesticides</u>		121, 122	
Nitrate mg/L as N	038	 	Settleable Se		023	
Sulphate	107	35	Conductivity	<u> </u>	034	
Hexane Extractables	048	 		<u></u>	 	-
BODs	019	1	<u> </u>		 	
COD	051	 			 	
	<u> </u>	 			 	
]	<u> </u>			<u> </u>	
- *************************************	70	· <	0	10-0	~ 100	145

Date released from Lab:

		Vic	ginia State Wa	ater Control B	oard		
4		P.O. I	Box 11143, R	ichmond, Va.	23230		
	1 metals	Fi	IELD AND LAI	BORATORY DA	TA	۲	TI CD
	MON FK 85 PC BM PS B	IO GW	LATITUDE	<u>. </u>		L	
					Collect for: DES	·	
	FK, 55, PC, PS, BM, OR BIO NO.	, <u>, , , , , , , , , , , , , , , , , , </u>	LONGITUD	E	T. 0	A -	
	80-043	1			Collected by: Free	rcy_	
	BASIN STREAM	RIVER MILE			Name of Stream Piu	ey R.	
					Station Description U-	8. Til	MIU
	LABORATORY NUMBER	DEPTH	SECTION R	EGION	discharge t	rom a	Lraw
					area into	Piner	R.
	082579	1750	SOUR	CE		//	
	TIDE %FLB	FLOW CFS	WEATHER T	EMP, °F	RECEI	REM	,
	DISSOLVED OXYGEN	DO% SAT	FIELD pH		٠., -	עני	
					AUG 271	979	
					DIV. CU.	SERV.	B.
	. PARAMETER	STATE CODE	VALUE	PAR	AMETER	CODE	VAL
	Coliform, Total /100 ml	020		Amenic		058	
	Coliform, Fecal /100 ml	055		Cadmium		078	
	pił (Laboratory)	050		Calcium		052	
	4 - 1 - 2 - 1 - 1	030	1	1		0.40	

. PARAMETER	STATE CODE	VALUE	PARAMETER	CODE	VALU
Coliform, Total /100 ml	020		Arsenic -	058	
Coliform, Fecal /100 ml	055		Cadmium	078	
pH (Laboratory)	050		Calcium	052	
Alkalinity	022		Chromium	040	
Total Solids, Total	024		Copper	045	
Volatile	025		Iron	· 044	73
Fixed ·	026	•	Lesd	043	
Suspended Solids, Total ·	027		Magnesium	246	
Volatile	028		Manganese	096	
Fixed	· 029		Mercury	080	
Dissolved Solids Total	067	•	Zine	041	
Chloride	033				
liardness	032				
Nitrogen, Total Kieldahl	035				
Phosphorus, Total	065				
Phosphorus, Ortho	064				
Ammonia ing/l as N	036	<u> </u>	Turbidity	049	
Nitrite mg/L as N	037		Pesticides	121, 122	
Nitrate mg/L as N	038		Settleable Solids	023	
Sulphate	107		Conductivity	034	
llexane Extractables	048				
BODs	019				
COD	051				
* (
`		[

released from Lab: SEP 5 1979

Chemist: Jour Anderson

100147

		V 11	Sum Sente aut	CI COMMON IN	Out (I		
•	f 1	P.O. 1	Box 11143, Ric	chmond, Va.	23230		
	1 metals	F	IELD AND LABO	RATORY DA	ATA .	و	a co
	WON FK 83 FC BM PS BIO GW		LATITUDE			<u> </u>	_ــــــــــــــــــــــــــــــــــــــ
					Collect for: DES	•	
	FK, 55, PC, PS, 8M, OR 810 NO.		LONGITUDE		•••		
	80-043				Collected by: TCE	- // -	·
	BASIN STREAM RIVE	R MILE			Name of Stream	el Ric	22
					Station Description	loove !	<u>2-4</u>
	LABORATORY NUMBER DEPT	Ή	SECTION RE	GION	_ Titanion	dias	lin -
		$\prod \cdot \lceil$				<u>. // // // // // // // // // // // // //</u>	
		<u> </u>		;	Station 1	4	
	082579 18	00	SOURC				
	TIDE %FLB FLOW	V CEE	WEATHER TE	MP. ⁰ F	NA Grand	·~~	
					WECEN	NEM	*
	DISSOLVED OXYGEN DOS S	AT	FIELD pH		Ω_{II}	עעי	
					AUG 271	1970	
		<u> </u>			DIV. CC		
	•				ENVIRONMENT	, SERV. ΓΑΙ ΙΛΩ	
	PARAMETER	STATE CODE	- VALUE	PAR	AMETER	STATE CODE	VAL
	Coliform, Total /100 ml	020		Arsenic		058	
	Colform, Fecsi /100 ml	055		Cadmium		078	
	pH (Laboratory)	050		Calcium		032	
	Alkalinity	022		Chromium		040	
_	Total Solids, Total	024		Соррег		045	
_	Volatile	025	<u> </u>	Iron		044	1.5
_	Fixed	026		Lead	·	0.13	
_	Suspended Solids, Total	027	 	Magnesium		246	
	Volatile	028	 	Manganese		096	
	Fixed	029	 -	Mercury		080	
_	Dissolved Solids Total	067	 	Zine	· · · · · · · · · · · · · · · · · · ·	041	
_	Chloride	033	 				
_	Hardness	032	-			-	
	Nitrogen, Total Kieldahl	035	 -	-			
	Phosphorus, Total	064	 			-	
_	Phosphorus, Ortho Ammonia ang/l 45 N	036		Turbidity		0.19	
_	Nitrite mg/L as N	037		Pesticides	 ~ _	121, 122	
_	Nitrate mg/L as N	038	1	Scitticable So	olids	023	
_	Suiphate	107		Conductivity		034	
_	Hexane Extractables	048				***	
_	BODs	019					
_	! COD	051					
_							
							

SEP 5

Date released from Lab:

Virginia State Water Control Board P.O. Box 11143, Richmond, Va. 23230

FIELD AND LABORATORY	DATA LG CO A
LATITUDE	المالمال
	Collect for: DES
LONGITUDE	D 70644
	Collected by: D. Weacey
	Name of Stream Pinky R.
	Station Description
SECTION REGION	downstraum of U.S
	Titanium decharge
Spunce	
WEATHER TEMP, OF	किटिए हिंगि कि विकास
FIELD pH	AUG 2 7 1979
	DIV. CU LA.J. SERV. ENVIRONMENTAL LAB
	FIELD AND LABORATORY LATITUDE LONGITUDE SECTION REGION SOURCE WEATHER TEMP, OF

PARAMETER	STATE CODE	- VALUE		PARAMETER	CODE	VAL
Coliform, Total /100 ml	020		\perp	Arsenic	058	·
Coliform, Fecal /100 ml	055		T'	Cadmium	078	
pH (Laboratory)	050		I'	Calcium	052	<u></u>
Alkalinity	022		工'	Chromium	040	<u> </u>
Total Solids, Total	024	,	\bot'	Copper	045	
Volatile	025		IV	Iron	044	2.5
Fixed	026		T'	lead	043	1
Suspended Solids, Total	027		T	Magnesium	246	
Volatíle	028		T	Manganese	096	
. Fixed	029		T	Метешт	080	
Dissolved Solids Total	067		T	Zine	041	
Chloride	033		T			
Hardness	032		I			<u> </u>
Nitrogen, Total Kieldahl	035					
Phosphorus Total	065					1
Phosphorus, Ortho	06-1					1
Ammonia ing/l as N	036		I	Turbidity	049	<u> </u>
Nitrite mg/L as N	037		I	Pesticides	121, 122	<u> </u>
Nitrate me/L as N	038		I	Settleable Solids	023	
Sulphate	107_			Conductivity	034	
Hexane Extractables	0.18					
BODs	019		I			
COD	051		I			
			T			
		+	1			

SEP 5 1979

D. . A. J ...

MEMORANDUM

State Water Control Board

4010 WEST BROAD STREET

P. O. Box 11143

RICHMOND, VA. 232

SUBJECT: PC 80-163/FK 80-043 Piney River/Tye River

TO:

PREP Central

FROM:

R. W. Bolgiano LWS

DATE:

27 August 1979

COPIES:

VRO PREP File

The writer received a pager call at 11:55 P.M. Friday, 24 August 1979, and was appraised of a fish kill in the Tye River in Nelson County. The circumstances of the original fish kill report were learned by telephone conversation with Penny Marshall during the first hour of Saturday, 25 August 1979. Apparently, a Mr. Pete Archbell reported that there were dead fish in the Tye River at the Route 29 bridge to Mr. Bob Bonderant, the Amherst County Game Warden. Mr. Bonderant reported the fish kill to the West Central Regional Office at approximately 16:00 Friday, 24 August 1979.

The writer and L. M. Simmons arrived at American Cyanamid at 9:00 A.M. and inspected the lagoons. There was approximately a 0.1 MGD discharge flowing through the drainage ditch below the lower lagoon.

The investigators ascertained the spatial extent of the fish kill in the Piney River and the Tye River to be approximately 13.8 miles. The writer notified DES personnel at 11:00 A.M. of the extent of the kill. It was decided that the investigators and the DES personnel would meet at the Route 29 bridge across the Tye at 14:00 to map out the count stations.

A lightning storm with a heavy downpour occurred at 15:00. The DES personnel arrived at 15:30. The writer was assigned four one mile segments of the Tye River to count. The first segment was the 100 yard segment downstream of the dam at Route 29. The writer counted the South half of this segment while Bob Pitchford of DES counted the northern half. These data were turned over to Dave Paylor of DES.

For information concerning water samples and pH measurements refer to the DES report.

/jw

Attachments (Maps)

MEMORANDUM

State Water Control Board

2111 North Hamilton Street

⁻P. O. Box 11143

Richmond, VA. 2323C

SUBJECT: PC 80-163/FK 80-043 Piney River/Tye River

TO:

DES File

FROM:

D. H. Treacy DHA

DATE:

September 28, 1979

COPIES:

At approximately 10:00 am on Saturday, August 25, 1979, a call was received by David Paylor (DES) at his home from PReP Central advising him of a request for assistance by VRO to count dead fish on the Piney and Tye Rivers in Nelson County. The following staff were contacted by Mr. Paylor to assist with the investigation; Robert Pitchford, Ronald Gregory, Les Balderson, Janet Robinson and Dennis Treacy. These staff members met at the SWCB Warehouse to gather equipment and left Richmond at 12:30 pm.

At 3:30 pm the DES crew arrived at the site. A heavy rain storm was in progress at that time. Already at the site were Ralph Bolgiano and Larry Simmons, VRO, who informed us of their findings of that morning. They informed us that the kill involved many species of fish in large numbers. The kill was reported to have affected about 14 miles of stream including both the Piney River and Tye River. The lower limit of this affected area was at a point just downstream of the Rt. 654 bridge on the Tye River and extended upstream on the Piney River at a point just below the U.S. Titanium discharge.

Because of the rain and the late hour a fish count was designed by Mr. Paylor to cover the entire affected portion of both streams utilizing one mile segments. Investigators were to count 100 yard portions within each of these mile segments. At this point the investigators split into teams to proceed with the count.

Larry Simmons, Ronald Gregory and the writer proceeded to the U.S. Titanium plant site. Upon arriving, field parameters were taken at a point upstream of the U.S Titanium plant on the Piney River at the Rt. 151 bridge. Live minnows were seen in the stream that possessed a temperature of 78°F and pH of 7.5 (colormetric method).

Pictures were taken of this station along with water samples for laboratory analysis. We proceeded to the U.S. Titanium plant site and found the front gate to be locked. A back way was located near an adjacent railroad track so we proceeded to the old American Cyanamid holding lagoons which contained copperas runnoff from several areas of copperas waste piles. Upon observing both lagoons, the lower lagoon was found to have possible overflow as evidenced by red colored waste in the drainage ditch below the lower lagoon. Pictures were taken of this occurence. Also, the pump house, which contains the pump for transferring liquid

from the lower lagoon to the upper lagoon, was open revealing the pump which was smoking and not pumping at all. However, levels of liquid waste were well below the earthen dams. Samples taken in the lower lagoon revealed a pH of <4.0; those taken in the ditch below this lagoon were<4.0 also. Shortly after our arrival at the lagoons a Mr. Campbell, who identified himself as caretaker, arrived and explained that the pump was not broken but clogged instead. He appeared to correct this problem. He also stated that there was definitely no recent overflow of the lower lagoon.

At this point we followed the drainage pattern of the areas below the copperas wastes piles down to the actual outfall of U.S. Titanium into the Piney River. All points of the drainage possessed pH values of <4.0. At the Piney River pH readings were taken at points above and below the discharge as well as in the actual discharge. Directly upstream the pH was recorded as 6.0 while values in the outfall and directly below remained at <4.0. We began a fish count at this point and noted several dead minnows.

After leaving the plant site we coordinated with other investigators by radio and began counting 100 yard segments at one mile intervals. Our efforts were hampered by an increase in stream flow and subsequent rise in turbidity of the stream. This allowed only floating fish to be seen. Several investigators also reported this problem and as a result the actual fish estimate was significantly less than it could have been.

At the completion of the fish count all investigators met at a central location to exchange count sheets, lab samples and recorded field data. The DES crew then left for Richmond at approximately 9:30pm.

DHT:dah

FISH KILL REPORT

FISH KI STREAM	LL # 81-002 Piney River
BASIN	lames
GITI/CO	UNIY Nelson - Amherst

SUMMARY:

On July 11, 1980 the PReP office in Richmond was notified of a fish kill on the Tye River. Investigations by SWCB staff members July 11,12 and 13, 1980 revealed dead fish in the Piney River below US Titanium and in the Tye River below the confluence with the Piney. Testimony of a witness and Titanium employees indicated that heavy thunderstorms on July 9 and 10, 1980 caused an overflow from the waste holding ponds on the Titanium property which sent acidic waste into the Piney River. As a result 53,989 fishes of several species were killed. Replacement cost of fish was set at \$4,595.82. Cost of investigation was \$1,383.14. Total cost to the Commonwealth of Virginia was \$5,978.96.

CONCLUSIONS:

D.Dead and distressed fish were observed on the Tye River below the mouth of the Piney River on Thursday morning July 10, 1980. Dead fish were counted on the Piney River from the mouth, upstream to a point mile below the US Titanium discharge on Saturday, July 12, 1980. Live healthy fish were found just upstream of that discharge. B. Heavy thunderstorms passed through Nelson County on the evenings of Wednesday, July 9, and Thursday, July 10, 1980. A.Mr. Billy Thompson reported no spill at US Titanium Wednesday evening, July 9 and that the catch basin was "empty" upon his inspection, even after the heavy thunderstorm. 5. Mr. Jack Campbell stated that following the Thursday thunderstorm, the catch basin overflowed between approximately 5pm and 1lpm on Thursday night, July 10, 1980. This discharge was not reported to the SWCB at that time. Since the trail of dead fish led to within mile of the US Titanium discharge (no dead fish were seen above the discharge) and the catch basin definitely overflowed on Thursday July 10 and may have filled and overflowed on Wednesday night before or after the earlier inspection, it is the conclusion of this investigation that US Titanium is responsible for this fish kill. This fish kill is similar to past kills caused by US Titanium.

1.0 REPORTED INFORMATION: THE INVESTIGATION

Dead fish on Piney	River and Tye	River below US	Titanium plant.	
Reported by GL Brant	<u>ley-Nelson Co.</u>	Game WardBate	7-11-80	Time_
Report. received by:	PReP central	Date	7-11-80	
Investigated by:	Joe Fromal	Date	7-11-80	_
Investigated by:	Richard Avers	Date	7-12 & 13-80	_
Investigated by:	Dave Chance	Date	7-12 & 13-80	_

Final Report Edited by: Richard Ayers

CHAIN OF NOTIFICATION (list of names in order of contact)

(1) Enforcement Division	Jim Hensley	(date) 7-14-80	(time)
(2) Regional Represenative	Joe Fromal	(date) 7-11-80	(time) 1230
(3) Game Warden (CGIF)	G. L. Brantley	(date) 7-11-80	(time)
(4) (name)	Richard Ayers	(date) 7-11-80	(time) 1800
(5) (name)		(date)	(time)

DATE FISH KILL OCCURRED (as determined by investigation) July 9 and/or 10, 1980 DATE FISH KILL ENDED July 10, 1980



Fish Kill No. 81-002

Weather Previous to Kill_	Thunderstorms
Weather During Kill	
(If rain - include amount)
WITNESSES: name William address	
phone 804-263 position loca	

2.0 INVESTIGATORS DISCUSSION:

Heavy thunderstorms passed through the Nelson County area on the evening of Wednesday July 9, 1980 and Thursday July 10. Mr. William D. Wright, a local resident, observed many dead and distressed fish in the Tye River below the mouth of the Piney River on Thursday morning. According to Mr. Wright, "the banks were white with dead fish", but rising water on Thursday washed many of these fish away. He reported the kill to Nelson County Game Warden, G. L. Brantley. Brantley relayed the message to the Nelson County Sheriff's Office and they notified PReP Central in Richmond. The call came into the PReP office at 1220 on July 11, 1980. At 1230 Joe Fromal of the Valley Regional Office was notified and he began his investigation. The reader is referred to Fromal's memo of July 15, 1980 for details of his investigation (Appendix A). The July 14, 1980 memo from Tedd Jett provides details of the circumstances at the U.S. Titanium property which lead to the spill. (Appendix B).

These few details will supplement Fromal's memo. On July 12 Dave Chance and Dwight Sours began counting the upper section of the kill by walking the Piney River from Route 151 downstream. They saw no dead fish and some live fish above the U.S. Titanium discharge. Chance estimated that the pipe was discharging 5-10 gallons per minute when he saw it. From the pipe downstream to the first powerline crossing (approximately mile) no fish were seen, live or dead. Below the powerline dead fish were counted as outlined by Fromal. There were no sources of pollution other than U.S. Titanium from the Route 151 bridge down to the point where dead fish were first observed.

The twelfth segment, six miles below the start of the kill, was not counted because the river is wide, deep and slow moving at this point. The investigators could not wade the river and access by boat was not practical. This ½ mile reach has not been included in the fish count calculations.


On July 13, 1980 Chance and Ayers counted segments 21 thru 29 by canoe. The dead fish were not floating so we did not recount those from Saturday. At the confluence of the Tye and Buffalo Rivers (segment 26) the Tye was muddied considerably by sediments carried in the Buffalo. Most dead fish observed at this point were on the Tye River side of the confluence. Below this point the number of dead fish declined rapidly indicating that the dilution by the Buffalo had probably neutralized the toxic waters of the Tye.


This kill appears to be a recurrence of problems we have had on Piney River for some time. The copperas waste piles at U.S. Titanium are vulnerable to washing off into the river when dry weather is followed by a severe thunderstorm. The last kill occurred August 24, 1979, FK 80-043.

AR 100153

Fish Kill No. 81-	002	· · 4 •		
2.0 INVESTIGATORS-DISC	USSION Con't.			
it is obvious, from pro low of the waste pond the Piney and Tye rive	s at U.S. Titani	e with kills o um did occur a	on the Piney Ri and resulted in	ver, that an ove a fish kill in
.1 STATION DESCRIPTION	N:		• • • • • • • • • • • • • • • • • • • •	•
1. Tye River upstr	eam from Rt. 739	bridge.		•
•	and the second s	rada or galanda a se		•
		•		**
-				•
			,	
	**			
2 PICTURES TAKEN: (i	dentify pictures	s: slides (s)	or prints (p))
Location:	•			
1		6		 -
2		7.		
				

19.





Fish Kill No. 81-002

4.0 VISUAL OBSERVATIONS:

4.1 WATER:

Station	D.O. mg/l	pН	Temp.(°F)	Dead Fish ?	Color	Turbidity
1	·	7.0		yes	brown	high
2						•
3.						
4	·					
5						
6					:	
7					,	
8	,					
· 9						
10					<u>.</u>	

Station	Floating Solids	Surface Film	Flow	Tide Stage	Odor (def)	Other
1						
2		• •				
3		•				
4	•					
5					,	
6						
7	-					
8	-					
9						
10						

Fish Kill No. 81-002	Mark a design of a state of the
4.2 FISH:	-
GENERAL APPEARANCE:	
nervous, scary	spiraling
sinking to bottom	flashing
gasping at surface 7-10-80 according to with	ess rubbing against bottom
unusual color	floating listlessly
franticslugish	swimming upside down
•	other
Fish.were either moribund on bottom in shall	•
ARRANGEMENT IN WATER:	
normal distribution moving into other water sources floating towards outlet	schooling
moving into other water sources	near surface
floating towards outlet	crowding water inlet
attempting to leave water	other
BODY SURFACE: *	•
normal light & dark patches ble	ached most bloated some
bluish film: in patches or all over	
bluish film: in patches or all over grayish-white: in patches or tufts	
deep open lesions with pus and blood	
swollen areas as furuncles	
swollen areas as furuncles shallow red ulcers: small or large	
body splitting open along midline many	
muscous on skin	
other	
O Cite v	
FINS: *	• •
*	
normal	tuistal
	- cwisceu
	eroded
necrotic	spots present: white
frayed	black
bluish white	blood-shot
parasite present	other:
CAUDAL PEDUNCLE: *	
slightly smaller	bluish-white
slightly swollen	bluish-white fungus-like tufts
very swollen	
necrotic	other
inflamed	
GILLS: *	
gill color: bright red red pink SO	mewhite most
gill cover widely expanded	
Pill cover widery exhauded	
swollen covered with mucus, food and dirt particles_	•
covered with mucus, rood and dirt particles_	· ·
patches: white brown gr. y	• · ·
other	 100158
•	→ 0 0 x 0 0

^{*} Indicate approximate number of fish having these characteristics. Look for general trends, not specific fish (few, many, all, none).

Fish Kill No. 81-002	
EYES: *	
normal	bulging few
opaque most white: lens or center	one eye missing some
tiny spots in lens	if a needle is inserted in the eye socket
red spots in cornea	and the eye is pressed while fish head is
popeye	under water, gas bubbles or opaque
other	fluid escapes.
general trends, not specific fish.	having these characteristics. Look for (few, many, all, none)
The fish had been dead for 1 or 2 days were observed.	when the count was made. No distressed fish
5.0 SAMPLES AND ANALYSES:	
5.1 CHEMICAL SAMPLES COLLECTED: (circle samples not collected by S	State Water Control Board)
source (pollution)	polluted area X
source (oil) 1/2 gallon glass	spill area
	quart plastic
gallon plastic	quart glass
mercury bottles	mud
	soil
5.2 BIOLOGICAL SAMPLES COLLECTED: * (circle samples not collected by S	
Fish must be properly identified to ge	•
fish	benthic
oyster	CTam
crab	musser
other	other

^{*} Specify whole fish, edible ment or organs to be analized

Fish	K111	::o	_81-	002
2 4,5000		****		

5.3 CHIMICAL ANALYSIS check box for requested analysis

	check box for requested at	.tlys1s			
	Station	1	11		1
	Date	7-11-80	7-11-80		
	Tima	1630 13533	1630 13533		
	Lab Number				
	Pagameter -				
\Box	BOD ₅ , mg/1	→ 10			
	MTS / 100 ml			•	
X	pit (laboratory	6.5			
: □.	Acidity (total) mg/l				
X	Alkalinity (total), mg/l	8			,
	Phih Alkalinity, mg/l				
	Settleable Solids, mg/l				
	Total Solids - tot, mp/l Vol, mg/l				,
	Fix, mg/l				
x	Susp. Solids- Tot, mg/l	_ 28		•	
بها	Vol. mg/1 Fix, mg/1	33			
	F1X, mg/1	25	<u> </u>	<u> </u>	
∇	Chlorides, mg/l as CI	<u> </u>		•	
X	Tot Nit, kjel, rg/l as N	0.2			
J	Amornia, mg/1 as II	0.1-			
X	Nitrite, og/1 as N	0.01			
\mathbf{X}	Nitrate, mg/l as E	0.31			
	Hydrol. Phosphates, Eg/1 as i	•	•		·
X	Cribo Phosphates, mg/1 as P	10.03		· · · · · · · · · · · · · · · · · · ·	
X	Total Phosphates, mg/1 as P	0.1			·
X	Chromium Tot, rg/1		20		
X	Zinc, mg/l		60		
\overline{X}	Lead, mg/l		2-		
\triangle	Iron, mg/1		1400 -		
X	Copper, mg/1		10-		
	Hangmese, mg/1		•		*** ** ,:-
	Hemane Extractables, mg/1				
	Chemical Oxygen Demand, mg/1				
	Olls by Infrared, mg/I				` •
	Sulphate mg/l	8			
<u>x</u>	Mercury mg/l		0.3-	·	·
	Cadmium mg/l		10-		
	Nickel mg/l		-, 100-	10	0160
					
			•	1	

r: el.	Kill	No.	81-002
1 1211	VIII	***	

GO TOXICITY OF ELEMENTS INVOLVED AS REPORTED IN LATEST LITERATURE:

REFERENCE:

REFERENCE:

REMARKS:

The location and circumstances of this fish kill are so similar to those occurring in previous years FK 80-043 and FK 78-011 that there can be little doubt as to the source of the toxic materials. Water samples collected by Fromal on 7-11-80 did not show high sulfates or acidity levels associated with previous fish kills indicating that the slug had already passed downstream. Levels of heavy metals chromium, zinc and iron are elevated but may be residual material dissolved in water column after passage of acidic slug of runoff from copperas piles.

7.0 BENTHIC, ALGAL EXAMINATION (CURSORY):

Substrate	bstrate Aquatic Algae	Benthic	Toler	ance 2	How compare		
	plants		animals	101	Fac	Sensit	with control
			,		<u> </u>		
				•			
							
							
+					-		
ļ						·	
,						•	
	Substrate	Substrate Aquatic plants	Substrate Aquatic plants Algae	plants animals	plants animals Tol	plants animals Fac	plants animals Fac Sensit

ish Kil	1 No	81-002	
	-		

8.0 1	ROUGH	FICURES	FOR	FISH	COUNT:
-------	-------	---------	-----	------	--------

8.1	Lake,	bond	or	river;	total	count	of	every	fish:
-----	-------	------	----	--------	-------	-------	----	-------	-------

OR

8.2 100 yard segment/half mile area count; koke or river: 53,989

Total distance of kill in stream/pond miles/acres: 145 miles

Segment	Species,	No.	size	Species,	No.	size	Species,	No.,	S1:
(1st. fish seen) 1st. 100 yds.	Minnows	50_	A11	Darters	3	All			
2nd. 100 yds.	Minnows	29	All	Darters	1	All			
3rd. 100 yds.	Minnows	627	All	Madtoms	2	AII	Suckers	78	1-3'
4th. 100 yds.	Minnows Sunfish	225	A]] 4"	Darters	1	A11.	Suckers Suckers	2	1-3 ¹
5th. 100 yds.	Minnows	100	A11 -	Darter	. 7	All			
6th. 100 yds.	Minnows	825	A11	Darter		All	Suckers	T5	1-3
7th. 100 yds.	Minnows Suckers	350 6	A11 1-3"	Darters Sunfish	. <u>2</u> 2	A11 2"	Madtoms	3	AII
8th. 100 yds.	Minnows	242	All	Suckers	5	1-3"			
9th. 100 yds.	Minnows	125	All	Madtoms	1	ATT	Suckers	10	1-3

Segment	Species	, No.,	Size	Species	s, No.,	Size	Species,	No.,	size
10th. 100 yds.	Minnows	250	ALL	Sucker	1	1-3"	Suckers	L	4-6'
11th. 100 yds.	Minnows	150	ATT	Darter .		ATT	Sucker	1	1-3'
	•						Sucker	i	4-6
12th. 100 yds.	NOI	COUNTED		NOT	COUNTE	<u> </u>	NOT COUN	TED	
13th. 100 vds.	Minnows Darters	2 <u>58</u>	All	Suckers	14	1-3"	Sunfish	2	3"
	Madtoms	8	All	Pirate P	erch 1	A11 1			
14th. 100 yds. Thouth bass 2,10	Minnows Darters	235	All All	Suckers Suckers	6 4	4-6" 9-101	Smallmouth	bass	12 9, 5.
" 1 12" Sunfish · 4 4"	Madtoms Suckers	20	A11 1-3"	Suckers	4	12+"1	п	14. 16	5. 4
l5th. 100 yds.	Minnows	74	ATT	Suckers	13	4-6"	Small mouth	bass	5,
		61 <u>5</u>	A11 A11	is .	1 5	7-8"! 9-10"	11	11	5 2
" " 2 10" Carp 1 1-6	Suckers Sunfish	2	1-3" 2"	11		12+ 1		••• •••	7.
16th 100 yds	Minnows	435	6" All	Suckers	4	1-3"	Small mouth	bass	3,
Carp 21-6' Sunfish 1 3" " 1 5"		23	All All	it it	. 14 . 5	4-6" 7-8" 12+"		u,	7, 4, 4,
17th 100 yds Sunfish 2 2"	Minnows	142 19	A11 A11	Suckers	6 4	1-3" 4-6"	Smallmouth	bass	— 7 1,
" 1 3" " 1 4"	Madtoms	14	A11 1-6"	# . #	. 4	9-10" 12+"	15 81	11	3
18th 100 yds	Minnows	97	7-9" A11	Suckers	2	4-6"	" Smallmouth	bass	<u> </u>
Carp 1 7-9 Sunfish 1 3"	"Madtoms	3	A11	u u	5	7-8" 9-10"	11 11	1t #4	J
" 2 5"				If .	3 6	12+"	11 11	14 21	1 2 1
19th 100 yds	Minnows	140	All	Suckers	10	1-3"	Small mouth	bass	1
Carp 1 7-9	"Darters Madtoms	36 6	ATT	n n	2 3	9-10" 12+"	11 11	11	6 1 1
20th 100 yds	Minnows 1Darter	103 1	ATT	Suckers	1 2	1-3" 7-8"	Smallmouth	bass "	8 4
	Madtoms	4	Aii	11	. 2	12+"	n u	12	2
							n	LE .	์

21st 100 yds	Minnows Darters Madtoms	144 10 1	A11 A11 A11	Suckers	23 2	1-3" 12+"	Smallmouth	bass "	2 1 2	3" 5" 8'
22nd 100 yds	Minnows	118	All	Suckers	3	1-3"	Small Imouth	bass	2	2'
Carp 1 7-9"	Darters	3	A11	11	3	4-6"	11	ts	2	3' 6'
" 1 14"	Madtoms	1	A11 ·	It	4	7-8"	14	Ħ	7	6'
Sunfish 1 3"				18	5	9-10"	Ħ	11	1	8'
" l 5"	•			19	1	12+"	11	11	1	9'
)1	11	1	11'
23rd 100 yds	Minnows	145	A11	Smallmouth	bass		Sunfish		1	3'
	Madtoms	13	All	ta .	11	17 3"	Ħ		1	41
•	Suckers	2	1-3"	16	tı	1 4"				
	ji	2	4-6"	ti	ts	T 5"				
	11	3	7-8"	11	tı	1 6"				
	13	3	12+"	II	It	5 8"				
				I#	16	2 10"				
24th 100 yds	Minnows	220	A11	Suckers	10	1-3"	'Smallmouth	bass	11	2'
Sunfish 1 4"	Darters	18	A11	II .	7	4-6"	1#	11	1	3'
" 1 5"	Madtoms	2	All	ti	2	7-8"	11	11	1	10'
				И	2	9-10"				,
				Ħ	ī	12+"				
25th 100 yds	Minnows	110	A11	Suckers	1	4-6"	Small mouth	bass	2	ʹ
	Darters	7	A11	H	1	7-8"	II	11	1	6'
	Madtoms	3	A11	Ħ	2	9-10"	u	Ħ	3	8,
	Suckers	6	7-3"	19	3	12+"	Sunfish		1	6'
26th 100 yds	Minnows	35	All	Small mouth	bass	1 1"	Sunfish		2	41
	Madtoms	-2	All	11	#\$	2 2"	п .		1	6'
•	Suckers	" 1	4-6"							
27th 100 yds	Minnows	4	All	Suckers	• :	1 12+"	Small mouth	bass	3	8,
Sunfish 2 4"	Madtoms	4	A11	Small mouth	bass	12 3"	H	11	1	13-
" 1 5"	Suckers	2	4-6"	ţz	14	2 6"	Rock bass		1	51
" 3 6"	16	4	9-10"	18	н	1 7"	# 11		1	6'
" 7"										
Channel Catfish 1	22"									
28th 100 yds	Minnows	1	A11	Smallmouth	bass					
29th 100 yds	Minnows	2	All	Small mouth						
				11	- 11	1 10"				

9.0 COST:

Cost of investigation: Bureau of Surveillance and Field Studies, Individual sheets: \$ 1,360.84 Enforcement
Other:

Cost of freshwater fish (Commission of Game and Inland Fisheries): \$ 4,595.82

Cost of marine fish:
Other cost (explain): Lab \$ 22.30

Total cost to State of Virginia: \$ 5,978.96

Copies: Director BSFS, Regional Office, Enforcement, DES File (orig.),

Copies: Director BSFS, Regional Office, Enforcement, DES File (orig.), Commission of Game and Inland Fisheries, Investigator, HATS File

Enclosures:

MISC. NOTES:

Calculation of expansion factors:

Segments 1 thru 11 $\frac{1760 \text{ yards per mile } X \text{ 5.5 miles}}{11 \cdot \text{ segments } X \text{ 100 yards}} = 8.8$

Segments 13 thru 29 $\frac{1760 \text{ yards per mile } X \text{ } 8.5 \text{ miles}}{17 \text{ segments } X \text{ } 100 \text{ yards}} = 8.8$

Sample calculation:

2" Sunfish $\frac{\text{number counted}}{\text{Segs. 1-11}}$ 2 X 8.8 = 17.6 Segs. 13-29 4 X 8.8 = 35.2 52.8

Total number killed = 53

VIRGINIA STATE WATER CONTROL BOARD

TOTAL COST SUMMARY - FIELD INVESTIGATION

LUTION COMPLAINT NO. 81-018 FISH KILL NO. 81-002	
ITEMIZED BELOW ARE EXPENSES INCURRED BY THE VIRGINIA STATE WATER CONTROL BO SUBJECT INVESTIGATION	ARD DURING THE
NUMBER OF PERSONNEL IN SUBJECT INVESTIGATION: 4	
TOTAL MAN-HOURS IN FIELD AND/OR REPORT WRITING: 112	
TOTAL WAGE EXPENSE BASED ON HOURLY RATE FOR ALL PARTICIPANTS	\$ 1,074.36
TOTAL EXPENSE FOR LABORATORY	22.30
TOTAL NUMBER OF MILES DRIVEN BY: STATE POOL VEHICLE 259	<u>.</u>
STATE AGENCY VEHICLE 882	. 1
PRIVATE VEHICLE	
TOTAL MILEAGE EXPENSE: STATE POOL VEHICLE (.17 PER MILE)	44.03
STATE AGENCY VEHICLE (17 PER MILE)	149.94
PRIVATE VEHICLE (PER MILE)	
NUMBER OF BOATS USED IN INVESTIGATION: 1	
TYPE(S) OF BOAT(S) USED IN INVESTIGATION (LIST BELOW):	
1. Canoe	
2.	
3.	,
TOTAL EXPENSE FOR BOAT USE	36.25
TOTAL NUMBER OF NIGHTS SPENT IN FIELD FOR ALL PARTICIPANTS: 0 TOTAL EXPENSE FOR LODGING	
TOTAL NUMBER OF MEALS FOR ALL PARTICIPANTS: 16 TOTAL EXPENSE FOR MEALS	56.26
TOTAL EQUIPMENT EXPENSES (SORBENTS, BOOMS, HAY, ETC.)	*****
TOTAL EXPENSES FOR MISCELLANEOUS ITEMS: (ICE, FILM, TOLLS, ETC.)	
TOTAL EXPENSES	\$ 1,383.14
EFFECTIVE DATE: July 1980 SIGNATURE: MICHARD AND	agris
DATE: 9-18-80	

Sheet	Nο	1
OHEE!	INO.	

Fish Kill No. 81-002

Species & Common Name	Size (Inches)	Number ·	Individual Value	Total Value
Lepomis sp	1	9	. 11	.99
Sunfish	2	53	.17	9.01
	3	62	23	14 16
	4	114	.24	33.06
	5	53	:40	2120
	6	70	.68	4760
	7	9	1.14	10.26
Ambloplites rupestris	. 5	9	1 14	1020
Rock Bass	6	9	1.43	12.87
Ictaluris punctatus	<u> </u>			
Channel Catfish	22	9	1.14	1026
Aphredoderus sayanus				
Pirate perch	All	18	,11	1 48
Cyprinidae				
Minnows	A11	46,076	.03	1.382.28

Sub-total	\$1,554.03
•	**

Grand Total

Signed:

Chief, Fish Division, CGIF)

Date:

August 12, 1980

Sheet	No.	2	
011000		۷	

Fish Kill No. 81-002

Species & Common Name	Size (Inches)	Number	Individual Value	Total Value
Noturus sp.				
Madtoms	A11	924	. //	101.64
Etheostoma sp.	, , , , <u>, , , , , , , , , , , , , , , </u>			
Darters	ATT	1364	: //	150.04
Catostomidae	1-3	1751	.06	105.06
Suckers	4-6	510	.11	56.10
	7-8	202	17.	3434
	9-10	273	.2.3	62.79
	12+	422	.34	143.48
Micropterus dolomieui	1	9	.29	2.61
Smallmouth Bass	2 .	616	157	351.12
	3	572	85	486,20
	4	53	1.14	60.42
	5	88	1.+3	125.84
	6	255	1.71	436.03
	7	53	199	105.47
-	8	150	2.38	342.00

Sub-total	\$2,563.16

Grand Total		
Signed:	Jul M H House	-
. //	(Chief, Fish Division, CGIF)	
Date:	August 12, 1980	

Form 36-75

100168.

Sheet	No.	3

Fish Kill No. 81-002

Species & Common Name	Size (Inches)	Number	Individual Value	Total Value
Smallmouth Bass	9	9	3.57	23.13
•	10	123	2.85	350.53
	11	9	3.13	28.17
	12	9	342	30.78
	13+	9	3.99	35.91
Cyprinus carpio	1-6	44		2.64
Carp	7-9	35	.11	3.85
	10-11	9	.17	1.53
	14	9	.23	2.07
	*			
				1.
		·		
,		·		
			Sub-total	\$478.63

		·*****
Grand Total		\$4,595.82
	_	

Signed:	Chief, Fish Division, CGIF)
Date	August 12, 1980

LABORATORY COSTS

Fish Kill No. 81-002



SEP 1 6 1980

DIV. CON. LAB. SERV. ENVIRONMENTAL LAB

PARAMETER	ng. of analyses	cost per analysis	total cost	PARAMETER	no, of analyses	co per an. ysis	tota
Coliform, Total /100 ml				Arsenic			
Coliform, Fecal /100 ml				Cadmium		.33	
oH (Laboratory)		1.00	1.00	Calcium		ز ا	
Alkalinity				Chromium		کُن	,
Total Solids, Total				Соррег		55	
Volatile				lron	!		
Fixed				[rad]		1.40	1.5
Suspended Solids. Total		2.20	2.20	Magnesium		<u> </u>	
Volatile_				Manganese			
Fixed				Mercury		1.65	يا . [
Disolved Solids				Zine	1 1	-55	
Chloride		1.00	1.00	Nickel		55	
lardness							
Nitrogen, Total Kieldahl		5.50	5.50			1	
hosphorus, Total							
Phosphorus, Ortho				<u> </u>			
Ammonia mg/l as N				Turbidity			
Nitrite mg/L as N	17/			Pesticides			
Sitrate mg/L as N	1 /			Settleable Solids			
Sulphate		1.50	1.50	Conductivity			
Hexane Extractables	<u> </u>				_		
80Ds		4.75	4.75				
COD							
	1	1					

Effective	date	8-1-80	

Approved by Plasan 9-10-8

Mythorized Signature)

100170

*BUAL'S EXPENSE		To : Richard Ayers
FILLD INVESTIGATION		75 7673
POLLUTION COMPLAINT NO. 81-0/8	SHOULD NO. 1 10 10	
ME: J. A. Froma / TT.		
TITLE: Pollytion Control Fusines.	and the same of th	
WAGE EARNINGS PER HOUR AT TIME OF INVESTIG	ATION <u># 25 * *</u>	
TOTAL MAN-HOURS IN FIELD _ = 34.5 AND/OR REPORT WRITING TOTAL WAGE EXPENSE BASED ON HOURLY PATE	***	<u>577.75</u>
TYPE OF VEHICLE USED BY YOU PERSONALLY (ACTION TOTAL MILEAGE 653 COST	ENCY, POOL, OR FRIVATE) T PER MILE	
TOTAL EXPENSE FOR VEHICLE USE	••••••	
TYPE OF BOAT USED BY YOU PERSONALLY	and the state of t	
CANOE AND FLATBOTTOM (NAPROW) WIDE FLATBOTTOM GLASSMASTER 17' OUTBOARD GLASSMASTER 19' OUTBOARD GLASSMASTER 19' INBOARD	AILY COST F 6.25 8.50 15.00 25.00 31.00 31.00 37.00	\$ 3.00 \$ 3.00 4.00 6.50 7.50 8.50 8.50 9.00
NUMBER OF DAYS BOAT WAS USED	TOTAL EXPENSE F	G BOYT USE <u>1 Kr</u>
TOTAL NUMBER OF NIGHTS SPENT IN FIELD FOTAL EXPENSE FOR LODGING FOTAL NUMBER OF MEALS FOTAL EXPENSE FOR MEALS		
EQUIPMENT USED (SOLVENTS, HAY BALES, WIRE, ITEM(S) COST PER U		
	. <u></u>	
OTAL EXPENSE FOR EQUIPMENT		<u>9</u>
:ISCELLANEOUS ITEMS (ICE, FILM, TOLLS, ETC.	.) ITEMIZE BELOW:	·
TOTAL EXPENSE FOR MISCELLANEOUS ITEMS		<u>o</u>
FFECTIVE DATE:	TOTAL EXPENSES	
SIGI	ATURE:	+ 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	DATE:	·
•		100171

IS EXPENSE
INVESTIGATION
LUTION COMPLAINT NO. 81-015 FISH KILL NO. 51-002
WIME: DWIGHTM. SOURS
TITLE: Pollution Control Specialit
AGE EARNINGS PER HOUR AT TIME OF INVESTIGATION 7.27
FOTAL MAN-HOURS IN FIELD
TYPE OF VEHICLE USED BY YOU PERSONALLY (AGENCY, POOL, OR PRIVATE) TOTAL MILEAGE COST PER MILE
TOTAL EXPENSE FOR VEHICLE USE
TYPE OF BOAT USED BY YOU PERSONALLY
RATE FOR BOAT USE: CANOE AND FLATBOTTOM (NARROW) WIDE FLATBOTTOM GLASSMASTER 17' OUTBOARD GLASSMASTER 19' OUTBOARD GLASSMASTER 19' INBOARD CAROUSEL FISH/SKI, T-CRAFT DAILY COST HOURLY OPERATING COST \$ 3.00 \$ 4.00 6.50 7.50 6.50 7.50 8.50 8.50 9.00
NUMBER OF DAYS BOAT WAS USED TOTAL EXPENSE FOR BOAT USE
TOTAL NUMBER OF NIGHTS SPENT IN FIELD TOTAL EXPENSE FOR LODGING TOTAL NUMBER OF MEALS TOTAL EXPENSE FOR MEALS
EQUIPMENT USED (SOLVENTS, HAY BALES, WIRE, BOOMS, ETC.) ITEMIZE BELOW: TOTAL COST TOTAL COST
TOTAL EXPENSE FOR EQUIPMENT
MISCELLANEOUS ITEMS (ICE, FILM, TOLLS, ETC.) ITEMIZE BELOW:
TOTAL EXPENSE FOR MISCELLANEOUS ITEMS
E. ECTIVE DATE: 8/4/80 TOTAL EXPENSES
SIGNATURE: December 1991
DATE: = 100172

INDIVIDUAL'S EXPENSE FISH KILL INVESTIGATION

FISH KILL NO. 81-002		"	
NAME: Richard Ayer	5		,
TITLE: PC Spec. B			
Present wage earnings per hour: 10	.08	24/	
Total-man-hours in field, laboratory and	i report preparation	: <u> </u>	#
Total wage expense based on hourly rate	•		*342.7
Total number of miles driven by state ca			4
Total mileage expense for use of state as			#33. <i>9=</i>
Total number of miles driven by private	•	, , , , , , , , , , , , , , , , , , , ,	
Total mileage expense for use of private			·
Total expense for travel by train, plane	•		
Type of boat used by you personally:	Canoe		
	aily Cost	Hourly operating cost	
	6.25	S 3.00	
Wide Flatbottom	8.50	4.00	•
Glassmaster 17' Outboard	15.00	6.50	
	25.00	7.50	
	31.00°	8.50	
man and the second seco	31.00	8.50	
<u> </u>	37.00	9.00	
Number of days boat was used:			
Number of hours boat was used: 10		•	
Total expense for boat use:		• • • • • • • • • • • • • • • • • • • •	····· * 36.24
Total number of nights spent in field: _			
Total expense for lodging:		· • • • • • • • • • • • • • • • • • • •	· · · · · · · · · · · · · · · · · · ·
Total number of meals:			4
Total expense of meals:			<u>#12.80</u>
Miscl. items (ice, film, tolls, etc.) Itemize (No. of items) (Total	e below: al value)	,	
•			
Total expense for Miscl. items:		<u> </u>	_
Total expense for Misci. Items			• • • • • • • • • • • • • • • • • • •
			(PENSES 430.70
_		TOTALEX	MENSES 1.30 6 / U
Effective date: <u>7-/3-80</u>	Signature	Pacharel W	hyus
	Date	8-4-80	· • • • • • • • • • • • • • • • • • • •

FIELD INVESTIGATION

C ITION COMPLAINT NO.	FISH KILL NO. <u>81</u>	007_
NAME: DAVID P. CHANCE	— -,, · · -, · ·	
TITLE: P.C. SPECIALIST E		
WAGE EARNINGS PER HOUR AT TIME OF IN	$\frac{9.6}{}$	<u>3</u>
TOTAL MAN-HOURS IN FIELD	<u> 8</u>	
TOTAL WAGE EXPENSE BASED ON HOURLY R	RATE	<u> </u>
TYPE OF VEHICLE USED BY YOU PERSONAL TOTAL MILEAGE	LLY (AGENCY, POOL, OR PRI COST PER MILE	<u> </u>
TOTAL EXPENSE FOR VEHICLE USE	·	<u>*44.03</u>
TYPE OF BOAT USED BY YOU PERSONALLY		
RATE FOR BOAT USE: CANOE AND FLATBOTTOM (NARROW) WIDE FLATBOTTOM GLASSMASTER 17' OUTBOARD GLASSMASTER 19' OUTBOARD GLASSMASTER 19' INBOARD CAROUSEL FISH/SKI, T-CRAFT	8.50 15.00 25.00 31.00	HOURLY OPERATING COST \$ 3.00 4.00 6.50 7.50 8.50 8.50 9.00
UMBER OF DAYS BOAT WAS USED	TOTAL EX	PENSE FOR BOAT USE
	_	
TOTAL NUMBER OF NIGHTS SPENT IN FIEL TOTAL EXPENSE FOR LODGING	.D 6	\$20.00
TOTAL NUMBER OF NIGHTS SPENT IN FIEL TOTAL EXPENSE FOR LODGING TOTAL NUMBER OF MEALS TOTAL EXPENSE FOR MEALS EQUIPMENT USED (SOLVENTS, HAY BALES, ITEM(S) COST	WIRE, BOOMS, ETC.) ITEM	IIZE BELOW:
TOTAL EXPENSE FOR LODGING	WIRE, BOOMS, ETC.) ITEM	IIZE BELOW:
TOTAL EXPENSE FOR LODGING	WIRE, BOOMS, ETC.) ITEM	IIZE BELOW:
TOTAL EXPENSE FOR LODGING TOTAL NUMBER OF MEALS TOTAL EXPENSE FOR MEALS EQUIPMENT USED (SOLVENTS, HAY BALES, ITEM(S) COST	WIRE, BOOMS, ETC.) ITEM PER UNIT	IIZE BELOW:
TOTAL EXPENSE FOR LODGING TOTAL NUMBER OF MEALS TOTAL EXPENSE FOR MEALS EQUIPMENT USED (SOLVENTS, HAY BALES,	WIRE, BOOMS, ETC.) ITEM PER UNIT	IIZE BELOW:
TOTAL EXPENSE FOR LODGING TOTAL NUMBER OF MEALS TOTAL EXPENSE FOR MEALS EQUIPMENT USED (SOLVENTS, HAY BALES,	WIRE, BOOMS, ETC.) ITEM PER UNIT S, ETC.) ITEMIZE BELOW:	IIZE BELOW:
TOTAL EXPENSE FOR LODGING TOTAL NUMBER OF MEALS TOTAL EXPENSE FOR MEALS EQUIPMENT USED (SOLVENTS, HAY BALES,	WIRE, BOOMS, ETC.) ITEM PER UNIT S, ETC.) ITEMIZE BELOW:	IZE BELOW: OTAL COST
TOTAL EXPENSE FOR LODGING TOTAL NUMBER OF MEALS TOTAL EXPENSE FOR MEALS EQUIPMENT USED (SOLVENTS, HAY BALES,	WIRE, BOOMS, ETC.) ITEM PER UNIT S, ETC.) ITEMIZE BELOW:	IZE BELOW: OTAL COST
TOTAL EXPENSE FOR LODGING TOTAL NUMBER OF MEALS TOTAL EXPENSE FOR MEALS EQUIPMENT USED (SOLVENTS, HAY BALES,	WIRE, BOOMS, ETC.) ITEM PER UNIT S, ETC.) ITEMIZE BELOW: TOTAL EXPENS	IZE BELOW: OTAL COST

JUL 30 1980

To: Richard Ayers - DE FIELD AND LABORATORY DATA # 13533 Julia PS BIO GW PS, BM, OR BIO NO. LONGITUDE LG CD ADP RIVER MILE BASIN STREAM Frome LABORATORY NUMBER REGION MONTH TIME SOURCE FLOW CFS FLB WEATHER TEMP " C DISSOLVED OXYGEN DOM SAT FIELD pH CI2 RESIDUALITOTALI-51 111 <u> 51 \ 14</u> MALLE PARAMETER PARAMETER VALU CODE CODE d (Laboratory) 0.50 Vernie (mg 'i) 0.53 022/021 Cadmium (mg/l) Alkalmity/Acidity (mg/l as CaCO-q) 078 Total Solids, Lotal (mg/l) 021 Calcium (mg/l) Chromium (mg/l) 025 Volatile Fixed 026 Copper (mg/l) iron (mg/l) 044 Suspended Solids Total (mg/l) 027 13560 *3 Lead, Total (mg/l) 028 Volatile Magnesium (mg/l) Fixed 029 VALLEY REG Manganese (mg/l) Dissolved Solids, Total (mg/l) 067 023Settleable Solids (mg/l) Mercury, Total (mg/l) Zine (mg4) Chloride (mg/l) 011 033 Sedium (mg/l) Hardness,EDT \ (mg/l as CaCO₂) 032 304. 16 Potassium (mg/l) Nitrogen, Total Kjeldahl (mg/l) 105 035 4.0 Nickel (nez/B 17-Phosphorus, Total (mg/l) (165 Oug 0.1 Fluoride (mg/l) Phosphorus,Ortho (mg/l) (h. 1 095 6.63 Total Colitorn, 100 mi - 381 📶 Ammonia (mg/l as N) 0.4 0.1-Nitrite + Nitrate (mg/l as N) 100 Feeal Colitorn, 100 ml - MF 6. 11 055Nitrite (mg/l as N) Total Contorne (00 ml. MPS 0.37 020 661 Sulphate (mg/l) Feed Collarm / 100 ml - MPS 107 055 From Extractables (mg/l) 04: BOD₅ (mg/l) 10 Conductivity (n.icro - mlos/em) 019 034OD (mg/l) Turbidity , NTB 0.51 049 Total Organic Carbon (mg/l) 1170 Prairie. 121/122 100175 Date released from Lab :

To: Richard Ayers
From: Joe Fromal

HED AND LABORATORY DATA

FS 90 FG FO FOR BIO	<u>.c.v.</u>	Tai-ner	ر بران وخوان میکند. بران و بران کوش	"√. Sci.	-: -=-	·
					•	
	.	÷	313333	JUL 12 89		
7, 55, PC, 13, FV, OR BIO N	O	rokonanz				
			•	•		
BAGIN - STREAM	MINER MILE	LG_CD_ADP_			1	
			Collect for :	1.21.1	<u>,′ </u>	
	_	<u> </u>			,!	
: ATORATORY CHARGER	TEPTH SECTI		Collected by :			
			Same of Stream_	75/2	. f	
TOTH DAY YEAR	TUS	SOURCE	_			
10/1/10	1325		Station Description			
		' 			Buch.	
	F160000 2 2 7					
						
A Service of Section Section (Section Section	· •		Z	- was an -		
					<u> </u>	
	The second suppose the state of the second suppose	<u>المنصلسي</u> د وتعمد كان		7777	[1]]	
e e e e e e e e e e e e e e e e e e e	THE PERSON NAMED IN THE PE	and the second s		يت لا لا	3 []]	
PA - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	The second secon	maria Miranine um majoria — a madi — au Mirania — a				
<u>, , , , , , , , , , , , , , , , , , , </u>		na na na krasina makana kasan sa		13 1050-		
in the desired and the second second second	o o o o o o o o o o o o o o o o o o o	The second secon	na dina ila	;		
Market Andream State (1)	$\label{eq:continuous} z_{i} = \frac{1}{2} \frac{1}{2$			Y REGIO	بلان	
And the second s	er maan en af jaal een ûn 'n en en de en			OFFICE		
Proof	t in the second	Largery Co.		į		
Supersi d Seli (Latat (mg/l))	Prese	3 3:04 (%)				****
Volatile	ege		otal (mg is	.;';	013	,,
licel	029		ium (mg/1)		2;6	
Posolved Solids Part (1923)	107		ese (ing 3)		0.10	
Settleable Solids (org. i)	(,2;;)	i	v,Total (mg/l)	<u> </u>	000	1.3
Caloride (mg/l)	6na	to Vincto		V ::	611	
Ranther-J'DTA (mg/l as CaCOn)	032	Sodiara		7.7	1/1/1	1
Sufregen, I estal Residual (m. 21)	455		im (e-5-l)	13::	195	
Compliants Total (mg T)	1965	4 Nicota		-	4)(x.)	
Camphoros Celler (nr. 3)	100-1	Flu i-l	· (me l)		fier-	
Ammonia (mg/l as N)	0.25	Total C	o'acam'i PendeMF		(ma)	
Spirite + Nitrate (on Las N)	1 (91)	Fer d C	olitorm" (1933 m) - Nii	3/4	955	
or ite teg/Las N)	i es	Total:	choose 19 tints MPN		62.1	i
dalare ingris	133	Fee 13	Ten with end (MEN)		055	1
some the contract of the contr	40 (00)	region and an analysis of the control of the contro				1 .
1 + 14 + 1 + 14 + 14 + 14 + 14 + 14 + 1	1.1	THE STATE OF THE PARTY OF THE P			12.1	
11/4 1	17	27			31.	!
Said to the said of the					4.	

AR100176 100176

MEMORANDUM

State Water Control Board

2111 North Hamilton Street

P. O. Box 11143

Richmond, VA. 23230

SUBJECT:

Nelson County - FK 81-002 (PC 81-018)-Piney & Tye River Fish Kill

TO:

→ VRO PReP File

FROM:

J. A. Fromal, III

DATE:

15 July 1980

COPIES:

PReP Coordinator

VRO File #20-1174/T.H. Jett

At 12:30 p.m. on 11 July 1980, the writer received a call from PReP Central concerning a fish kill on Piney River. The call originated from a Nelson County Game Warden who placed a call to the Nelson County Sheriff's Office. Mr. Evans then relayed the information to Richmond.

The writer called the Sheriff's Office to further define the location and extent of the kill. The office representative said the kill was on Piney River and was caused by the plant (U.S. Titanium) and that an estimate of fish killed was difficult because the river was too muddy.

The writer left for Nelson County 01:00 p.m. The results of the investigation at the Titanium plant site are as follows:

- The pump sump pond had recently overflowed.
- 2. There was approximately 6" of freeboard in the pump sump pond at the time of the inspection.
- 3. ½ mile downstream of the company's corrugated metal stormwater outfall, a large turtle and a number of frogs were seen. No fish or minnows live or dead were noted. The inspection was made from a railroad track located adjacent to the river.

The writer then contacted the Sheriff's Office again to make sure that there was not another location specified by the game warden. The individual at the office stated that the Game Warden had found dead fish @ the Route 739 Bridge on the Tye River. The results of the Tye River inspection are as follows:

- 1. A dead sucker was noted upstream of the Route 739 Bridge, so the writer began walking the river bank heading upstream for 200 yards. A rough estimate of the preliminary count was 50 minnows and 8 10 fish of 4 to 12 inches. The fish were not bloated. A live mudtom and tadpole were noted in backwash near the bank.
- The writer took metal and nutrient samples just upstream of the bridge at 4:30 p.m. The pH was tested with a HACH Kit and found to be 7.0 standard units.
- A man was fishing under the bridge. He stated he had not seen any dead fish, hadn't gotten many bites, and had caught a 3 inch mudtom.

- 4. The river was fairly turbid from recent rains.
- 5. A 12" fish was wrapped in foil and taken back to the warehouse and frozen.
- 6. A local farmer said that I was welcome to go on his property and look at the river. At the railroad bridge in a pool area, 5 suckers (approx. 12") and 15 minnows, all dead, were noted. The writer then went upstream approximately 0.15 miles to a sand and gravel bar and noted 1 dead minnow and 1 live tad pole.
- 7. From the Route 29 Bridge what appeared to be a dead minnow was noted.

The writer arrived home at 7:00 p.m. and called Ray Tesh to see which way to proceed. He said as the fish were not bloated, the kill was fairly recent (24 hours). He suggested that DES be contacted concerning a count.

Richard Ayers said a count should be made and requested that an extra person accompany the writer so that two teams could be used. The writer contacted D.M. Sours who agreed to assist.

The VRO team arrived at a grocery store near U.S. Titanium at 9:30 a.m. on 12 July 1980 and met Richard Ayers and Dave Chance. It was decided that fish would be counted for 100 yards every ½ mile. The team of Chance-Sours would count stations 1 - 12 and Ayers-Fromal would count from Station 13 to end of kill (see attached topo). Stations 1 thru 20 were completed on the 12th. It was decided that Ayers-Chance would check the extent of the kill at the Route 654 bridge while Sours-Fromal checked downstream to find the length of the kill.


The Tye River was checked at the confluence of Rucker Run and no dead fish were found. The River was extremely muddy. At that point, further counting was found to be more advantageous from a canoe. The count would proceed again on the 13th.

On the 13th the count was completed around 4:00 p.m. by Chance-Ayers. The canoe was placed in the water at Station 20 and the team floated to the confluence of Ruckers Run. The source of the muddy water was the Buffalo River.

Tedd Jett is to write a memo concerning contacts made with U.S. Titanium and Ayers-Chance will supply final fish count.

It is suggested that:

- A key to the Titanium property be supplied to the VRO staff to simplify investigations, and
- 2. Permanent fish kill investigation stations and procedures be established as this is a repetitive problem.



MEMORANDUM

State Water Control Board

2111 North Hamilton Street

P. O. Box 11143

Richmond, VA. 23230

SUBJECT:

U.S. Titanium Corporation, Piney River, Virginia

Investigation of FK81-002 (PC 81-018)

TO:

VRO File #20-1147

FROM:

Tedd H. Jett

DATE:

14 July 1980

COPIES:

VRO PReP File

PReP Coordinator, Richmond

BAT, Richmond BE, Richmond J. A. Fromal

On 12 July 1980 the writer was contacted by R.F. Tesh and informed of a fish kill investigation which was under way in the Piney and Tye Rivers in Nelson County below the subject plant site. The writer was asked to assist by contacting the Company to determine if problems with the waste holding facilities were continuing and to have local representatives visit the site and take appropriate corrective actions.

First, the writer called Billy Thompson of Piney River, who performs a monitoring function of the facilities on behalf of the Company. Mr. Thompson indicated that to the best of his knowledge no problems with the system had been experienced recently. Large thunderstorms occurred in the area on Wednesday and Thursday nights, 9 & 10 July 1980. Mr. Thompson observed the system after the first storm on 9 July 1980 and reported that both pumps were in operation and no discharge was occurring. He further indicated that there was no apparent evidence that any discharge had occurred earlier and that the catch basin was "empty". Mr. Thompson did not check the system after the 10 July 1980 storm but suggested that the writer check with Mr. Jack Campbell, who is responsible for operation and maintenance of the system, for further information.

The writer then called Jack Campbell for further details. Mr. Campbell advised first that his son, Bruce Campbell, had primary responsibility for the system and that he assisted him as needed. Mr. Campbell reported that a discharge from the system had occurred on Thursday night, 10 July 1980, as a result of the two thunderstorms mentioned earlier. Mr. Campbell and his son were on site Thursday evening when the storm hit. Both pumps were operating properly, but they could not keep the level in the catch basin from rising to the point where a discharge occurred. Mr. Campbell estimated that the discharge began around 5:00 p.m. and continued until about 11:00 p.m. The Campbells returned to the site around 10:30 p.m. on 10 July 1980 after the rain stopped and observed that the discharge volume was much reduced and the pond level was nearly back within the berm. Mr. Campbell checked the system again on Friday evening, 11 July 1980 and observed that the pond level was approximately 12" below the crest of the berm. Mr. Campbell also advised that the pond had been pumped dry prior to the storm on 9 July 1980 and that no discharge had occurred on that day. The discharge which did occur on 10 July 1980 was over the emergency spillway and resulted in no structural damage to the catch basin berms according to Mr. Campbell. He also indicated that no

AR100180

100180

U.S. Titanium Corporation 14 July 1980 Page 2

mechanical malfunctioning of the pumping equipment was involved. The writer requested that Mr. Campbell inspect the system again on 12 July 1980 and assure
that all necessary precautions are taken to avoid a recurrence. Mr. Campbell quested that Mr. Lampbell inspect the system again on 12 July 1980 and assure that all necessary precautions are taken to avoid a recurrence. Mr. Campbell

The writer then attempted to contact John Drew, of the Stone Foundation, at The writer then attempted to contact John Drew, of the Stone Foundation, at home, to advise him of the situation. Mr. Drew could not be reached until Monday, weekend. The writer also suggested that the company make arrangements of the past. 14 July 1980. On that day, the writer advised mr. Drew of the events of the past weekend. The writer also suggested that the company make arrangements at once to drade the catch basin to increase its holding capacity to the maximum possible. weekeng. The writer also suggested that the company make arrangements at once to dredge the catch basin to increase its holding capacity to the maximum possible. THJ:jf

MEMORANDUM

State Water Control Board

2111 North Hamilton Street

P. O. Box 11143

Richmond, VA. 2323

SUBJECT: FK 81-086 Piney and Tye Rivers Nelson Co.

TO: Fish Kill File

FROM: R. W. Ayers RWA

DATE: August 26, 1981

COPIES:

On May 19 and 20, 1981 a fish kill occured in the Piney River below the U.S. Titanium property in Nelson County and in the Tye River below the confluence of the Piney. A total of 2,482 fish were killed including: Suckers, Minnows, Sunfish, Smallmouth bass, and Madtoms. The game commission has assigned a replacement value of \$311.39 to these fish. Cost of investigation was \$664.46, lab cost was \$17.30 and administrative costs were \$25.00, bringing the total cost for the fish kill to \$1,018.15.

The laboratory data do not show toxic levels of metals or sulfates in the Piney or Tye Rivers because they were collected two days after the kill occured. The data from the U.S. Titanium discharge do exceed toxicity values for some metals, however it is unlikely that such a small flow volume could have been responsible for a fish kill 10 miles downstream.

The circumstances of this kill are similar to those which have occured in the past in this area. Severe thunderstorms passed thru the area on May 18 and 19, 1981. These storms probably caused a considerable amount of acidic runoff, bearing sulfates and heavy metals, from the U.S. Titanium property into the Piney River, thus causing the kill downstream. By the time samples were collected on Hay 20, the slug of toxic materials had already passed downstream. (See Attached Memo From J. A. Fromal, III).



FISH KILL REPORT/NOTIFICATION

Lish Kill Number 21-006 City/County	Nelson to.
Stream Piney and Iye Rivers	
Basin James River	
Region_ Valley	_ a
Reported by: Name Robert Parton	Mark A. v Inc.
Address	endana Andrian (a. 2 and andria and and and anti-angular distance and a
Phone (804) 263-5512	<u> </u>
Reported to: Name Ms. Lamplee	
PReP Central	
Fish Killed (common name) Suckers, Bass, Minnows	Date Kill Started Probably 5/19/81
Number Killed 2482	Date Kill Ended Probably 5/20/81
Length/area Involved @ least 11 miles Total	Cost Investigation 664.46 + \$17.30 lab cos
Cause of Kill Unknown - Suspect runoff	55 311.39 fish co
from U.S. Titanium Property	\$1018.15 total
Exact Location of Kill Piney River 2 miles below U.S.	
11_miles below discharge on the Tye River	
Other: See attached memo.	
	-
Date 5/28/81	ignature Klu ligen For Joe France
Recommendations:	s of river taken after toxic
Division of Ecological Studies	in the state of th
slug had passed. Circumstances similar to pa	ist kills caused by run-off
from U.S. Tilanium.	the freeze
Date 7/21/81 Signature /	
Enforcement:	•
Company of the Compan	
Date Signature	•
Fish Kill Distributed (Date)	ration in the second of the se
·	100183
7 Copies: DES, BSFS Dir., Enf., Region, CGIF, HATS File, Fish Kill F	File (orig)

Form 12-74

MEMORANDUM

State Water Control Board

.1111 North Hamilton Street

P. O. Box 11143

Richmond, VA 23230

SUBJECT: FK31-086 (PC81-667) -Melson County - Tye River

TO:

VRO PReP File

FROM:

J. A. Fromal, III

DATE:

28 May 1981

COPIES: → PReP Coordinator, Richmond

VRO File #20-1147 (U.S. Titanium)

T. H. Jett

At 4:30 p.m. on 22 May 1981 the writer received a complaint from the PReP coordinator concerning a fish kill in the Tye River. The complaint was registered by Mr. Robert Parton (804-263-5512) who was immediately contacted by the writer. He had noticed 12 inch dead fish (bass and suckers) approximately 12 miles downstream of the Route 739 bridge at the Tye River. He also stated that the river showed a propensity to foam.

The writer drove to the Route 739 bridge, arriving around 6:00 p.m. Mostly large dead suckers were noted, however, there was one dead bass, which eliminated spawning stress or disease. Nutrient and metals samples were taken. The stream pll by the HACH method was 7.0. Live fish were noted in the backwash area.

The storm water outfall from U.S. Titanium was inspected around 7:00 p.m. The low lying area just upstream of the outfall appeared to be very muddy. The discharge was sampled for metals and had a pH of less than or equal to 4.5.

The Piney River was inspected at the quaging station. No dead fish were noted. The people who live next to the river at that location, were asked if they had noticed any dead fish recently and they said no.

The operator of the Wheeler's Fast Food Mart was asked if there had recently been any rainfall in the area. She said it rained very heavily on Monday and Tuesday with a light drizzle on Wednesday (May 18, 19 and 20, respectively).

The writer contacted Dave Chance and it was decided that a count should be taken ---beginning the next morning (the 23rd). There were two teams counting fish:

No. 1 - Dave Chance and Dwight Sours

No. 2 - Brian Harrison and Joe Fromal

To quickly ascertain the degree and extent of the fish kill, it was decided that fish counting stations would be set @ 1 mile increments and the count would be made for 100 yds. Initially 8 stations would be counted: 1-4 by team No. 1 and 6-8 by Team No. 2. The results of the count are attached.

FK81-086 Nelson County - Tye River 23 May 1981 Page 2

Following a discussion during lunch by all parties concerned, it was decided to check Station 5 and just upstream of the confluence of the Piney and Tye on both rivers. No dead fish were found. Live fish and minnows were noted below the confluence.

Stations 9 and 10 were then counted. As the numbers of dead fish were small, the teams went to the Route 654 at which point the fish count was terminated. The reasons for the termination are as follows:

- 1. The kill was determined by Dave Chance to be at least three days old which corresponded with the aforementioned rain event.
- 2. The numbers of dead fish were such that Mr. Chance felt that the fish could be lightly spread out to the James River.
- 3. The plug that killed the fish had long since passed thru the count area and only circumstantial evidence could be linked to any direct problem. (Sample results may change this conclusion).

The expense sheets for the staff representatives are attached.

JAF:jf

Summary - Fish Count - Tye River

		Suck	ers			Hinnows	<u>Other</u>
STA.	1-3	4-6 7-	8 9-10 1	1-12	> 12		
1 2 3 4 5	2			 		2	
6	1(2)=2		:			-16(2)=32	Sunfish(112") (2)
7	1	··•	1	Ž ~	Ť	5	Tadpole 1(2)=2 Sunfish (3")
8 9	1(2)=2	3(2)=6 1	2(2)=4 1	3	2(2)=4	16(2)=32 11	S.M. Bass (6") Sunfish (6") Madtoms (4") (5")2
10 Total	$\frac{2(2)=4}{9}$	3(2)=6	0 6	5	$\frac{3(2)=6}{14}$	1(2)=2 84	Rock Bass (4") 2

Expanded Totals

Suckers	<u>Minnows</u> - <u>Sunfish</u>	Bass	<u> Madtoms</u>
1-3 = 158 4-6 = 229 7-8 = 0 9-10= 106 11-12= 88 >12 = 246	1478	4" = 35 6" = 18	4" = 18 5" = 35

Grand Total Fish Kill = $\frac{2,482}{}$

Comments/Station

- No fish observed, live or dead
- Heavy silt, north bank, new railroad bridge Right @ telephone line, good long (fairy deep) pool, no fish observed.
- Steve Martin Attorney who knows situation, owns access point. Another good pool no live or dead fish observed, I live frog.
- 5 No dead fish observed. Live fish noted below railroad bridge and river confluence.
- Many live tadpoles, tadpole may have been in distress, many dead minnows noted prior to initiation of counts. Tadpoles tended to eat the evidence. River had been up approximately 2 feet recently.
- Live minnows sighted. Small patches of foam noted. I live frog. Brown algae 7 noted on bottom, may be dead.
- Foaming noted behind log. Live minnows noted. 8
- Live minnows observed. Dead fish in this area appear to be 2-4 days old.
- No comments.

Piney	and	Tye	Rivers
Ne	lson	Co.	

Sheet	No.	1	

Fish Kill No. 81-086

Species & Common Name	Size (Inches)	Number	Individual Value	Totai Value
Catostonidae -				
Suckers	1-3	158	.06	949
	4-6	229		2.5.19
	9-10	106	.23	2438
	11	88	,29	2.3.5
	> 12	246	.34	8.3.6.4
Cyprinidae-minnows	A11	1478	.03	44.34
Lepomis spSunfish	2	35	.17	5.95
	3	18	. 2.3	414
	6	18	.6.8	1.2 24
Micropterus dolomieui		·		
Smallmouth bass	4	35	1-14	3490
	6	18 .	1.71	.31.18
Ictaluridae-Madtoms	All	53	, , , ,	5,53
<u>, </u>				-
<u> </u>				
•				
<u>.</u>				

Grand Total	2482	\$311.39
Signe	d: <u>Gale</u> (Chief, Fi	M Hoffman sh Division (CGIF)


August 7, 1981

VIRGINIA STATE WATER CONTROL BOARD

TOTAL (COST	SUMMARY	- FIELD	INVESTIGATION
---------	------	---------	---------	---------------

LUTTOR COMPLAINT NO. 31-667 FISH KILL NO. 31-656
ITEMIZED BELOW ARE EXPENSES INCURRED BY THE VIRGINIA STATE WATER CONTROL BOARD DURING THE SUBJECT INVESTIGATION
HUMBED OF REDSOMMEL IN SUBJECT INVESTIGATION.
TRUMBER OF PERSONNEL IN SUBSEQUENTED TOWN RIVE.
TOTAL WAGE EXPENSE BASED ON HOURLY RATE FOR ALL PARTICIPANTS.
TOTAL WAGE EXPENSE BASED ON HOURLY RATE FOR ALL PARTICIPANTS
TOTAL EXPENSE FOR LABORATORY
TOTAL NUMBER OF MILES DRIVEN BY: STATE POOL VEHICLE
STATE AGENCY VEHICLE 680
TOTAL MILEAGE EXPENSE:
TOTAL MILEAGE EXPENSE: STATE POOL VEHICLE (PER MILE)
STATE POOL VEHICLE (PER MILE)
PRIVATE VEHICLE (PER MILE)
NUMBER OF BOATS USED IN INVESTIGATION:
TYPE(S) OF BOAT(S) USED IN INVESTIGATION (LIST BELOW):
- 2 .
3.
TOTAL EXPENSE FOR BOAT USE
TOTAL NUMBER OF NIGHTS SPENT IN FIELD FOR ALL PARTICIPANTS: TOTAL EXPENSE FOR LODGING
TOTAL NUMBER OF MEALS FOR ALL PARTICIPANTS:
TOTAL EQUIPMENT EXPENSES (SORBENTS, BOOMS, HAY, ETC.)
TOTAL EXPENSES FOR MISCELLANEOUS ITEMS: (ICE, FILM, TOLLS, ETC.)
4
EFFECTIVE DATE: 5-23-81 SIGNATURE: AND MY MY MANY
DATE: 8-25-31

100189





PARAMETER	analyses	cost per analysis	lotai cost	PARAMETER	no of analyses	cost per an <u>ilyse</u>	1.4 ·
Coliform, Total /100 ml	<u> </u>			Arenic			
Colitorm, Fecal /100 ml	<u> </u>	<u> </u>	·	Cadmium			
pH (Laboratory)		1.00	1.00	Calcium			
Alkalimity	11/			Chromium	_ 2	355	1.1
Total Solids, Total	<u> </u>			Copper	_ 2	55	1:1
Volatile		1		from	_ ᅩ	5.5	1
Fixed	<u> </u>	<u> </u>		Lead	_ 2	1510	٠٠,
Suspended Solids. Total				Magnesium		<u> </u>	
Volatile	<u> </u>			Manganese			
Fixed	.]	<u> </u>		Mercury		<u> </u>	
Dissolved Solids	ļ <u>.</u>			Zinc	2 2	<u>.55</u>	_1,1
loriele-		1.00	-/. <u>CO</u>	Nickel .	_ <u> </u>	55	/2./
-Hardugss	.]	ļ					· •
Nitrogen, Total Kieldahl		ļ				ļ	<u> </u>
Pho-phorus, Total	1 /	- /	= (=)				· -
Phosphorus, Ortho	1-1-5-	5.50	5.50			 	
Ammonia ing/Las N		<u> </u>					!
Nitrite mg/L as N				Pesticides		<u> </u>	
Nitrate mg/L as N	 -/	12-75	4.50	Settleable Solids		·	[
<u> Տոլոյո (e</u>	 	150	1.50	Conductivity	 -	 -	
Hexage Extractables	-}						
BODs	-	 					
COD	-						!
· · · · · · · · · · · · · · · · · · ·			 	 	}	 	
		<u> </u>		<u> </u>		<u> 1</u>	<u>L</u> .

Effective date 6-15-3/

Approved by (Authorized Signature)

FK# 81-086 PC 81-667

Shady Lane

Piney River

100191

PC81-667 FK 81-086 PINEY RIVERS
ARRINGTON
QUADS

PC81-667 FK 81-086 ARRINGTON GUAD. ARRINGTON : QUAD.

- ARIO0194

100194

EIELD AND LABORATORY DATA

		,	J	UN or a street
1 2 3 4 5 6 7 A 8 GW 55 P PC FK		LATITION	may Will	UN 25 1981
			1 I	
PK 55 PC PS BM OR BIO NO.		LONGITUUE		
81-086			To: Richard Ayers From: Joe From a	1
	Ĺ		From: Joe From al	gg 26 1.31 💆
BASIN STREAM RIV	ER MILE	FLOW 18	VERITY	
	*			DEY RESTUNDE
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	n nga san ayan na n	Transport of 19	Mariana de la companya de la company	, in the f
TIDE WERE DEP	*."* TH(PT)		HON COMMENTER /	/
			Cartestan bys / /7/17/2/	
			waterbody Tye' hil	100
0000Z		,	4.	
MONTH DAY YEAR	TIME	- SOUACE	Station Concription 20%.	39 Bisding -
052281 0	600		In The Siver	
DISSOLVED OXYGEN FL	OW CFS	WEATHER TEM		11000
				3.25
00300 000	261	00041 000	10 80	
			(G. "	2 7 1
CIT RESIDUAL (TOTAL)	_	PIELD SH	tong time.	1/2 J
	į	1700		J. 10
50060		00400		11 11 37
		-		STOPET
PARAMETER	\$T0.05	VALUE	PARAMETER	com, v
ant (Laboratory)	0040)		CDD (mes)	00310
Atkalinity (mg/t at CaCO3)	00410	<u> </u>	Total Greganie Carton (mad)	00630
	1	•	• -	1

PAHAMETER	STORET	VALUE		PANAMETER	STOPET CODE,	VA.
of (Laboratory)	00403			CDD (mg-B	00310	
nikalinity (mg/Las CaCO3)	09410			Littal Conganie Cartinia (ma/l)	00630	
nelally imph as CaCOa)	00435			Fregn f utractables (mg/l)	00556	
Total Solids, Total (mg/l)	00500			Total Colliform/100 ml : ; é	31506	
Volatile	00505			Fecal Californ/100 mi (1)	31614	
Fixed	00510			Facel Collegen/100 ml (1)	31615	
Suspended Solids,Total (mg/l)	00530	· ·		Metots		
Vabille	00535		L	Courses		10-
Fixed	00140		1.	Correction with		/0-
'Dissaired Salids, Talsi (mg/l)	00515		i	71.11		190
Sattlesbie Solids (mg/l)	00545		:	1000		2,+
Thiaride (mg/i)	00740		1	3000 W.		20
or ordinate, EDTA (mig/Eas CaCO j)	20200		1	Pedicie della de la la		<i>y.</i>
firtrogen, Total Maidahl (mg.l)	00625			1942/ - 3 - 3 - 1 - 3 - 1 - 3 - 1 - 1 - 3 - 1 - 1		100-
hetprorus, Total (mg/l) as P	00663					
m mannorus, Ortho (mq/l) as P	90471					
- inmonia (me/l as N)	00610	′				
"liteate (mg/t as N)	00630		7			
fritrite (mg/l as 81)	00615			6197-2-		
/to (mq/f)	00141					
' luoride (mg/l)	00151					
2D ₅ (mg/l)	01500		7-			

JUN 15 1981

Sarto to / Mayor 100195

"Jata released from Lab:

gram 4 Majorx IIII 43, 10 hmond, Va. 23 230. .400 25 ISSI FIELD AND LABORATORY DATA 10-145 LONGITUDE 6 JUN 26 1981 RIVER MILE FLOW SEVERITY VALLEY REGIONAL OFFICE TIDE ' DEPTH (FT) SECTION REGION Waterbody 90002 Titanium Disch SOURCE FLOW CFS WEATHER TEMP OC DISSOLVED OXYGEN 00010 00041 00041 00100 CI, RESIDUAL (TOTAL) FIELD DH 50060 *00400 Dale,

PARAMETER	STORET	VALUE		PARAMITTU	STORET COOL	VAL
in (Faporatory)	00403			LOD jung th	00240	1
Visituità (M4V n C2CD ²)	00410			Intat (Jeganie Casterer feren 1)	00640	
netalty (mg/l ss CaCO3)	00433			Frend + evaciables (mg l)	00556	
Total Solids, Total (mg/l)	00500			Total Coulorm/100 mi	31576	
Volatile	00505			Facal Californitage ent	31614	
Fixed	00510			Foral Cottomy100 ml	31616	
Suspended Solids,Tatar (mg/t)	00530			Metais 21		
Velatile	00535			Co		160
Fixed	00540			Cu *tn:		320
[]Issaived Salids, Tatsi (mg/l)	00515			ij: ii.		120
: attleable Solide (me/l)	00545			11) _ Interposince (ASW)=	On dA.	. 100
Chlaride (mg/l)	00740				,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	3900
Carotriess, F for A finight as a accept	00760			Pesticinemicale 2		
riltrosen, Total Kleidani (mig/l)	00%25			V: 332		2/00
Haspharus, Talsi (mg/l) as P	00463					
Picasphorus, Orlina (mg/l) 45 P	00621		11	, }		
mmonia (mg/t ss N)	90610					
illrate (mg/t as N)	00620			<	:	
titelte (mg/l 24 N)	00615			eather		
ite (mq/l)	00945					
fluorida (mg/l)	00751					1
CD5(m4/I)	01110		1			

JUH 1.5 1981

Energie / Okcepa00197

INDEXIGNAL'S EXPENSE	-
FIELD INVESTIGATION	
POLLUTION COMPLAINT NO. 21 14.7 FISH KILL NO. 37 17.7	
TITLE: U.F.T. ATSOMCES LOCOLOTTI	
TITLE: U.S.T. ATSOINCES LOCOLOCTI	
WAGE EARNINGS PER HOUR AT TIME OF INVESTIGATION	,)
TOTAL MAN-HOURS IN FIELD	17546
TOTAL WAGE EXPENSE BASED ON HOURLY RATE	"GOLLA"
TYPE OF VEHICLE USED BY YOU PERSONALLY (AGENCY, POOL, OR PRIVATE) TOTAL MILEAGECOST PER MILE	د،
TOTAL EXPENSE FOR VEHICLE USE	#51,00
TYPE OF BOAT USED BY YOU PERSONALLY	· · ·
RATE FOR BOAT USE: CANOE AND FLATBOTTOM (NARROW) WIDE FLATBOTTOM GLASSMASTER 17' OUTBOARD GLASSMASTER 19' OUTBOARD GLASSMASTER 19' INBOARD CAROUSEL FISH/SKI, T-CRAFT DAILY COST HOURLY OPERATION \$ 5.00 \$ 3.00 4.00 6.50 6.50 7.50 8.50 31.00 8.50 9.00) ,
JMBER OF DAYS BOAT WAS USED	<u> </u>
TOTAL NUMBER OF NIGHTS SPENT IN FIELD TOTAL EXPENSE FOR LODGING	\$777.00
EQUIPMENT USED (SOLVENTS, HAY BALES, WIRE, BOOMS, ETC.) ITEMIZE BELOW:	
TOTAL EXPENSE FOR EQUIPMENT	·
MISCELLANEOUS ITEMS (ICE, FILM, TOLLS, ETC.) ITEMIZE BELOW:	
TOTAL EXPENSE FOR MISCELLANEOUS ITEMS	
EF' TIVE DATE: /// TOTAL EXPENSES	11/17.63
DATE:	
	00198

OF THE TON COMPLAINT NO. 81-667 FISH KILL NO. 81-086	
AME: Dwight M. Sours	
TITLE: Pollution Control SpecialistA	
WAGE EARNINGS PER HOUR AT TIME OF INVESTIGATION # 7.71	
TOTAL MAN-HOURS IN FIFLD/0.5	
FOTAL WAGE EXPENSE BASED ON HOURLY RATE	80.96
TOTAL MILEAGE NA COST PER MILE NA	
TOTAL EXPENSE FOR VEHICLE USE	N/A
TYPE OF BOAT USED BY YOU PERSONALLY	NIA
RATE FOR BOAT USE: DAILY COST HOURLY OPERATING CANDE AND FLATBOTTOM (NARROW) \$ 6.25 \$ 3.00 WIDE FLATBOTTOM 8.50 4.00 GLASCMASTER 17' OUTBOARD 15.00 6.50 GLASSMASTER 19' OUTBOARD 25.00 7.50 GLASSMASTER 19' INBOARD 31.00 8.50 CAROUSEL 31.00 8.50 VISH/SKI, T-CRAFT 37.00 9.00	COST
#ISH/SKI, T-CRAFT 37.00 9.00	
NUMBER OF DAYS BOAT WAS USED NIA TOTAL EXPENSE FOR BOAT USE	N/A
TOTAL NUMBER OF NIGHTS SPENT IN FIELD	N/A \$5.20
EQUIPMENT USED (SOLVENTS, HAY BALES, WIRE, BOOMS, ETC.) ITEMIZE BELOW: TEM(S) COST PER UNIT TOTAL COST	•
	-
TOTAL EXPENSE FOR EQUIPMENT	N/A
MISCELLANLOUS FIERS (ICC, 1104, TOLES, ETC.) FIRMIZE BELOW:	
TOTAL EXPENSE FOR MISCELLANEOUS ITEMS	N/A
EF TIVE DATE: 5/36/8/ TOTAL EXPENSES	#86.16
SIGNATURE: Durelt M. Sours	.
SIGNATURE: Durcht M. Sound DATE: 5/26/81	
100	199

NA TAL EXPENSE FOR MISCELLAHLOUS TILMS

...... 280.77 ECTIVE DATE: 5/28/8/ STUMATURE :

·· ·· · · · · · · · · · · · · · · · ·	WHI 1 15 19 20 2 7 7 8 12 7 2 8 12 6 7 12	364
Feet Kill Name 81-086	KILL REPORT/NOTH ICATION	
		, Date in recognition 5-22 \$23-8/
		Investmentor J.A. Fromal, TIT
Region Valley	and the second	
Reported by: Name Rober	rt Parton	•
Addit ss		
· -) 263-5512	and the second s
	m Ms. Lample	-
, <u></u>	PReP Central	
Fish Killed (common name) Suc	kers, Bass, Minnows	Date Kel Steten Probably 5-19-6
Number Killed 2482		_Date Kill End at Probably 5-20-
		Cost for digition 664.46
Cause of Kill Unknown -	Suspect runoff	Man Hours55
Exact Location of Kill Pine	below discharge or	the Tye River
Date <u>5/28/8/</u>		specter II nome for
Recommendations:		
Division of Ecological Studies <u>La</u>	b when indicates so	imples of siver taken a
texic slug had pas	seed. Circumstances	similar to post
	runoll from U.	J. TITOKI WAL.
Date		**************************************
gydrawydd, gymraeg y gymraeth yn Arfael yr 1970 a gymraeth y 1970 a 1970	general de la proposition de la constant de la cons	
Date	Sumature	 · · · · · · · · · · · · · · · · · ·

7 Copies: DUS, BSES Du., Ent., Region, CGH., WATS THE Consent the follow

Fish Kill Distributed (Date)

100202